PERGAMON

Polyhedron 18 (1999) 3743–3768

POLYHEDRON

www.elsevier.nl/locate/poly

Author Index to Volume 18

Abada, V., see G. Hubert-Pfalzgraf, L., 845
Abada, V., see Hubert-Pfalzgraf, L.G., 3497
Abarca, B., see Ballesteros, R., 3129
Abdel-Rahman, L., see Sgarabotto, P., 2505
Abdi, S.H.R., see Kureshy, R.I., 1773
Abel, E.W., Orrell, K.G., Poole, M.C. and Šik, V., A dynamic NMR study of sulphur inversion in transition metal complexes of 2,6-dithiaspiro[3.3]heptane (2,6-DTSH), 2,6-DTSH-2-oxide and 2,6-DTSH-2,2-dioxide, 1345
Abram, U., see Ortner, K., 749
Abram, U., Schmidt-Brücken, B. and Ritter, S., Reactions of $[ReN(Cl)(Me_2PhP)_2(HEt_2tcb)]$ with Lewis Acids. Synthesis, Characterization and Structures of $[Re(NBBr_3)Br_2(Me_2PhP)_3]$, $[Re(NGaCl_3)Cl(Me_2PhP)_2(H_2Et_2tcb)][GaCl_4]$ and $[Re\{NB(C_6F_5)_3\}Cl(Me_2PhP)_2(HEt_2tcb)]$ (H_2Et_2tcb=*N*,*N*-diethylthiocarbamoylbenzamidine), 831
Abram, U., see Bolaño, S., 1431
Abram, U., Carballo, R., Cabaleiro, S., García-Fontán, S. and Vázquez-López, E.M., Synthesis, characterization and structures of the novel rhenium(IV) complexes *trans*-$[ReCl_4\{PPh_2(OMe)\}_2]$, *trans*-$[ReCl_4\{PPh_2(OEt)\}_2]$ and *trans*-$[ReCl_4(OPPh_3)_2]$, 1495
Abram, U., Alberto, R., Dilworth, J.R., Zheng, Y. and Ortner, K., Rhenium and technetium complexes with diphenyl(2-pyridyl)phosphine, 2995
Abras, A., see Graúdo, J.E.J.C., 2483
Abras, A., see Rodarte de Moura, C.V., 2961
Abu-Youssef, M., see Massoud, S.S., 2287
Abu-Youssef, M.A.M., see Massoud, S.S., 2061
Acevedo-Chávez, R. and Costas, M.E., Spectral and magnetic studies of the polynuclear compound $[Cu(II)(hypoxanthine^{2-})(H_2O)_2]_n$, 1549
Ackerman, L.J., see Goldberg, K.I., 1177
Ackerman, L.J., see Castiñeiras, A., 1463
Ackerman, L.J., Fanwick, P.E., Green, M.A., John, E., Running, W.E., Swearingen, J.K., Webb, J.W. and West, D.X., Structural and spectral studies of copper(II) and nickel(II) complexes of pyruvaldehyde mixed bis{N(4)-substituted thiosemicarbazones}, 2759
Adhikari, N., Chaudhuri, S., Butcher, R.J. and Saha, N., Synthesis and spectroscopic characterisation of copper(II) complexes with 5-methyl-1-(2′-pyridyl) pyrazole-3-carboxamide (MP_1P_2CA): X-ray crystal structure of $[Cu(MP_1P_2CA)_2(H_2O)](ClO_4)_2$, 1323
Aguirre, G., see Rodríguez, J.G., 3051
Ahmed, L.S., Clegg, W., Davies, D.A., Dilworth, J.R., Elsegood, M.R.J., Griffiths, D.V., Horsburgh, L., Miller, J.R. and Wheatley, N., The preparation and coordination chemistry of substituted benzenethiols. Triphenylphosphine gold(I) complexes of sterically demanding and nondemanding arenethiols. The absence of gold(I)–gold(I) interactions, 593
Airola, K., see Ratilainen, J., 2265
Airoldi, C., see Santos Jr, L.S., 969
Ai-guo, H., see Yao-feng, Y., 1247
Akhtar, M.N., see Isab, A.A., 1401
Akilan, P., see Amudha, P., 1355
Alberto, R., see Abram, U., 2995
Alderighi, L., Cecconi, F., Ghilardi, C.A., Mederos, A., Midollini, S., Orlandini, A. and Vacca, A., Complexes of beryllium(II) with substituted malonates. Crystal structure of $K_2[Be(C_3H_6(COO)_2)_2]\cdot 2H_2O$, 3305
Alexander, V., see Suresh Kumar, D., 1561
Alexander, V., see Kumar, D.S., 3123
Allen, C.W., see Nataro, C., 1471
Alvarez, S., see Marchal, S., 3675
Al-Arfaj, A.R., see Isab, A.A., 1401
Amador, U., see Seco, J.M., 3605
Amigó, J.M., see Hueso-Ureña, F., 2205
Amigó, J.M., see Hueso-Ureña, F., 3629
Amudha, P., Akilan, P. and Kandaswamy, M., Synthesis, spectral, electrochemical and magnetic properties of new symmetrical and unsymmetrical dinuclear copper(II) complexes derived from binucleating ligands with phenol and benzimidazole donors, 1355
Amudha, P., Thirumavalavan, M. and Kandaswamy, M., Synthesis, spectral, electrochemical and magnetic properties of new phenoxo-bridged dicopper(II) complexes derived from unsymmetrical binucleating ligands, 1363
Amudha, P., Thirumavalavan, M. and Kandaswamy, M., Synthesis, spectral, magnetic and electrochemical properties of new dinuclear copper(II) complexes, 1371
Anacona, J.R., see Márquez, V.E., 1903
Anand, R.D., see Narula, S.P., 2055
Ananias, S.R., see de Lucca Neto, V.A., 413
Anderson, G.K., see Stockland Jr, R.A., 1067
Andjelkovic, K., see Ivanovic-Burmazovic, I., 119
Andruh, M., see Ferbinteanu, M., 243
Andruh, M., see Ferbinteanu, M., 3019
Aneetha, H., Zacharias, P.S., Srinivas, B., Lee, G.H. and Wang, Y., Synthesis and characterization of Cp*Rh(III) and Ir(III) polypyridyl complexes: fluxional behaviour of Rh(III) complexes and molecular structure of $[Cp^*Rh(Ph\text{-}terpy)Cl]BF_4$ complex ($Cp^*=\eta^5-(C_5Me_5)$), 299
Antiñolo, A., Fonseca, I., Ortiz, A., Rosales, M.J., Sanz-Aparicio, J., Terreros, P. and Torrens, H., Iridium–fluorobenzenethiolato complexes: crystal structures of $[Ir(SC_6F_5)(CO)(PPh_3)_2]$, $[Ir_3(\mu\text{-}SC_6F_5)_3(\mu\text{-}CO)(CO)_4(PPh_3)_2]$ and $[Ir(SC_6F_5)(\eta\text{-}O_2)(CO)(PPh_3)_2]$, 959
Antsichkina, A.S., see Garnovskii, A.D., 863
Antzutkin, O.N., see Ivanov, A.V., 2069
Aoki, K., see Hu, N.-H., 2987
Apostolidis, C., Carvalho, A., Domingos, A., Kanellakopulos, B., Maier, R., Marques, N., Pires de Matos, A. and Rebizant, J., Chlorolanthanide, and plutonium complexes containing the hydrotris(3,5-dimethylpyrazol-l-yl)borate ligand: the crystal and molecular structures of $[PrCl(\mu\text{-}Cl)Tp^{Me2}(3,5\text{-}Me_2pzH)]_2$ and $YbCl_2Tp^{Me2}(THF)$, 263
Araceli Cabrero, .C., see García-Raso, Á., 871
Arion, V.B., Beer, P.D., Drew, M.G.B. and Hopkins, P., Anion recognition by nickel(II) and cobalt(III) complexes with quadridentate ligands based on isothiosemicarbazide, 451
Arnold, D.P., see Jiang, J., 2129

PII: S0277-5387(99)00350-2

Arranz-Mascarós, P., Godino-Salido, M.L., López-Garzón, R., Gutiérrez-Valero, M.D. and Moreno, J.M., Synthesis and structural characterization of Zn(II), Ag(I) and Pd(II) complexes with 2,4-diamino-5-nitroso-6-oxopyrimidine. Crystal and molecular structure of $[ZnCl_2(L)(H_2O)]$ and $[Ag(NO_3)(L)_2]$, 689

Arranz-Mascarós, P., Godino-Salido, M.L., López-Garzón, R., Gutiérrez-Valero, M.D. and Moreno, J.M., Coordination modes of N-2-(4-amino-1-methyl-5-nitroso-6-oxo-1,6-dihydropyrimidinyl) potassium L-alaninate toward Ag(I), Cd(II) and Pd(II). Crystal structure of $\{Ag(\eta^4\text{-}\mu_3\text{-}L)]\cdot 3H_2O\}_n$, first example of a silver 3D-polymer with a pyrimidine-derivative ligand, 793

Arranz-Mascarós, P., see Moreno, J.M., 1635

Arriortua, M.I., see Barandika, M.G., 1311

Arriortua, M.I., see Serna, Z., 249

Arriortua, M.I., see García-Tojal, J., 3703

Aruna, V.A.J., see Kumar, D.S., 3123

Asbrand, M., Berry, F.J., Eisenmann, B., Kniep, R., Smart, L.E. and Thied, R.C., A tin-119 Mössbauer spectroscopic investigation of some chalcogen-containing Zintl phases, 2427

Aslanidis, P., see Cox, P.J., 1501

Atherton, Z., Goodgame, D.M.L., Menzer, S. and Williams, D.J., Polymeric transition metal complexes of 1,4-bis-(4-pyridyl-sulfenylmethyl)benzene and of its 2-pyridyl analogue, 273

Atwood, D.A., see Wei, P., 641

Aullón, G., see Marchal, S., 3675

Averbuch-Pouchot, M.-T., see Bouquillon, S., 3511

Bacchi, A., see Ivanovic-Burmazovic, I., 119

Bádenas, F., see García-Raso, Á., 765

Bádenas, F., see García-Raso, Á., 3077

Baek, H., see Cho, Y., 1799

Baek, S.W., see Qian, B., 2405

Bai, Z., see Jian, F., 3401

Bai, Z.-P., see Jian, F.-F., 2219

Baker, P.K., Latif, L.A., Meehan, M.M., Zanin, S. and Drew, M.G.B., Bimetallic bridged dppb $\{dppb=Ph_2P(CH_2)_4PPh_2\}$ complexes $[\{MI_2(CO)_3(P(OR)_3)\}_2(\mu\text{-dppb})]$ (M=Mo, W); X-ray crystal structure of $[\{MoI_2(CO)_3(P(O^iPr)_3)\}_2(\mu\text{-dppb})]$, 257

Baker, P.K. and Belcher, D.E., The preparation and characterisation of a series of cationic bimetallic linear triphos-bridged complexes of the type $[Mo(CO)(L,L'$ or $L''\text{-}P)(\eta_2\text{-}RC_2R')Cp][BF_4]$ $\{L,L'$ or $L''=[WI_2(CO)\}PhP(CH_2CH_2PPh_2)_2\text{-}P,P'\}(\eta^2\text{-}RC_2R')\}$ (L,R=R′=Me; L′,R=R′=Ph; L″,R=Me,R′=Ph}, 729

Balema, V.P., Blaurock, S. and Hey-Hawkins, E., The reaction of phenylchlorophosphino-subsituted 1,2-dicarba-*closo*-dodecaboranes-(12) with elemental sulfur and molecular structures of *rac*-1,2-bis-(phenylchlorophosphino)-1,2-dicarba-*closo*-dodecaborane(12) and 1-phenylchlorothiophosphino-2-phenyl-1,2-dicarba-*closo*-dodecaborane(12), 545

Ballesteros, R., Abarca, B., Samadi, A., Server-Carrió, J. and Escrivà, E., Coordinating behaviour of 3-methyl[1,2,3]triazolo[1,5-*a*]pyridine (tzpy): crystal and molecular structure and electronic properties of $[Cu(tzpy)_2(ONO_2)_2(OH_2)]$, 3129

Bandyopadhyay, P., see Barik, A.K., 1

Banerjee, P., see Ray, M., 1569

Bansal, R.K., see Dey, D.K., 2687

Bao, M., see Cao, R., 333

Baradi, K., see Sangeetha, N.R., 1425

Baran, E.J., see Gambino, D., 2099

Barandika, M.G., see Serna, Z., 249

Barandika, M.G., Serna, Z.E., Urtiaga, M.K., De Larramendi, J.I.R., Arriortua, M.I. and Cortés, R., Crystal structure and magnetic properties of two metal–picolinate systems obtained from degradation of bis(2-pyridylketone) through reaction with Mn(II) and Cu(II), 1311

Barbosa, J., see Barrón, D., 3281

Barbosa, J., Barrón, D., Butí, S. and Marqués, I., Assignment of pH_S values of reference buffer solutions for standardization of potentiometric sensors in THF–water, 3361

Barik, A.K., Bandyopadhyay, P. and Kar, S.K., Copper(II) and nickel(II) complexes of pyrazole derived ligands: Synthesis, characterization and coordinating properties of two substituted thiocarbamyl pyrazoles, 3,5-dimethyl-1-*N*-methyl/ethyl thiocarbamyl pyrazole (HL_1, HL_2), potential ligands for biological interest. X-ray crystallographic studies of $Ni(L_2)_2$, 1

Barik, A.K., Paul, S., Kar, S.K., Butcher, R.J. and Bryan, J.C., Synthesis and spectroscopic characterization of nickel(II) complexes with 5-methyl-3-formylpyrazole-*N*(4)-methylthiosemicarbazone (HL4Me): X-ray crystallographic studies of $[Ni(HL4Me)_2](NO_3)_2\cdot 2H_2O$, 571

Barral, M.C., Jiménez-Aparicio, R., Pérez-Quintanilla, D., Pinilla, E., Priego, J.L., Royer, E.C. and Urbanos, F.A., Synthesis and properties of diruthenium(II,III) compounds with *trans*-2-methyl-2-pentenoate ligand. Crystal structure of $Ru_2Cl(\mu\text{-}O_2CC(Me)=CHEt)_4$, 371

Barron, A.R., see Francis, J.A., 2211

Barrón, D., Butí, S., Ruiz, M. and Barbosa, J., Evaluation of acidity constants and preferential solvation in tetrahydrofuran–water mixtures, 3281

Barrón, D., see Barbosa, J., 3361

Barszcz, B., Głowiak, T. and Jezierska, J., Crystal and molecular structures of eight-coordinate (CuN_4O_4) and six-coordinate (CuN_4O_2) Cu(II) complexes with 4-methyl-5-imidazole-carboxaldehyde or 1-benzyl-2-hydroxymethylimidazole, respectively. Spectroscopic and potentiometric studies, 3713

Bartczak, T.J., Czurak, W., Dzięgielewski, J.O., Machura, B., Jankowska, A., Kusz, J. and Warczewski, J., New synthetic routes to some nitrosyl rhenium complexes. Crystal, molecular and electronic structure of $[ReCl_3(NO)(PPh_3)_2]$ and $[ReCl_2(CO)(NO)(PPh_3)_2]$ complexes, 2313

Basson, S.S., see Visser, H.G., 2795

Basuli, F., Peng, S.-M. and Bhattacharya, S., Chemistry of 2-(arylazo) phenolate complexes of osmium. Synthesis, structure and redox properties, 391

Basuli, F., see Das, A., 2729

Batista, A.A., Pereira, C., Wohnrath, K., Queiroz, S.L., De A. Santos, R.H. and Do P. Gambardella, M.T., Synthesis and characterization of the *mer*-$[RuCl_3(NO)(dppb)]$ isomer. X-ray structures of *fac*-$[RuCl_3(NO)(dppm)]$, *cis*-$[RuCl_2(dppm)_2]$ and *mer*-$[RuCl_3(NO)(dppb)]$ [dppm=1,2-Bis(diphenylphosphino)methane and dppb=1,4-Bis-(diphenylphosphino)butane], 2079

Battistuzzi, G., Corradi, A.B., Dallari, D., Saladini, M. and Battistuzzi, R., Synthesis, crystal and molecular structure, spectroscopic and electrochemical studies of μ-oxo-bis{oxi-bis(4,6-dimethyl-pyrimidine-2-thiolate)rhenium(V)} complex, 57

Battistuzzi, R., see Battistuzzi, G., 57

Bauer, C.B., see Gilbert, T.M., 1293

Bauer, C.B., see Gilbert, T.M., 1303

Beck, W., see Briel, O., 225

Becker, T.M., Krause-Bauer, J.A., Homrighausen, C.L. and Orchin, M., The preparation and reactions of the azides of *fac*-$Mn(CO)_3(P\text{-}P)N_3$. The X-ray crystal structures of *fac*-$[Mn(CO)_3(P\text{-}P)(OH_2)]BF_4$, *fac*-$Mn(CO)_3(P\text{-}P)(NN_2C(CF_3)N)$ [(P-P)=dppe and depe], and *fac*-$[Mn(CO)_3(depe)(PPh_3)]BF_4$, 2563

Beer, P.D., see Arion, V.B., 451

Belcher, D.E., see Baker, P.K., 729

Bellemin-Laponnaz, S., Coleman, K.S. and Osborn, J.A., Co-ordination of the chiral N,O-ligand 2-[(1*S*, 2*S*, 5*R*)(−)-menthol]-pyridine to molybdenum(VI) and vanadium(IV) oxo complexes. Crystal structures of $[MoO_2\{2\text{-}(-)\text{-menthol-pyridine}\}_2]$ and $[VO\{2\text{-}(-)\text{-menthol-pyridine}\}_2]$, 2533

Belousov, Y.A. and Belousova, T.A., The formation of iron carbonyl radical anions in the reactions of iron carbonyls with trimethylamine *N*-oxide, 2605

Belousova, T.A., see Belousov, Y.A., 2605

Benítez, J., see Gambino, D., 2099

Benito, A., see Lloris, J.M., 3689

Benito, M., López, C. and Morvan, X., Five- and six-membered palladacycles derived from $[(\eta^5\text{-}C_5H_5)Fe\{(\eta^5\text{-}C_5H_4)\text{-}CH{=}N\text{-}(C_6H_4\text{-}2\text{-}C_6H_5)\}]$, 2583

Bensch, W., see Schur, M., 101

Berdyev, D.V., see Starikova, Z.A., 941

Bermejo, E., see Castiñeiras, A., 1463

Bermejo, E., see West, D.X., 2919

Bermejo, E., Carballo, R., Castiñeiras, A., Domínguez, R., Maichle-Mössmer, C., Strähle, J. and West, D.X., Synthesis, characterization and antifungal activity of group 12 metal complexes of 2-acetylpyridine-^{4}*N*-ethylthiosemicarbazone (H4EL) and 2-acetylpyridine-*N*-oxide-^{4}*N*-ethylthiosemicarbazone (H4ELO), 3695

Bermejo, M.R., Sousa, A., García-Deibe, A., Maneiro, M., Sanmartin, J. and Fondo, M., Synthesis and characterization of new manganese(III) complexes with asymmetrical ONSN Schiff bases, 511

Bernal, I., see Chun, H., 3647

Bernalte-García, A., García-Barros, F.J., Higes-Rolando, F.J. and Luna-Giles, F., Coordination chemistry of thiazoline/thiazolidine derivatives. I: Crystal structure of 2-(2-pyridyl)imino-*N*-(2-thiazolin-2-yl)thiazolidine (PyTT) and study of its interaction with nickel(II), 2907

Bernès, S., see Pandiyan, T., 3383

Bernhardt, P.V., see Marcus, S.T., 3451

Berry, A., The synthesis and characterization of isobutylantimony compounds, 2609

Berry, F.J., Bilsborrow, R.L., Dent, A.J., Mortimer, M., Ponton, C.B., Purser, B.J. and Whittle, K.R., Formation of iron-doped mullite ($Al_{4+2x}Si_{2-2x}O_{10-x}$) by temperature- and time-resolved X-ray powder diffraction and EXAFS, and by ^{27}Al MAS NMR spectroscopy, 1083

Berry, F.J., see Asbrand, M., 2427

Bertagnolli, H., see Merkle, R., 1089

Bhadbhade, M.M., see Suresh, E., 657

Bhadbhade, M.M., see Rao, S.N., 2491

Bharadwaj, P., see Santra, B.K., 617

Bharadwaj, P.K., see Tripathi, A., 2229

Bharathi, D.S., see Wycliff, C., 949

Bhartiya, N., see Dey, D.K., 2687

Bhattacharya, P.K., see Dutta, S., 2157

Bhattacharya, S., see Basuli, F., 391

Bhattacharya, S., see Sui, K., 631

Bhattacharya, S., see Ray, M., 1569

Bhattacharya, S., see Das, A., 2729

Bhattacharya, S., see Majumder, K., 3669

Bhattacharyya, D., Chakraborty, S., Munshi, P. and Lahiri, G.K., Ruthenium(II/III) bipyridine complexes incorporating thiol-based imine functions. Synthesis, spectroscopic and redox properties, 2951

Bholat, A.M., see Harris, G.S., 2109

Bhowon, M.G., Wah, H.L.K. and Narain, R., Schiff base complexes of ruthenium(II) and their use as catalytic oxidants, 341

Bhushan, K.R., see Kidwai, M., 2641

Biler, M., see Kopel, P., 1779

Bilsborrow, R.L., see Berry, F.J., 1083

Bindu, P., Kurup, M.R.P. and Satyakeerty, T.R., EPR, cyclic voltammetric and biological activities of copper(II) complexes of salicylaldehyde N(4)-subsituted thiosemicarbazone and heterocyclic bases, 321

Biner, M., see Laurent, F., 3321

Birk, U., see Sünkel, K., 3187

Birri, A., Steed, J.W. and Tocher, D.A., Synthesis and crystal structures of π-tetramethylthiophene complexes of ruthenium(II), 1825

Bisceglie, F., see Sgarabotto, P., 2505

Blanco, L.M., see Kharisov, B.I., 985

Blaurock, S., see Balema, V.P., 545

Bocelli, G., see Thirumaran, S., 925

Bochkarev, A.V., see Knyazev, D.A., 2579

Bodini, M.E., Copia, G., Tapia, R., Leighton, F. and Herrera, L., Iron complexes of quercetin in aprotic medium. Redox chemistry and interaction with superoxide anion radical, 2233

Bolaño, S., Bravo, J., Carballo, R., García-Fontán, S., Abram, U. and Vázquez-López, E.M., Synthesis and characterization of the bromide and hydride derivatives of rhenium(I) 1,2-bis(diphenylphosphinite)ethane complexes, 1431

Bolos, C.A., Fanourgakis, P.V., Christidis, P.C. and Nikolov, G.S., Crystal and molecular structures of [(2-amino-5-methyl-1,3-thiazole)(1,4,7-triazaheptane)copper(II)] dinitrate, 1661

Bonamartini Corradi, A., Lusvardi, G., Menabue, L., Saladini, M. and Sgarabotto, P., Coordination properties of *N*-*p*-tolylsulfonyl-L-glutamic acid toward metal^{II}. Part 1. Crystallographic study on Zn^{II} and Cd^{II} complexes, 1975

Bonanno, J.B., see Ghosh, P., 1107

Bond, A.H., see Gilbert, T.M., 1293

Bonnetot, B., see Naoufal, D., 931

Borsari, M., Menabue, L. and Saladini, M., Coordination properties of *N*-*p*-tolylsulfonyl-L-glutamic acid toward metal^{II}. Part 2. Solution study on binary and ternary 2,2′-bipyridine containing systems, 1983

Bortoluzzi, A.J., see Rodarte de Moura, C.V., 2961

Bosak, A.A., see Troyanov, S.I., 3505

Bosque, R. and López, C., Palladium(II) compounds containing mono- and bidentate primary ferrocenylamines. A study of the cyclopalladation of: $[(\eta^5\text{-}C_5H_5)Fe\{(\eta^5\text{-}C_5H_4)\text{-}(CH_2)_n\text{-}NH_2\}]$ (with n=1 or 2), 135

Bott, S.G., see Francis, J.A., 2211

Bouquillon, S., Du Moulinet d'Hardemare, A., Averbuch-Pouchot, M.-T., Hénin, F. and Muzart, J., Synthesis and characterization of monomeric and dimeric palladium(II)–ammonium complexes: their use for the catalytic oxidation of alcohols, 3511

Boyatzis, S., see Garoufis, A., 1615

Bradshaw, J.E., see Sukal, S., 7

Bravo, J., see Bolaño, S., 1431

Brechbiel, M.W., see Yordanov, A.T., 1055

Breza, M. and Manová, A., On the structure of lead(II) complexes in aqueous solutions. II. Tetranuclear clusters, 2085

Březina, F., see Pastorek, R., 151

Briel, O., Fehn, A., Polborn, K. and Beck, W., Hydrocarbon bridged metal complexes, XLIV. Donor-acceptor substituted Schiff bases of polyenes with transition metals, 225

Brooker, S., Dunbar, G.S. and Jameson, G.B., Synthesis, complexation and cyclisation reactions of a new acyclic diamide: observation of intramolecular ligand exchange in a structurally characterised nickel(II) complex, 679

Brophy, M., Murphy, G., O'Sullivan, C., Hathaway, B. and Murphy, B., The range in static stereochemistry of the cation distortion isomers of the $[Cu(chelate)_2Cl]^+$ cation, where chelate=bipy, phen or bipyam. The low temperature crystal structure (150 K) of $[Cu(bipy)_2Cl][PF_6]\cdot H_2O$ and $[Cu(phen)_2Cl][BPh_4]$, 611

Bruhn, C., see Gerisch, M., 1953

Brunner, H., Leis, F., Nuber, B. and Wachter, J., As/Se-units as building blocks in cobalt complexes containing the C_5Me_4Et ligand. Crystal structure of $(\eta^5\text{-}C_5Me_4Et)Co(\eta^5\text{-}As_6Se)$, 347

Bryan, J.C., see Barik, A.K., 571

Bu, W.-M., see Wang, R.-Z., 2971

Bugella-Altamirano, E., see Román-Alpiste, M.J., 3341

Bugella-Altamirano, E., González-Pérez, J.M., Sicilia-Zafra, A.G., Niclós-Gutiérrez, J. and Castiñeiras-Campos, A., Checking for the possibility of an 'amidomethyl' N-substituent being involved in the iminodiacetat–copper(II) chelation: synthesis, molecular and crystal structure and properties of (imidazole)(*N*-carbamoylmethyl-iminodiacetat)copper(II), [Cu(ADA)(ImH)], 3333

Bünzli, J.-C.G., see Wang, M., 1853

Burlov, A.S., see Garnovskii, A.D., 863

Burlov, A.S., see Kharisov, B.I., 985

Burrows, A.D., Coleman, M.D. and Mahon, M.F., Platinum thiosemicarbazide and thiourea complexes: the crystal structure of $[PtCl(dppe)\{SC(NHMe)NHNMe_2\text{-}S\}](PF_6)$ and the influence of intramolecular hydrogen bonding on ligand co-ordination mode, 2665

Butcher, R.J., see Barik, A.K., 571
Butcher, R.J., see Adhikari, N., 1323
Butcher, R.J., see Narayan, S., 1685
Butí, S., see Barrón, D., 3281
Butí, S., see Barbosa, J., 3361
Butler, I.S., see Gourbatsis, S., 2369
Byrne, R.H., see Schijf, J., 2839

Cabaleiro, S., see Abram, U., 1495
Cabaleiro, S., Castro, J., Vázquez-López, E., García-Vázquez, J.A., Romero, J. and Sousa, A., Electrochemical synthesis of nickel(II) complexes of tosylamides: crystal structures of [(4-methylphenyl)sulfonyl]-imino-1H-pyridine], 2,2′-bipyridine bis{[(4-methylphenyl) sulfonyl]-2-pyridyl-amide}nickel(II) and 1,10-phenanthroline bis{[(4-methylphenyl) sulfonyl]-2-pyridyl-amide}nickel(II), 1669
Cabani, S., Ceccanti, N., Pardini, R. and Tiné, M.R., Thermodynamics and kinetics of dioxygen binding to Co(II) complexes with saturated macrocyclic tetraamines, 3295
Cabral, M.F. and Delgado, R., 4,7,10,13-Tetrakis(carboxymethyl)-1-oxa-4,7,10,13-tetraazacyclo- pentadecane and properties of its metal complexes, 3479
Cai, R.-F., see Zhang, L.-X., 1533
Cai, S.-H., see Chen, Z., 1339
Caires, A.C.F., see de Lucca Neto, V.A., 413
Calvo-Perez, V., Shang, M., Yap, G.P.A., Rheingold, A.L. and Fehlner, T.P., The syntheses and X-ray crystal structures of novel transition metal cluster arrays containing 2–5 coordinated $[(CO)_9Co_3(\mu_3\text{-}CCOO)]^-$ ligands in a variety of geometries, 1869
Camalli, M., see Santini, C., 2255
Campbell, C.J., see Jolley, J., 49
Canepari, S., Carunchio, V. and Schina, R., Complex formation between copper(II) and several β-amino alcohols in aqueous solution: a potentiometric and spectrophotometric study, 3263
Cantoni, A., see Thirumaran, S., 925
Cao, H., see Zhai, J., 1513
Cao, R., Zhang, Q., Su, W., Bao, M., Zheng, Y. and Hong, M., Syntheses of cluster compounds with $MoCu_4$ core. X-ray crystal structures of $[MoCu_4Se_4Cl_2(Py)_6]$ and $(Et_4N)_2[MoCu_4S_4(S_2CNMe_2)_4]$, 333
Carballo, R., see Bolaño, S., 1431
Carballo, R., see Abram, U., 1495
Carballo, R., see Bermejo, E., 3695
Caridad Ruiz, .R., see Robin, T., 1485
Carlson-Day, K.M., Eglin, J.L., Lin, C., Smith, L.T., Staples, R.J. and Wipf, D.O., Synthesis of multiply-bonded dichromium complexes with a variety of formamidinate ligands, 817
Carpenter, N.E. and Nicholas, K.M., Some studies involving the use of chiral amine oxides for the enantioselective preparation of (propargyl alcohol)$Co_2(CO)_5(PR_3)$ complexes, 2027
Carriedo, G.A., García Alonso, F.J., González, P.A. and Gómez-Elipe, P., Direct synthesis of cyclic and polymeric phosphazenes bearing diphenylphosphine groups and their complexes with $[W(CO)_5]$ fragments, 2853
Carter, A. and Drew, M.G.B., Synthesis and structure of some cobalt(II), cobalt(III) and one nickel(II) monomeric, monodentate(*S*) thiosulfato complexes. *Trans* and *cis* structural effects in the cobalt(III) complexes, 1445
Carunchio, V., see Canepari, S., 3263
Carvalho, A., see Apostolidis, C., 263
Casas, J.M., Falvello, L.R., Formiés, J., Mansilla, G. and Martin, A., Synthesis and structural characterization of platinum and palladium complexes containing O-donor $C_6X_2O_4^{2-}$ ligands, 403
Casas, J.S., Playá, N., Sánchez, A., Sordo, J., Varela, J.Ma. and Vázquez-López, E.M., Synthesis and characterization of phenyl[5-(2-pyridinylmethylene)-2-thiohydantoinato]mercury(II), and the crystal and molecular structures of its DMSO solvate, 187
Casas, J.S., Castiñeiras, A., Playá, N., Sánchez, A., Sordo, J., Varela, J.Ma. and Vázquez-López, E.M., Methylmercury and dimethylthallium complexes of 5-(4′-dimethylaminobenzylidene)-2-thiohydantoin (HDABTd). The crystal and molecular structures of HDABTd and $[TlMe_2(DABTd)(DMSO)]$, 3653
Castillo, O., Muga, I., Luque, A., Gutiérrez-Zorrilla, J.M., Sertucha, J., Vitoria, P. and Román, P., Synthesis, chemical characterization, X-ray crystal structure and magnetic properties of oxalato-bridged copper(II) binuclear complexes with 2,2′-bipyridine and diethylenetriamine as peripheral ligands, 1235
Castineiras, A., see Jolley, J., 49
Castiñeiras, A., see Sevillano, P., 383
Castiñeiras, A., Bermejo, E., West, D.X., Ackerman, L.J., Valdés-Martínez, J. and Hernández-Ortega, S., Structural and spectral studies of 1-phenylglyoxal bis(3-piperidylthiosemicarbazone) and its zinc(II), cadmium(II) and platinum(II) complexes, 1463
Castiñeiras, A., see West, D.X., 2919
Castiñeiras, A., see Vidal, M.C.F., 3313
Castiñeiras, A., see Casas, J.S., 3653
Castiñeiras, A., see Bermejo, E., 3695
Castiñeiras-Campos, A., see Bugella-Altamirano, E., 3333
Castiñeiras-Campos, A., see Román-Alpiste, M.J., 3341
Castro, J., see Cabaleiro, S., 1669
Cathey, C.J., see Constable, E.C., 159
Caubet, A., see Riera, X., 2549
Caulton, K.G., see Renkema, K.B., 2575
Cavaglioni, A., see Cini, R., 669
Cavaglioni, A., see Cini, R., 1863
Cavaleiro, A.M.V., see Gamelas, J.A., 1163
Ceccanti, N., see Cabani, S., 3295
Cecconi, F., see Alderighi, L., 3305
Chai, J.J., see Cui, X.L., 1023
Chakov, N.E., Collins, R.A. and Vincent, J.B., A re-investigation the electronic spectra of chromium(III) picolinate complexes and high yield synthesis and characterization of $Cr_2(\mu\text{-}OH)_2(pic)_4\cdot 5H_2O$ (Hpic=picolinic acid), 2891
Chakrabarti, P., see Maji, M., 3735
Chakraborty, S., Munshi, P. and Lahiri, G.K., Dinuclear ruthenium(II) bipyridine complexes having non-symmetric α,α'-diimine based neutral bridging ligands. Synthesis, spectroscopic and electrochemical properties, 1437
Chakraborty, S., see Bhattacharyya, D., 2951
Chan, A.S.C., see Liu, Q., 2345
Chang, Yu.-C., see Hong, F.-E., 2737
Chantrapromma, S., see Youngme, S., 857
Charbonnel, M.-C., see Thuéry, P., 3599
Chatterjee, D., Redox kinetics and reactivity of heterobinuclear cyano-bridged ethylenediaminetetraacetatoruthenium(III)hexacyanoferrate(II,III) in aqueous solution, 1767
Chatterjee, D., Mitra, A. and Mukherjee, S., Selective oxo-functionalisation of C–H bond with *t*-BuOOH catalysed by $[Ru^{III}(amp)(bipy)Cl]$ complex (H_2amp=N-(hydroxyphenyl)salicyldimine; bipy=2,2′bipyridyl), 2659
Chatterjee, M., see Maji, M., 3735
Chattopadhyay, S.K., see Maji, M., 3735
Chaudhuri, S., see Adhikari, N., 1323
Chen, B.-L., Mok, K.-F., Ng, S.-C. and Drew, M.G.B., Syntheses, structures and properties of copper(II) complexes with thiophene-2,5-dicarboxylic acid (H_2Tda) and nitrogen-containing ligands, 1211
Chen, C., see Zhang, Y., 3153
Chen, C., see Qin, J., 3461
Chen, H., see Guo, S., 735
Chen, H.-Y., see Lin, X., 217
Chen, J. and Woo, L.K., Syntheses and characterization of *tetrakis*(5-*tert*-butylpyrazole) Fe(II) and Mn(II) complexes. Molecular structure of $Fe(Pz^{t\text{-}Bu})_4(OTF)_2$, 825
Chen, J.-H., see Lu, Y.-Yu., 145
Chen, L., see Sheng, T., 1049
Chen, L., see Wang, Q., 1411

Chen, W., see Zou, J.-Z., 1507

Chen, W., Rockwell, J.J., Knobler, C.B., Harwell, D.E. and Hawthorne, M.F., Synthesis and characterization of *ortho*-3- and *meta*-2-substituted carboranes through a boron-insertion reaction, including the structure of the product of a double-insertion reaction, 1725

Chen, W., see Jian, F.-F., 2219

Chen, X., see Zhan, S., 2035

Chen, X.-F., see Zhu, X.-H., 3683

Chen, X.-M., see Long, L.-S., 1927

Chen, X.-N., Zhang, J., Ding, E.-R., Yin, Y.-Q. and Sun, J., Reaction of dipropargyl phthalate with $Co_2(CO)_8$ and $Mo_2Cp_2(CO)_4$ gives the di or tetranuclear clusters. The crystal structure of $[C_6H_4$-1,2-$(CO_2CH_2C_2H$-$\mu)_2][Co_2(CO)_6]_2$ and $[o$-$(HC_2CH_2OCO)C_6H_4(CO_2CH_2C_2H$-$\mu)][Mo_2Cp_2(CO)_4]$–$CH_2Cl_2$, 1555

Chen, Y., Liu, J., Liu, Q., Lin, Y.X.Y. and Jia, H., Synthesis, properties and crystal structure of charge-transfer salt $(DBTTF)_6HSiMo_{12}O_{40}4H_2O$, 481

Chen, Y., see Sun, H., 1045

Chen, Z., see Yang, G., 1273

Chen, Z., Cai, S.-H., Ye, J.-L., Huang, P.-Q., Fa-Kun Zheng, .-K.Z. and Huang, J.-S., NMR studies on $[VS_4$–$Cu_n]$ (n=3, 4, 5, 6) clusters, 1339

Chen, Z.-F., see Wang, X.-J., 647

Chen, Z.-N., see Wang, X.-J., 647

Chen, Z.-N., see Wang, X.-J., 3371

Cheung, K.-K., see Xie, W.-H., 2645

Chi, L.-S., see Lin, X., 217

Chien, B.-J., see Hong, F.-E., 2737

Chinea, E., see Valle, A., 3253

Chinnakali, K., see Youngme, S., 851

Chinnakali, K., see Youngme, S., 857

Chinnakali, K., see Jian, F., 3401

Chiotellis, E., see Maina, T., 3545

Chiozzini, G., see Petrilli, L., 2377

Cho, H., see Shik Chin, C., 811

Cho, Y., Baek, H. and Sohn, Y.S., Functionalization of organophosphazene trimers: synthesis and characterization of hexakis(dicarboxylic amino acid ester)cyclotriphosphazenes and their salt derivatives, 1799

Chohan, Z.H., see de Assis, F., 3533

Choi, K.-Y., Park, J.R. and Suh, I.-H., Preparation and structure of macrocyclic zinc(II) complex with a chromate bridge, 497

Choi, K.-Y., Chun, K.-M. and Suh, I.-H., Synthesis and structural characterization of nickel(II), copper(II) and zinc(II) complexes with the hexadentate ligand 2,13-bis(2-pyridylmethyl)-3,14-dimethyl-2,6,13,17-tetraazatricyclo[14,4,$0^{1,18}$,$0^{7,12}$]docosane, 2811

Choi, K.-Y., Suh, I.-H., Kim, J.-G., Park, Y.-S., Jeong, S.-I., Kim, I.-K., Hong, C.-P. and Choi, S.-N., Synthesis and characterization of copper(II) and nickel(II) complexes of a di-*N*-carboxymethylated tetraaza macrocycle, 3013

Choi, S.-N., see Choi, K.-Y., 3013

Choi, Y.K., see Kwak, C.-H., 2597

Christidis, P.C., see Bolos, C.A., 1661

Chu, Y., Gao, Y.-C., Shen, F.-J., Liu, X., Wang, Y.-Yu. and Shi, Q.-Z., Synthesis, crystal structure and characterization of ternary complexes of lanthanide(III) 3,5-di-*tert*-butyl-γ-resorcylate with substituted pyridine-*N*-oxide, 3723

Chun, H., Massoud, S.S., Wen, R. and Bernal, I., The phenomenon of conglomerate crystallization. Part 52. Stereochemical control of the crystallization pathway by small alterations of ligands, 3647

Chun, K.-M., see Choi, K.-Y., 2811

Chung, C.-S., see Wang, Y.-M., 1917

Churakov, A.V., see Nikonov, G.I., 1159

Cimpoesu, F., see Ferbinteanu, M., 3019

Cindrić, M., Strukan, N. and Kamenar, B., Synthesis and structure of two molybdovanadates containing coordinatively bound oxalato ligands: $(NH_4)_6[Mo_6V_2O_{24}(C_2O_4)_2]\cdot 6H_2O$ and $(NH_4)_4[H_2Mo_2V_2O_{12}$-$(C_2O_4)_2]\cdot 2H_2O$, 2781

Cingolani, A., see Marchetti, F., 3041

Cini, R., Cavaglioni, A. and Tiezzi, E., X-ray structures of *trans*-dichloro(4-methylpyrimidine)(η^1-phenyl)bis(pyridine)rhodium(III) hydrate and *trans*-dichloro(phenyl)tris(triphenylstibine)rhodium(III) ethylacetate solvate. Molecular orbital analysis of *trans*-dichloro(4-methyl-pyrimidine)(η^1-phenyl)bis(pyridine)rhodium(III), 669

Cini, R., Cavaglioni, A., Intini, F.P., Fanizzi, F.P., Pacifico, C. and Natile, G., Synthesis and X-ray crystal structure of *trans*-dichloro(1-cyano-2,2-dimethylpropane) (1-imino-1-hydroxy-2,2-dimethylpropane)platinum(II), 1863

Ciunik, Z., see Legendziewicz, J., 2701

Clark, D.L., Gordon, J.C., Scott, B.L. and Watkin, J.G., Synthesis and characterization of a mixed-ring bis-cyclopentadienyl derivative of neodymium. X-ray crystal structures of $(\eta$-$C_5Me_5)NdI_2(py)_3$ and $(\eta$-$C_5Me_5)(\eta$-$C_5H_4SiMe_3)NdI(py)$, 1389

Clark, H.C.S., Coleman, K.S., Fawcett, J., Holloway, J.H., Hope, E.G., Redding, J. and Russell, D.R., Synthesis and characterisation of $[OC$-6-33$][OsCl_2(CO)_2L_2]$ (L=phosphine). Crystal structure of $[OC$-6-33$][OsCl_2(CO)_2(PEt_3)_2]$, 1207

Clark, R.J.H., see Takahashi, M., 1545

Cleaver, W.M., see Nataro, C., 1471

Clegg, W., see Gupta, T., 197

Clegg, W., see Ahmed, L.S., 593

Clemente, D.A., Marzotto, A., Valle, G. and Visonà, C.J., Synthesis and structure of pseudotetrahedral Co(II) zwitterionic complexes: trichloro(1-methylpiperazin-1-ium-N^4)cobalt(II) and trichloro(1,4-dimethylpiperazin-1-ium-N^4)cobalt(II), 2749

Cobo-Domingo, J., see Moreno, J.M., 1635

Coleman, K.S., see Clark, H.C.S., 1207

Coleman, K.S., see Bellemin-Laponnaz, S., 2533

Coleman, M.D., see Burrows, A.D., 2665

Cole-Hamilton, D.J., see Foster, D.F., 1329

Collins, R.A., see Chakov, N.E., 2891

Conan, F., see Duclos, S., 1935

Concepción Gimeno, M., see Crespo, O., 1279

Concolino, T.E., Eglin, J.L. and Staples, R.J., Structural and spectroscopic characterization of the dirhenium acetamidate products resulting from the hydrolysis of acetonitrile, 915

Connolly, J., Forder, R.J., Goodban, G.W., Pope, S.J.A., Predel, M. and Reid, G., Co(III) and Cr(III) complexes of diphosphadithia ligands and the crystal structure of $[CoCl_2(L^3)]PF_6\cdot CH_2Cl_2$ (L^3= $Ph_2P(CH_2)_2S(o$-$C_6H_4)S(CH_2)_2PPh_2$), 3553

Constable, E.C., Cathey, C.J., Hannon, M.J., Tocher, D.A., Walker, J.V. and Ward, M.D., Heteroleptic ruthenium complexes containing 2,2′:6′,2″:6″,2‴:6‴,2⁗-quinquepyridine (qpy) and its derivatives, 159

Constable, E.C. and Harverson, P., A convergent approach to heteroheptanuclear star complexes, 1891

Constable, E.C. and Mundwiler, S., Metal-ion control of molecular recognition–sugar-functionalised 2,2′:6′,2″-terpyridines, 2433

Constable, E.C. and Harverson, P., Convergent synthesis of heterohexanuclear and heterodecanuclear helicocentric metallostars, 3093

Copia, G., see Bodini, M.E., 2233

Cordova-Lozano, F., see Méndez-Rojas, M.A., 2651

Corradi, A.B., see Battistuzzi, G., 57

Cortés, R., see Serna, Z., 249

Cortés, R., see Barandika, M.G., 1311

Costas, M.E., see Acevedo-Chávez, R., 1549

Cotton, F.A., Murillo, C.A. and Timmons, D.J., Trinuclear complexes of four-coordinate iron and cobalt: Some reflections on the importance of the reaction conditions for the formation of metal–metal bonds, 423

Cotton, S.A., Recent advances in the chemistry of scandium, 1691

Couchman, S.M., Jeffery, J.C. and Ward, M.D., Synthesis and coordination chemistry of the tetradentate ligands 6,6′-bis(3-pyrazolyl)-2,2′-bipyridine and 6,6′-bis(2-hydroxyphenyl)-2,2′-bipyridine: intramolecular hydrogen-bonding in complexes of Cu(II), and a dinuclear double helicate with Ag(I), 2633

Cox, P.J., Aslanidis, P., Karagiannidis, P. and Hadjikakou, S.K., Synthesis,

spectroscopic and computational studies plus crystal structure of [(bis-benzo-1,3-thiazolidine-2-thione) (bis-triphenylphoshine)copper-(I)] [chloro(benzothiazolidine-2-thione) (bis-triphenylphoshine)-copper(I)], 1501
Craig, D.C., see Lorenzo, S., 3181
Crane, J.D., Sinn, E. and Tann, B., Homoleptic cobalt(II) and cobalt(III) complexes of the sterically demanding bidentate ligand *N*-ethyl-2-(2′-hydroxy-3′-methylphenyl)benzimidazole, 1527
Crespo, O., Concepción Gimeno, M. and Laguna, A., Synthesis of some new mono- and di-substituted *o*-carborane derivatives with thiolate and carbamate moieties: crystal structure of 1-(SNC_3H_4)-1,2-$C_2B_{10}H_{11}$, 1279
Crisponi, G., Nurchi, V.M., Silvagni, R. and Faa, G., Oral iron chelators for clinical use, 3219
Crisponi, G., Cristiani, F., Nurchi, V.M., Pinna, R. and Tapia Estévez, M.J., Equilibrium study on Pd(II) chelates of mercapto carboxylic acids, 3257
Cristiani, F., see Crisponi, G., 3257
Cronin, J.F., see Devereux, M., 2141
Crowder, M.W., see Speetjens, J.K., 2617
Csóka, H., see Farkas, E., 2391
Cui, J., see Zhang, Y., 3153
Cui, X.L., Wu, Y.J., Zou, D.P., He, C.H. and Chai, J.J., Studies on the cyclomercuration of 1,1′-bis[(arylimino)phenylmethyl]ferrocenes, 1023
Cui, Y., Zhang, X. and Huang, J.-S., Synthesis, characterization and X-ray structure of one-dimensional polymeric complexes with triangular molybdenum clusters as building blocks: $Na_2Ga_2[Mo_3O_4(O_2CEt)_8]_2$ and $Na_2AlGa[Mo_3O_4(O_2CEt)_8]_2$, 3411
Cupertino, D.C., Keyte, R.W., Slawin, A.M.Z. and Woollins, J.D., Diethoxy-diphenyl-dithioimidodiphosphinate, 311
Cupertino, D.C., Keyte, R.W., Slawin, A.M.Z. and Woollins, J.D., Synthesis and coordination chemistry of tetrabutyldithioimidodiphosphinates, 707
Czurak, W., see Bartczak, T.J., 2313

Dai, C., see Qin, J., 3461
Dai, H.C., see Wang, X.H., 2293
Dallari, D., see Battistuzzi, G., 57
Dance, I.G., see Lorenzo, S., 3181
Daniele, P.G., see Prenesti, E., 3233
Darkwa, J., Osei-Twum, E.Y. and Litorja Jr, L.A., Synthesis and characterisation of mono- and dinuclear diethyldithiocarbamatonickel(II) organochalcogenide complexes, 1115
Darkwa, J., see Thomas, M.S., 2803
Darwin, K., Gilby, L.M., Hodge, P.R. and Piggott, B., The synthesis and X-ray structure of five co-ordinate imidodiphosphinate complexes of indium(III), 3729
Das, A., Basuli, F., Peng, S.-M. and Bhattacharya, S., Chemistry of osmium in $N_2P_2Br_2$ coordination sphere. Synthesis, structure and reactivities, 2729
Das, D., see Santra, P.K., 1909
Das, D., see Santra, P.K., 2869
Das, G., see Santra, B.K., 617
Das, M.K., see Dey, D.K., 2687
Davies, D.A., see Ahmed, L.S., 593
Davies, H.O., Dilworth, J.R., Griffiths, D.V., Miller, J.R. and Zheng, Y., The synthesis and crystal structures of the amide NS_3 macrocycle L_1, and the silver complexes $[Ag(L_1)]_n[CF_3SO_3]_n$ and of $[Ag(L_2)]_2[CF_3SO_3]_2$ (where L_1=9-oxo-1,4,7-trithia-10-azacyclododecane and L_2=7-oxo-2,5,11-trithia-8-azatetradecane-[12]-*ortho*benzenophane), 459
Davies, H.O., Leedham, T.J., Jones, A.C., O'Brien, P., White, A.J.P. and Williams, D.J., Some tantalum(V) β-diketonate and tantalum(V) aminoalcoholate derivatives potentially important in the deposition of tantalum-containing materials, 3165
Davies, J.A., see Richardson, N., 2457
Day, C.S., see Narula, P.M., 1751
Day, M.W., see Qin, J., 3461
de A. Santos, R.H., see Batista, A.A., 2079
De Almeida, E.T., see de Lucca Neto, V.A., 413
de Assis, F., Chohan, Z.H., Howie, R.A., Khan, A., Low, J.N., Spencer, G.M., Wardell, J.L. and Wardell, S.M.S.V., Synthesis and characterisation of [tris(1,3-dithiole-2-thione-4,5-dithiolato)-stannate]$^{2-}$, $[Q]_2[Sn(dmit)_3]$, [tris(1,3-dithiole-2-one-4,5-dithiolato)stannate]$^{2-}$, $[Q]_2[Sn(dmio)_3]$ and [tris(1,3-dithiole-2-thione-4,5-selenolato)stannate]$^{2-}$, $[Q]_2[Sn(dsit)_3]$, complexes. Analysis of the structural variations of the $[Sn(dmit)_3]^{2-}$ and $[Sn(dmio)_3]^{2-}$ dianions, 3533
de Castro, B., see Gamelas, J.A., 1163
de la Torre, F., see Escoda, M., 3269
de la Torre, F., see Salvadó, V., 3275
de Larramendi, J.I.R., see Barandika, M.G., 1311
de Lucca Neto, V.A., Mauro, A.E., Caires, A.C.F., Ananias, S.R. and De Almeida, E.T., Synthesis, characterization and thermal behavior of cyclopalladated compounds of the type $[Pd\{C_6H_4CH_2N(CH_3)_2\}(\mu\text{-}X)]_2$ (X=Cl, NCO, SCN, CN), 413
de Paula, A.S.A.T., Mann, B.E. and Tfouni, E., Properties and one-step synthesis of (2-acetylpyridine)tetraammineruthenium(II), $[Ru^{II}(2\text{-}acpy)(NH_3)_4]^{2+}$ and tetraammine(2-benzoylpyridine)ruthenium(II), $[Ru^{II}(NH_3)_4(2\text{-}bzpy)]^{2+}$. Redox potentials, UV–Vis and NMR spectra, 2017
de Sousa, A.P.G., see Rodarte de Moura, C.V., 2961
Debaerdemaeker, T., see Hueso-Ureña, F., 2205
Debaerdemaeker, T., see Hueso-Ureña, F., 3629
Decams, J.M., Hubert-Pfalzgraf, L.G. and Vaissermann, J., Synthesis and characterization of niobium(IV) and tantalum(V) guanidinates and benzamidinates. Molecular structure of the first Nb(IV) guanidinate $NbCl_2\{CyNC(N(SiMe_3)_2)NCy\}_2$, 2885
Decinti, A., see Zolezzi, S., 897
Delgado, R., see Cabral, M.F., 3479
Demadis, K.D., El-Samanody, E.-S., Meyer, T.J. and White, P.S., Structural and redox chemistry of osmium(III) chloro complexes containing 2,2′:6′,2″-terpyridyl and *tris*-pyrazolyl borate ligands, 1587
Demartin, F., Devillanova, F.A., Garau, A., Isaia, F., Lippolis, V. and Verani, G., Reactions of *N*-methylbenzothiazole-2(3H)-thione (1) and -selone (2) with ICl. Synthesis and X-ray crystal structures of the charge-transfer adducts 1·ICl (I) and 2·ICl (II), 3107
Demertzis, M.A., see Kovala-Demertzi, D., 1005
Demšar, A., see Petriček, S., 529
Den Auwer, C., see Thuéry, P., 3599
Deng, Y., see Zhang, Y., 3153
Dent, A.J., see Berry, F.J., 1083
Derecskei-Kovacs, A., see Li, G.-M., 3391
Devereux, M., McCann, M., Cronin, J.F., Ferguson, G. and McKee, V., Binuclear and polymeric copper(II) dicarboxylate complexes: syntheses and crystal structures of $[Cu_2(pda)(Phen)_4](ClO_4)_2\cdot 5H_2O\cdot C_2H_5OH$, $[Cu_2(oda)(Phen)_4](ClO_4)_2\cdot 2.67H_2O\cdot C_2H_5OH$ and $\{[Cu_2(pda)_2(NH_3)_4(H_2O)_2]\cdot 4H_2O\}_n$ (odaH$_2$=octanedioic acid; pdaH$_2$=pentanedioic acid; Phen=1,10-phenanthroline), 2141
Devereux, M., see Geraghty, M., 2931
Devillanova, F.A., see Demartin, F., 3107
Devillers, M., see Frutos, A.A., 989
Dey, D.K., Saha, M.K., Das, M.K., Bhartiya, N., Bansal, R.K., Rosair, G. and Mitra, S., Synthesis and characterization of diorganotin(IV) complexes of tetradentate Schiff bases: crystal structure of *n*-Bu_2Sn(Vanophen), 2687
Di Vaira, M., Ehses, M.P., Peruzzini, M. and Stoppioni, P., Addition of copper(I) and silver(I) to a P–P bond in [(triphos)MP_3] [triphos=1,1,1-tris(diphenylphosphinomethyl)ethane; M=Co, Rh]. X-ray crystal structure of $[\{(triphos)CoP_3\}_2Cu]PF_6$, 2331
Dias Filho, N.L., Adsorption and structure of copper(II) complexes on a silica gel surface chemically modified with 2-aminothiazole, 2241
Díaz de Delgado, G., see Márquez, V.E., 1903
Díaz V, C. and Izquierdo G, I., Iron and ruthenium derivatives of cyclophosphazenes coordinated through nitrile spacer ligands, 1479

Dickman, M.H., see Moura, E.M., 2899
Dierck, I., see Steenland, M.W.A., 3417
Dilworth, J.R., see Davies, H.O., 459
Dilworth, J.R., Lu, C., Zheng, Y. and Zubieta, J., Rhenium complexes of 2-triorganosilylthiophenolate ligands. The syntheses and structures of $[Bu^{n}_{4n}N][ReO(2\text{-}Ph_3SiC_6H_4S)_4]$ and $[Re(2\text{-}Ph_2MeSiC_6H_4S)_3(MeCN)(PPh_3)]$, 501
Dilworth, J.R., see Ahmed, L.S., 593
Dilworth, J.R., see Abram, U., 2995
Ding, E., see Guo, S., 735
Ding, E.-R., see Chen, X.-N., 1555
Ding, Y., see Gibson, D.H., 1189
Djuran, M.I. and Milinković, S.U., Hydrolysis of amide bond in histidine-containing peptides promoted by chelated amino acid palladium(II) complexes: dependence of hydrolytic pathway on the coordination modes of the peptides, 3611
do P. Gambardella, M.T., see Batista, A.A., 2079
Dobrzyńska, D., see Matczak-Jon, E., 2169
Dognon, J.-P., see Thuéry, P., 3599
Domingos, A., see Apostolidis, C., 263
Domínguez, R., see Bermejo, E., 3695
Domínguez, S., see Valle, A., 3253
Donnadieu, B., see Laurent, F., 3321
Dorogov, K.Yu., see Nikonov, G.I., 1159
Dowling, C.M. and Parkin, G., Syntheses of $[Bp^{Bu^t,Me}]AlMe_2$ and $[Bp^{Bu^t,Me}]GaMe_2$: structural comparison of a pair of bis(pyrazolyl)hydroborato aluminum and gallium methyl complexes, 3567
Drago, R.S., see Joerg, S., 1097
Drew, M.G.B., see Baker, P.K., 257
Drew, M.G.B., see Arion, V.B., 451
Drew, M.G.B., see Chen, B.-L., 1211
Drew, M.G.B., see Carter, A., 1445
Du, F., see Song, L.-C., 19
Du, F., Mao, X.-A., Li, D.-F. and Liao, Z.-R., Coordination sites of ATP to Fe^{III} as evidenced by a ^{1}H and ^{31}P NMR relaxation study, 2327
du Moulinet d'Hardemare, A., see Bouquillon, S., 3511
Duan, C.-Y., see Zhu, X.-H., 181
Duan, C.-Y., see Pan, Z.-Q., 2185
Duclos, S., Conan, F., Triki, S., Le Mest, Y., Liu Gonzalez, M. and Sala Pala, J., Pentacyanopropenide group as ligand in organometallic chemistry. Crystal structure and electrochemical studies of $(Et_4N)[W(CO)_5\{(C(CN)_2C(CN)C(CN)_2\}]$, 1935
Duffy, N., see Pastorek, R., 2879
Dunbar, G.S., see Brooker, S., 679
Durán de Bazúa, C., see Pandiyan, T., 3383
Duran, M.L., see Garnovskii, A.D., 863
Dutta, S., Pal, S. and Bhattacharya, P.K., Synthesis and characterisation of some Ru(II) complexes of 2-carbamoylpyridine derivatives, 2157
Dyson, R.M., Jandanklang, P., Maeder, M., Mason, C.J. and Whitson, A., New developments for the numerical analysis of spectrophotometric titrations, 3227
Dyson, R.M., Lawrance, G.A., Mäcke, H. and Maeder, M., Stability investigations of medically relevant complexes by the simultaneous analysis of series of spectrophotometric titrations, 3243
Dzięgielewski, J.O., see Bartczak, T.J., 2313

Edinger, L.A., see Evans, W.J., 1475
Edwards, A.J., see Gupta, T., 197
Eglin, J.L., see Carlson-Day, K.M., 817
Eglin, J.L., see Concolino, T.E., 915
Ehses, M.P., see Di Vaira, M., 2331
Eisenmann, B., see Asbrand, M., 2427
El Fallah, M.S., see Escuer, A., 377
Elias, H., see Klement, R., 3617
Elliott, M.E., Kimmerling, T.S., Zhu, L., Storhoff, B.N. and Huffman, J.C., Synthesis and study of phosphines incorporating 2-cyanophenyl groups and the X-ray structure of tris(2-cyanophenyl)phosphine, 1603
Ellis, D., Farrugia, L.J. and Peacock, R.D., *N,N′,N″*-1,4,7-Triazacyclononane with pendant alkyne arms: Crystal structures of $[CuL'_2][PF_6]_2$, $[NiL'_2][ClO_4]_2$ and $CuL''Cl_2$ (L'=*N*-(4-but-2-yne)-1,4,7-triazacyclononane, L''=*N*-(5-pent-2-yne)-1,4,7-triazacyclononane), 1229
Elsegood, M.R.J., see Ahmed, L.S., 593
El-Samanody, E.-S., see Demadis, K.D., 1587
El-Sawaf, A.K., see West, D.X., 2919
Engelhardt, U., see Vijjulatha, M., 2557
Enyedy, É.A., see Farkas, E., 2391
Escandar, G.M., see Frutos, A.A., 989
Escoda, M., de la Torre, F. and Salvadó, V., The formation of mixed ligand complexes of Fe(III) with phosphoric and citric acids in 0.5 M $NaNO_3$ aqueous solutions, 3269
Escoda, M., see Salvadó, V., 3275
Escrivà, E., see Ballesteros, R., 3129
Escuer, A., Font-Bardía, M., Peñalba, E., Solans, X. and Vicente, R., Synthesis and crystal structure of the ferro–antiferro alternating chain containing μ-1,1,3-azido bridging ligands $[(\mu\text{-}1,1,3\text{-}N_3)_2\{Cu_2(Me_2Eten)_2(N_3)_2\}]_n$. Magentic behavior, 211
Escuer, A., El Fallah, M.S., Kumar, S.B., Mautner, F. and Vicente, R., Synthesis, crystal structure and magnetic behaviour of $(\mu_3\text{-}CO_3)[Ni_3(Medpt)_3(NCSe)_4]$, a new example of trinuclear nickel(II) complex with pentadentate carbonato bridge and strong antiferromagnetic coupling, 377
Escuer, A., Font-Bardía, M., Kumar, S.B., Solans, X. and Vicente, R., Two new nickel(II) cubane compounds derived from pyridine-2-methoxide (Pym): $\{Ni_4(Pym)_4Cl_4(CH_3OH)_4\}$ and $\{Ni_4(Pym)_4(N_3)_4(CH_3OH)_4\}$. Crystal structures and magnetic properties, 909
Espinosa-Pérez, G., see Goldberg, K.I., 1177
Esteve, V., see Hueso-Ureña, F., 2205
Esteve, V., see Hueso-Ureña, F., 3629
Evans, W.J., Edinger, L.A. and Ziller, J.W., Chloride abstraction activity of Ce(IV) nitrate and alkoxide complexes: Facile formation of $[CeCl_5(THF)][CeClZ(THF)_5]$ (Z=NO_3, Cl), 1475
Eyman, D.P., see Rhine, W.E., 905

Faa, G., see Crisponi, G., 3219
Fagalde, F., Katz, N.E., Povse, V.G. and Olabe, J.A., Kinetics and mechanism of the redox reactions of binuclear complexes $[X_nRu^{II}\text{–}L\text{–}Ru^{II,III}(NH_3)_5]^{(n+1)+}$ (X=polypyridines; L=cyanide and N-heterocyclic derivatives) with peroxydisulfate, 25
Fallahpour, R.-A., Neuburger, M. and Zehnder, M., Ruthenium(II) complexes of novel 4′-ethoxy- and 4′-hydroxy-5,5″-dimethyl-2,2′:6′,2″-terpyridines: X-ray crystal structures of 4′-ethoxy-5,5″-dimethyl-2,2″:6′,2″-terpyridine and the ruthenium(II) complex of 4′-ethoxy-5,5″-dimethyl-2,2′:6′,2″-terpyridine with 4′-chloro-2,2′:6′,2″-terpyridine, 2445
Falvello, L.R., see Casas, J.M., 403
Fan, Yu.-G., see Wang, R.-Z., 2971
Fanizzi, F.P., see Cini, R., 1863
Fanourgakis, P.V., see Bolos, C.A., 1661
Fanwick, P.E., see Ackerman, L.J., 2759
Faraglia, G., see Scarcia, V., 2827
Farkas, E., Enyedy, É.A. and Csóka, H., A comparison between the chelating properties of some dihydroxamic acids, desferrioxamine B and acetohydroxamic acid, 2391
Farrugia, L.J., see Ellis, D., 1229
Faure, M., Jahncke, M., Neels, A., Stœckli-Evans, H. and Süss-Fink, G., Cluster build-up in aqueous solution: synthesis, structure, protonation and catalytic properties of the trinuclear cation $[(\eta^6\text{-}C_6H_6)(\eta^6\text{-}C_6Me_6)_2Ru_3(\mu_2\text{-}H)_3(\mu_3\text{-}O)]^+$, 2679
Fawcett, J., see Mentes, A., 1141
Fawcett, J., see Clark, H.C.S., 1207

Fa-Kun Zheng, .-K.Z., see Chen, Z., 1339
Fehlner, T.P., see Calvo-Perez, V., 1869
Fehn, A., see Briel, O., 225
Fenton, R.R., see Munk, V.P., 1039
Fenton, R.R., Huq, F. and Hambley, T.W., The nature of close Pd···Pd and Pd···H(—C) contacts. The crystal structures of *R*-aminohexahydroazepine-dichloropalladium(II), and *N*-ethyl-*R*-aminohexahydroazepine-dichloropalladium(II) and a molecular mechanics analysis of the close contacts, 2149
Ferbinteanu, M., Marinescu, G., Roesky, H.W., Noltemeyer, M., Schmidt, H.-G. and Andruh, M., $\{[Co(\mu\text{-bpe})(bpe)_2(H_2O)_2](0.5bpe)(H_2O)(ClO_4)_2\}_n$: a transition metal–organo network with a novel supramolecular architecture (bpe=1,2-bis(4-pyridyl)ethane), 243
Ferbinteanu, M., Tanase, S., Andruh, M., Journaux, Y., Cimpoesu, F., Strenger, I. and Rivière, E., Synthesis, crystal structure and magnetic properties of the cyano-bridged heteropolynuclear complex $[\{(Cu(dien)_2Co(CN)_6\}_n][Cu(dien)(H_2O)Co(CN)_6]_n \cdot 5nH_2O$, 3019
Ferguson, G., see Devereux, M., 2141
Ferguson, G., see O'Leary, B.J., 3135
Field, L.D., Lawrenz, E.T. and Ward, A.J., A high-yield synthetic approach to *trans*-$[Ir(ER_3)_2(CO)X]$ (ER_3=PMe_3, PEt_3, $PPhMe_2$, PPh_2Me, $P(OMe)_3$, $AsMe_3$, $AsEt_3$, $AsPh_3$, $SbPh_3$; X=Cl, Br), 3031
Fietz, T., Leibnitz, P., Spies, H. and Johannsen, B., Synthesis and reactions of new oxorhenium(V) complexes with Re–halogen bonds. X-ray crystal structure of [(3-(benzyl)azapentane-1,5-dithiolato)iodo]-oxorhenium(V), 1793
Filgueiras, C.A.L., see Graúdo, J.E.J.C., 2483
Filgueiras, C.A.L., see Rodarte de Moura, C.V., 2961
Fiol, J.J., see García-Raso, Á., 765
Fiol, J.J., see García-Raso, Á., 871
Fiol, J.J., see García-Raso, Á., 3077
Flamini, A., Righini, G. and Mannina, L., Mercury complexes with 1,2,6,7-tetracyano-3,5-dihydro-3,5-diimino-pyrrolizinide, 799
Flis-Kabulska, I., see Pasiuk-Bronikowska, W., 561
Florenciano, F., see Ruiz, J., 2281
Fondo, M., see Bermejo, M.R., 511
Fonseca, I., see Antiñolo, A., 959
Font-Bardia, M., see Riera, X., 65
Font-Bardía, M., see Escuer, A., 211
Font-Bardia, M., see García-Raso, Á., 765
Font-Bardía, M., see Escuer, A., 909
Font-Bardia, M., see García-Raso, Á., 3077
Font-Bardia, M., see Marchal, S., 3675
Forder, R.J., see Connolly, J., 3553
Forniés, J., see Casas, J.M., 403
Foster, D.F., Pickett, N.L. and Cole-Hamilton, D.J., A new one pot high yield synthesis of ditertiarybutylselenide, 1329
Francesconi, L.C., see Sukal, S., 7
Francis, J.A., Bott, S.G. and Barron, A.R., Are intramolecularly stabilized compounds of aluminum suitable structural models of the S_N2 transition state? Molecular structure of $[(^tBu)_2Al(\mu\text{-}OC_6H_4\text{-}2\text{-}OMe)]_2$, 2211
Franco, D.W., see Mazzetto, S.E., 979
Fregona, D., see Scarcia, V., 2827
Freire, C., see Gamelas, J.A., 1163
Fröhlich, R., see Ratilainen, J., 2265
Frutos, A.A., Sala, L.F., Escandar, G.M., Devillers, M., Salas Peregrín, J.M. and González Sierra, M., Bismuth(III) complexes of D-gluconic acid. Studies in aqueous solution and in the solid phase, 989
Fuess, H., see Janczak, J., 2775
Fun, H.-K., see Youngme, S., 851
Fun, H.-K., see Youngme, S., 857
Fun, H.-K., see Jian, F., 3401
Fun, H.-K., see Zhu, H.-G., 3491
Fun, H.-K., see Zhu, X.-H., 3683
Furlani, A., see Scarcia, V., 2827

Gahan, L.R., see Marcus, S.T., 3451
Gałdecka, E., see Pruchnik, F.P., 2091
Gałdecki, Z., see Pruchnik, F.P., 2091
Galindo, A., see Robin, T., 1485
Gama, G.J., see Moura, E.M., 2899
Gambardella, M.T.d.P., see Mazzetto, S.E., 979
Gambino, D., Benítez, J., Otero, L., Kremer, E., Baran, E.J. and Piro, O.E., New Re(III) complexes with alkylthioureas as precursors to other Re(III) compounds. Crystal structures of $[Re(N\text{-}ethylthiourea)_6](PF_6)_3$ and $[Re(N,N'\text{-}dimethylthiourea)_6](PF_6)_3$, 2099
Gamelas, J.A., Santos, I.C.M.S., Freire, C., De Castro, B. and Cavaleiro, A.M.V., EPR and electronic spectroscopic studies of Keggin type undecatungstophosphocuprate(II) and undecatungstoborocuprate(II), 1163
Gan, L., see Zhai, J., 1513
Gandhi, J.B. and Kulkarni, N.D., Study of uranyl complexes with new binucleating ligands involving amide and imine coordinating sites, 1735
Gansow, O.A., see Yordanov, A.T., 1055
Gao, E.-Q., Yang, G.-M., Tang, J.-K., Liao, D.-Z., Jiang, Z.-H. and Yan, S.-P., Synthesis and magnetism of the first tetranuclear copper(II)–iron(III) complexes of macrocyclic oxamides, 3643
Gao, Y.-C., see Wang, Y.-Yu., 2009
Gao, Y.-C., see Chu, Y., 3723
Garau, A., see Demartin, F., 3107
Garc, M.E., see Sevillano, P., 383
García, A.M., see Manzur, J., 2399
García Alonso, F.J., see Carriedo, G.A., 2853
Garcia, I., see West, D.X., 2919
García-Barros, F.J., see Bernalte-García, A., 2907
Garcia-Deibe, A., see Bermejo, M.R., 511
García-Fontán, S., see Bolaño, S., 1431
Garcia-Fontán, S., see Abram, U., 1495
García-Raso, Á., Fiol, J.J., Bádenas, F., Solans, X. and Font-Bardia, M., Reaction of trimethylene–bisadenine with d^{10} divalent cations, 765
García-Raso, Á., Fiol, J.J., López-Zafra, A., Araceli Cabrero, .C., Mata, I. and Molins, E., Crystal structures of the *N*-salicylidene–L-serinatoaquacopper(II) monohydrate and its ternary derivative with 2-aminopyridine, 871
García-Raso, Á., Fiol, J.J., Bádenas, F., Solans, X. and Font-Bardia, M., Structures of tetrachlorometalates [Zn(II) and Hg(II)] of trimethylene-bisadeninium. Importance of the crystal structure in the conformation of the organic ligand, 3077
García-Tojal, J. and Rojo, T., An appraisal of structural, spectroscopic and magnetic aspects of the pyridine-2-carbaldehyde thiosemicarbazonecopper(II) compounds, 1123
García-Tojal, J., Lezama, L., Pizarro, J.L., Insausti, M., Arriortua, M.I. and Rojo, T., Spectroscopic and magnetic properties of copper(II) complexes derived from pyridine-2-carbaldehyde thiosemicarbazone. Structures of $[Cu(NO_3)(C_7H_8N_4S)(H_2O)](NO_3)$ and $[\{Cu(NCS)(C_7H_7N_4S)\}_2]$, 3703
Garcia-Vazquez, J.A., see Garnovskii, A.D., 863
García-Vázquez, J.A., see Cabaleiro, S., 1669
Garnovskii, A.D., Burlov, A.S., Garnovskii, D.A., Vasilchenko, I.S., Antsichkina, A.S., Sadikov, G.G., Sousa, A., Garcia-Vazquez, J.A., Romero, J., Duran, M.L., Sousa-Pedrares, A. and Gomez, C., Synthesis of cobalt(II), nickel(II) and copper(II) complexes with 2-(2-hydroxyphenyliminomethyl)-1-(4-methyl-phenylsulfonamido)benzene and crystal structures of {bis(methanol)[2-(2′-*N*-tosylaminophenyl)-iminomethyl]phenolato}nickel(II) and {bis(2,2′-bipyridine)[2-(2′-*N*-tosylaminophenyl)iminomethyl]phenolato}copper(II), 863
Garnovskii, A.D., see Kharisov, B.I., 985
Garnovskii, D.A., see Garnovskii, A.D., 863
Garnovskii, D.A., see Kharisov, B.I., 985
Garoufis, A., Kasselouri, S., Mitsopoulou, C.-A., Sletten, J., Papadimitriou, C. and Hadjiliadis, N., Metal complexes of the Schiff base ligand L=1,2-bis(2′-pyridylmethyleneimino)benzene with Ni^{2+}, Fe^{2+} and Cu^{2+} and their reactions with bridged bidentate ligands. The crystal structure of the complex $[NiL(H_2O)]Cl_2$, 39

Garoufis, A., Koutsodimou, A., Katsaros, N., Mitsopoulou, C.-A. and Hadjiliadis, N., Mixed ligand Ru(II) complexes with 2,2′-bipyridine and 2-(2′-pyridyl)quinoxaline, 361

Garoufis, A., Kasselouri, S., Raptopoulou, C.P. and Terzis, A., Synthesis, spectroscopic studies and solid state electrical conductivity of Ni(II) polymeric complexes. The crystal structure of the complex $[Ni(L1)Cl_2]\cdot EtOH$ were L1=1,2-bis(2′-pyridylbenzyleneimino)benzene, 585

Garoufis, A., Kasselouri, S., Boyatzis, S. and Raptopoulou, C.P., Preparation, crystal structure and solution studies of $[Mn_2L_2Cl_3(H_2O)_2]$, where L=2-(2′-pyridyl)quinoxaline, 1615

Garoufis, A., Koutsodimou, A., Raptopoulou, C.P., Simopoulos, A. and Katsaros, N., Organotin(IV) complexes with 2-(2′-pyridyl)quinoxaline (L). The crystal structure of the $[SnEt_2Cl_2L]\cdot 0.5$ benzene, 3005

Gawryszewska, P., see Legendziewicz, J., 2701

Gayathri, V., Leelamani, E.G., Gowda, N.M.N. and Reddy, G.K.N., Cyclometallation of bis-benzimidazole derivatives with rhodium(III) halides, 2351

Gelling, A., Orrell, K.G., Osborne, A.G. and Šik, V., Synthesis and NMR solution properties of Rhenium(I) and Platinum(IV) complexes of oligopyridines, 1285

Genge, A.R.J., Holmes, N.J., Levason, W. and Webster, M., Complexes of distibinomethane ligands. 3. Manganese and rhenium carbonyl complexes, 2673

Georgiev, E.M., see Wolf, N.J., 885

Geraghty, M., Sheridan, V., McCann, M., Devereux, M. and McKee, V., Synthesis and anti-*Candida* activity of copper(II) and manganese(II) carboxylate complexes. X-ray crystal structures of $[Cu(sal)(bipy)]\cdot C_2H_5OH\cdot H_2O$ and $[Cu(norb)(phen)_2]\cdot 6.5H_2O$ ($salH_2$=salicylic acid; $norbH_2$=*cis*-5-norbornene-*endo*-2,3-dicarboxylic acid; bipy=2,2′-bipyridine; phen=1,10-phenanthroline), 2931

Gerisch, M., Bruhn, C. and Steinborn, D., A cationic tetranuclear platina-β-diketonate complex of a platina-β-diketone – an organometallic analogue of platinum blue complexes, 1953

Ghaemi, E., see Habibi, D., 2977

Ghilardi, C.A., see Alderighi, L., 3305

Ghosh, P., Wood, M., Bonanno, J.B., Hascall, T. and Parkin, G., *Bis*(pyrazolylethyl)thioether ligation to zinc and cadmium: structural characterization of $[S(CH_2CH_2pz^{Me2})_2]ZnCl_2$, $[S(CH_2CH_2pz^{Me2})_2]CdI_2$ and $[S(CH_2CH_2pz^{Me2})_2]Cd(NO_3)_2$, 1107

Ghosh, S., see Maji, M., 3735

Gibson, D.H., Ding, Y., Miller, R.L., Sleadd, B.A., Mashuta, M.S. and Richardson, J.F., Synthesis and characterization of ruthenium, rhenium and titanium formate, acetate and trifluoroacetate complexes. Correlation of IR spectral properties and bonding types, 1189

Gilbert, T.M., Bauer, C.B., Bond, A.H. and Rogers, R.D., Structures of homoleptic triply bonded $M_2(OR)_6$ compounds where the alkoxide is tertiary: the effect of steric bulk and alkoxide conformation on structural parameters, 1293

Gilbert, T.M., Bauer, C.B. and Rogers, R.D., Syntheses and structures of metal–metal triply bonded M_2R_6 compounds: consideration of starting materials, stability, and structural parameters, 1303

Gilby, L.M. and Piggott, B., The synthesis and X-ray structure of cobalt(II) complexes of iminobis(phosphinechalcogenides), $[Co\{N(XPR_2)_2\text{-}X,X'\}_2]$ (X=S or Se; R=Ph or Pr^i), 1077

Gilby, L.M., see Darwin, K., 3729

Gioia Lobbia, G., see Santini, C., 2255

Giorgi, R.V. and Tocher, D.A., A heteronuclear compound of ruthenium and silver containing bridging *tris*(pyridyl)methanoate ligands, 2981

Girard, L.A., see Koch, H.F., 2275

Glinskaya, L.A., see Klevtsova, R.F., 3559

Głowiak, T., see Mrozek, R., 2321

Głowiak, T., see Barszcz, B., 3713

Godino-Salido, M.L., see Arranz-Mascarós, P., 689

Godino-Salido, M.L., see Arranz-Mascarós, P., 793

Godino-Salido, M.L., see Moreno, J.M., 1635

Goeminne, A.M., see Pauwels, T.F., 1029

Goeminne, A.M., see Steenland, M.W.A., 3417

Goher, M.A.S., see Mautner, F.A., 553

Goher, M.A.S. and Mautner, F.A., 2D polymeric copper(I) complexes. Synthesis, X-ray structures and spectroscopic studies of $[CuX(pyrazine)]_n$ (X=NCS and N_3) complexes containing molecular and anionic rod ligands, 1805

Goher, M.A.S. and Mautner, F.A., Synthesis and characterization of a new series of 1D cobalt(II) complexes of pyridine derivative ligands with a single azido bridge and X-ray crystal structure of catena-$(\mu\text{-}N_3)\{Co(4\text{-methylpyridine})_4\}(PF_6)$, 2339

Goher, M.A.S. and Mautner, F.A., Dimeric and polymeric copper(I) complexes. Synthesis and characterization of copper(I) complexes of di-2-pyridyl ketone oxime (DPKox) and crystal structures of $[Cu(DPKox)Cl]_2\cdot 2H_2O$ and $[Cu(DPKox)(NCS)]_n$, 3425

Gojon-Zorrilla, G., see Méndez-Rojas, M.A., 2651

Goldberg, K.I., Valdes-Martínez, J., Espinosa-Pérez, G., Ackerman, L.J. and West, D.X., Palladium(II) and platinum(II) complexes of 6-methyl-2-acetylpyridine 3-hexamethyleneiminylthiosemicarbazones: A structural and spectral study, 1177

Golič, L., see Petriček, S., 529

Golobič, A., Štefane, B. and Polanc, S., Synthesis and X-ray crystal structures of bis(bis(μ_2-2-aminoethanolato–N,O,O)–cobalt(III)–cobalt(II) hydrate, tris(biscyclohexylammonium)μ-hydroxo–bis(μ_2-nitro–N,O)–hexanitro–dicobaltate(III) and biscyclohexylammonium nitrate(III), 3661

Gomez, C., see Garnovskii, A.D., 863

Gómez-Elipe, P., see Carriedo, G.A., 2853

González, C., see Oleinikova, M., 3353

González Garmendia, M.J., see Seco, J.M., 3605

González, P.A., see Carriedo, G.A., 2853

González Sierra, M., see Frutos, A.A., 989

González-Pérez, J.M., see Bugella-Altamirano, E., 3333

González-Pérez, J.M., see Román-Alpiste, M.J., 3341

González-Vergara, E., see Méndez-Rojas, M.A., 2651

Goodban, G.W., see Connolly, J., 3553

Goodgame, D.M.L., see Atherton, Z., 273

Gorbenko, O.Yu., see Troyanov, S.I., 3505

Gordon, J.C., see Clark, D.L., 1389

Gorter, S., see van Albada, G.A., 1821

Goswami, S., see Majumdar, P., 2543

Gourbatsis, S., Perlepes, S.P., Butler, I.S. and Hadjiliadis, N., Zinc(II) complexes derived from the di-Schiff-base ligand *N,N′*-bis[1-(pyridin-2-yl)ethylidene]ethane-1,2-diamine (L_A) and its hydrolytic-cleavage product *N*-[1-pyridin-2-yl)ethylidene]ethane-1,2-diamine (L): preparation, characterization and crystal structure of the 5-coordinate species $[ZnLCl_2]$, 2369

Gowda, N.M.N., see Gayathri, V., 2351

Granifo, J., Mononuclear and binuclear rhenium(I) carbonyl complexes of 2,4,6-tris(2-pyridyl)-1,3,5-triazine (TPT), $[\{ReCl(CO)_3\}_n(TPT)]$ (n=1, 2), and the formation of mixed-metal compounds with Re–TPT–M (M=Mn^{II}, Co^{II}, Cu^{II}) bonds, 1061

Graúdo, J.E.J.C., Speziali, N.L., Abras, A., Hörner, M. and Filgueiras, C.A.L., Ferrocene-derived semicarbazones and thiosemicarbazones as ligands in heterobimetallic complexes with organotins. Crystal and molecular structures of formylferrocene–semicarbazonetrichlorophenyltin(IV) and of *bis*(acetylferrocenesemicarbazone)dichlorodiphenyltin(IV), 2483

Green, M.A., see Ackerman, L.J., 2759

Griffiths, D.V., see Davies, H.O., 459

Griffiths, D.V., see Ahmed, L.S., 593

Grodzicki, A., Szłyk, E., Wojtczak, A., Wrzeszcz, G., Pazderski, L. and Muzio, T., The molecular structures of copper(II) chloroacetate complexes with 5,7-dimethyl-1,2,4-triazolo-[1,5-α]-pyrimidine and 5,7-diphenyl-1,2,4-triazolo-[1,5-α]-pyrimidine, 519

Grøndahl, L., see Marcus, S.T., 3451

Grüner, B., see Naoufal, D., 931

Gu, L., see Shen, X., 33

Gül, N. and Nelson, J.H., Ruthenacycles with stereogenic metal centers. Synthesis and characterization of cycloruthenated (*R*)$_C$-(+)-*N*,*N*-dimethyl-α-(2-naphthyl) ethylamine (TMNA); crystal structures of [(η^6-C_6H_5Me)Ru(TMNA)(X)], (X=Cl, Br, I), 1835

Guo, S., Ding, E., Chen, H., Yin, Y. and Li, X., Synthesis, molecular structure and radical scavenging effect of octanuclear thiolate zinc complex $[NMe_4]_2$ [(c-μ_4-S)(μ-$SCH_2Ph)_{12}S_4Zn_8$], 735

Gupta, R., see Sangeetha, N.R., 1425

Gupta, R., see Lal, T.K., 1743

Gupta, S., see Singh, N., 1265

Gupta, T., Saha, M.K., Sen, S., Mitra, S., Edwards, A.J. and Clegg, W., Synthesis, characterisation, reactivity and X-ray crystal structure of a mixed-ligand η^1-salicylaldehyde complex of Mn(III), 197

Gutiérrez-Valero, M.D., see Arranz-Mascarós, P., 689

Gutiérrez-Valero, M.D., see Arranz-Mascarós, P., 793

Gutiérrez-Valero, M.D., see Moreno, J.M., 1635

Gutiérrez-Zorrilla, J.M., see Castillo, O., 1235

Haak, S., Süss-Fink, G., Neels, A. and Stœckli-Evans, H., Metal-framework degradation reactions of the mixed-metal cluster anions $[M_3Ir(CO)_{13}]^-$ (M=Ru, Os) with bis(diphenylphosphino)methane and with tricyclohexylphosphine: synthesis and structure of $HRu_2Ir(CO)_5(dppm)_3$, $HRu_2Ir(CO)_6(PCy_3)_3$, $H_2Os_2Ir_2(CO)_{10}$-$(PCy_3)_2$ and $H_2Os_3Ir(CO)_8(PCy_3)_3$, 1675

Haase, D., see Osterloh, F., 1957

Habibi, D., Ghaemi, E., Parish, R.V. and Pritchard, R.G., A Polymeric silver(I) thiolate with diverse co-ordination numbers: [{$AgSCH_2CH_2NMe_2$}$_5$·0.5H_2O]$_n$, 2977

Habtemariam, A., see Sevillano, P., 383

Hada, S., see Matsumoto, K., 1811

Hadjikakou, S.K., see Kovala-Demertzi, D., 1005

Hadjikakou, S.K., see Cox, P.J., 1501

Hadjiliadis, N., see Garoufis, A., 39

Hadjiliadis, N., see Garoufis, A., 361

Hadjiliadis, N., see Gourbatsis, S., 2369

Hall, M.B., Niu, S. and Reibenspies, J.H., On the origin of apparently short carbon–carbon double bonds in transition-metal vinyl complexes, 1717

Hambley, T.W., see Munk, V.P., 1039

Hambley, T.W., see Fenton, R.R., 2149

Han, S.H., Roh, S.-G. and Jeong, J.H., Synthesis and crystal structure of bis[(μ-κO:κO′-acetato)(μ-κO:κ^{2}O′-acetato)] [(η^5-Cp)tris(dimethyl-phosphito-P)cobalt-O,O′,O″]yttrium(III), 3027

Hannon, M.J., see Constable, E.C., 159

Harata, K., see Koner, S., 2201

Harris, G.S., Khan, A. and Mahomedy Bholat, A., The electrolytic conductance of some tris(*ortho*-, *meta*- and *para*-substituted phenyl)arsine–halogen adducts in acetonitrile solution- A comparative study, 1455

Harris, G.S., Khan, A. and Bholat, A.M., Erratum to "The electrolytic conductance of some tris(*ortho*-, *meta*- and *para*-substituted phenyl)arsine–halogen adducts in acetonitrile solution– A comparative study". [Polyhedron 18 (1999) 1455–1462], 2109

Hartmann, J., see Robin, T., 1485

Harverson, P., see Constable, E.C., 1891

Harverson, P., see Constable, E.C., 3093

Harwell, D.E., see Chen, W., 1725

Hascall, T., see Ghosh, P., 1107

Hathaway, B., see Brophy, M., 611

Hatzidimitriou, A., see Lalia-Kantouri, M., 3441

Hawthorne, M.F., see Chen, W., 1725

He, C.H., see Cui, X.L., 1023

He, J., see Sukal, S., 7

Heirtzler, F., Jones, P., Neuburger, M. and Zehnder, M., Preparation, characterization and X-ray crystallographic analysis of η^5- and η^6-mono-ruthenium(II) complexes of 2,3-bis(2,2′-bipyridyl)quinoxaline, 601

Hénin, F., see Bouquillon, S., 3511

Herman, G.G., see Pauwels, T.F., 1029

Herman, G.G., see Steenland, M.W.A., 3417

Hernández, F., see Laurent, F., 3321

Hernández-Ortega, S., see Castiñeiras, A., 1463

Hernández-Ortega, S., see West, D.X., 2919

Herrera, L., see Bodini, M.E., 2233

Hey-Hawkins, E., see Balema, V.P., 545

Hey-Hawkins, E., see Koch, T., 2113

Higes-Rolando, F.J., see Bernalte-García, A., 2907

Hiramatsu, E., see Miyazaki, Y., 2041

Hodge, P.R., see Darwin, K., 3729

Hoffmann, M., see Matczak-Jon, E., 2169

Hogarth, G., Norman, T. and Redmond, S.P., *Para*-Functionalised Molybdenum Aryl–Imido Complexes [Mo(NAr)(S_2CNEt_2)$_2Cl_2$] and Diimido Complexes [{Mo(S_2CNEt_2)$_2Cl_2$}$_2$(μ-1,5-$NC_{10}H_6N$)] and [{Mo(S_2)(S_2CNEt_2)$_2$}$_2$ (μ-*p*-NC_6H_4N)], 1221

Holl, G., see Klapötke, T.M., 717

Holloway, J.H., see Clark, H.C.S., 1207

Holmes, N.J., see Genge, A.R.J., 2673

Homrighausen, C.L., see Becker, T.M., 2563

Hong, C.-P., see Choi, K.-Y., 3013

Hong, F.-E., Liaw, J.-W., Chien, B.-J., Chang, Yu.-C., Lin, C.-C., Wang, S.-L. and Liao, F.-L., Nucleophilic substitution reactions of acetylides on substituted tricarbonyl(η^6-fluoroarene)chromium and reactions of tricarbonyl[η^6-(2-trimethylsilylethynyl)toluene]chromium and tricarbonyl[η^6-(*p*-ethynyl-phenylethynyl)benzene]chromium with dicobalt octacarbonyl, 2737

Hong, M., see Cao, R., 333

Hope, E.G., see Clark, H.C.S., 1207

Hope, E.G., Kemmitt, R.D.W., Paige, D.R., Stuart, A.M. and Wood, D.R.W., Synthesis and coordination chemistry of *meta*-perfluoroalkyl-derivatised triarylphosphines, 2913

Hopkins, P., see Arion, V.B., 451

Hörner, M., see Graúdo, J.E.J.C., 2483

Hörner, M., see Rodarte de Moura, C.V., 2961

Horsburgh, L., see Ahmed, L.S., 593

Hossain, M., see Maji, M., 3735

Housecroft, C.E., Nixon, D.M. and Rheingold, A.L., Preferential formation of monogold(I) derivatives of [$HRu_3W(\eta^5$-$C_5H_5)(CO)_{11}BH$] permits specificity in cluster linkage reactions: the crystal structure of [$HRu_3W(\eta^5$-$C_5H_5)(CO)_{11}B(AuPPh_3)$], 2415

Howie, R.A., see de Assis, F., 3533

Hu, C., see Zhan, S., 2035

Hu, C.-w., see Zhou, Y.-s., 1419

Hu, J., see Qiao, F., 1629

Hu, N.-H., Norifusa, T. and Aoki, K., Interactions of metal ions with the intermediate of thiamine catalysis. Crystal structures of Cd(II), Hg(II) and Pt(II) complexes of 2-(α-hydroxybenzyl)thiamine, 2987

Hu, Q.-M., see Song, L.-C., 19

Huang, C., see Zhai, J., 1513

Huang, J., see Liu, Q., 2345

Huang, J.-Q., see Lu, S.-F., 281

Huang, J.-S., see Chen, Z., 1339

Huang, J.-S., see Cui, Y., 3411

Huang, P.-Q., see Chen, Z., 1339

Huang, R.-d., see Zhou, Y.-s., 1419

Huang, S., see Jin, L., 487

Huang, X., see Liu, J., 1491

Huang, X., see Shen, Y., 2423

Huang, X.-Y., see Lu, S.-F., 281

Huang, X.-Y., see Zhang, L.-X., 1533

Huang, Y., see Shen, X., 33

Huang, Z.-E., see Zhang, L.-X., 1533

Hubert-Pfalzgraf, L.G., Abada, V., Vaissermann, J. and Rozière, J., Niobium pinacolate complexes: synthesis and molecular structures of

$Nb_3(\mu\text{-}O)_2(\mu,\ \eta^2\text{-}OCMe_2CMe_2O)_2(\eta^2\text{-}OCMe_2CMe_2O)_4H$ and of $Nb_4(\mu\text{-}O)_2(\mu_3\text{-}O)_2(\mu,\ \eta^2\text{-}OCMe_2CMe_2O)_2(OPr^i)_8$, 845
Hubert-Pfalzgraf, L.G., see Decams, J.M., 2885
Hubert-Pfalzgraf, L.G., see Ripert, V., 1845
Hubert-Pfalzgraf, L.G., Abada, V. and Vaissermann, J., Formation of mixed-metal alkoxides mediated by the reactivity of coordinated pinacol. Synthesis and molecular structures of $Ce_2Ti_2(\mu_3\text{-}O)_2(\mu,\eta^2\text{-}OCMe_2CMe_2O)_4(OPr^i)_4(Pr^iOH)_2$ and of $Ce_2Nb_2(\mu_3\text{-}O)_2(\mu,\eta^2\text{-}OCMe_2CMe_2O)_4(OPr^i)_6$, 3497
Hueso-Ureña, F., Jiménez-Pulido, S.B., Moreno-Carretero, M.N., Quirós-Olozábal, M. and Salas-Peregrín, J.M., Synthesis and structural studies on new $M^{II}X_2L_2$ dihalocomplexes of 1,3-dimethyllumazine and 1,3,6,7-tetramethyllumazine. Crystal structure of the monodimensionally hydrogen-bonded dichloro-bis(1,3-dimetylpteridine-2,4(1*H*,3*H*)-dione-O^4,N^5) copper(II) dihydrate, 85
Hueso-Ureña, F., Peñas-Chamorro, A.L., Moreno-Carretero, M.N., Quirós-Olozábal, M. and Salas-Peregrín, J.M., Synthesis, spectral and XRD studies on three O-nitrito-complexes with new N,N,O-tridentate Schiff bases derived from 6-amino-5-formyl-1,3-dimethyluracil and semicarbazide, acetylhydrazine and benzoylhydrazine, 351
Hueso-Ureña, F., Peñas-Chamorro, A.L., Moreno-Carretero, M.N., Amigó, J.M., Esteve, V. and Debaerdemaeker, T., Synthesis and spectral studies on metal complexes with the neutral O,N,O-tridentate Schiff base 6-amino-5-formyl-1,3-dimethyluracil-benzoylhydrazone. Crystal structure of a bidimensionally hydrogen-bonded perchlorate copper(II) complex, 2205
Hueso-Ureña, F., Moreno-Carretero, M.N., Peñas-Chamorro, A.L., Amigó, J.M., Esteve, V. and Debaerdemaeker, T., Copper(II) complexes with the N,N,O-tridentate ligand 6-amino-5-formyl-1,3-dimethyluracilato-(N6)-benzoylhydrazone: synthesis, spectral and XRD studies, 3629
Huey Lu, T., see Narayan, S., 1253
Huffman, J.C., see Elliott, M.E., 1603
Huffman, J.C., see Renkema, K.B., 2575
Huffmann, J.C., see Mendonça Silva, R., 2823
Huh, S., see Sung, K.-M., 469
Huh, S., Kim, Y., Youm, K.-T. and Jun, M.-J., Synthesis of RuHCl(CO)(Hdmpz)(L)$_2$ (L=PPh_3, $AsPh_3$, and Hdmpz=3,5-dimethylpyrazole) and crystal structure of RuHCl(CO)(Hdmpz)($AsPh_3$)$_2$, 2625
Humphrey, E.R., Reeves, Z., Jeffery, J.C., McCleverty, J.A. and Ward, M.D., A long-standing structural puzzle resolved: the crystal structure of $[Ag_2(Tp^{Me,Me})_2]$ [where $Tp^{Me,Me}$ is hydrotris(3,5-dimethylpyrazolyl)borate], 1335
Huq, F., see Fenton, R.R., 2149
Hursthouse, M.B., see Newman, P.D., 75
Hursthouse, M.B., see Terroba, R., 807
Hurtado, R.J., see Márquez, V.E., 1903
Husárek, J., see Pastorek, R., 2879
Husebye, S., see Novosad, J., 2861
Hussain, M.S., see Isab, A.A., 1401
Hwang, L.-P., see Lu, Y.-Yu., 145

Ibrahim, A.M.A., Supramolecular host–guest coordination systems: $[(G^+)(Me_3E)_3M^{II}(CN)_6]_\infty$ as ion exchangers, where (G^+=Me_3E, Et_4N or stp), (E=Sn or Pb) and (M=Fe or Ru), 2711
Iijima, S., see Koner, S., 2201
Ino, I., see Wu, L.P., 2047
Insausti, M., see García-Tojal, J., 3703
Intini, F.P., see Cini, R., 1863
Isab, A.A., Hussain, M.S., Akhtar, M.N., Wazeer, M.I.M. and Al-Arfaj, A.R., ^{13}C, ^{15}N and ^{31}P NMR study of the disproportionation of cyanogold(I) complexes: $[R_3PAu^{13}C^{15}N]$, 1401
Isaia, F., see Demartin, F., 3107
Ivanov, A.V., Mitrofanova, V.I., Kritikos, M. and Antzutkin, O.N., Rotation isomers of bis(diethyldithiocarbamato)zinc(II) adduct with pyridine, $Zn(EDtc)_2$·Py: ESR, ^{13}C and ^{15}N CP/MAS NMR and single-crystal X-ray diffraction studies, 2069
Ivanovic-Burmazovic, I., Bacchi, A., Pelizzi, G., Leovac, V.M. and Andjelkovic, K., Cu(II), Ni(II) and Fe(III) complexes with 2′,2‴-(2,6-pyridindiyldiethylidene)-dioxamohydrazide in a monoanionic form. The crystal structure of aqua-2′,2‴-(2,6-pyridindiyldiethylidene)-dioxamohydrazidecopper(II) perchlorate, 119
Iyer, P., see Kureshy, R.I., 1773
Izquierdo G, I., see Díaz V, C., 1479

Jacobson, R.A., see Yokota, Y., 2519
Jahncke, M., see Faure, M., 2679
Jain, V.K., see Narayan, S., 1253
Jain, V.K., see Narayan, S., 1685
James, B.D., see Potter, I.D., 1201
Jameson, G.B., see Brooker, S., 679
Janczak, J. and Kubiak, R., Synthesis and X-ray characterization of the iodine-doped metallodiphthalocyanine $UPc_2I_{5/3}$, 1621
Janczak, J., Kubiak, R., Richter, J. and Fuess, H., Bismuth triple-decker phthalocyanine: synthesis and structure, 2775
Jandanklang, P., see Dyson, R.M., 3227
Jankowska, A., see Bartczak, T.J., 2313
Janoušek, Z. and Kaszynski, P., Heterodisubstituted 1,10-dicarba-*closo*-decaboranes from substituted *nido*-carborane precursors, 3517
Jaroniec, M., see Mrozek, R., 2321
Jeffery, J.C., see Mann, K.L.V., 721
Jeffery, J.C., see Humphrey, E.R., 1335
Jeffery, J.C., see Couchman, S.M., 2633
Jeon, I.C., see Kwak, C.-H., 2597
Jeong, J.H., see Han, S.H., 3027
Jeong, S.-I., see Choi, K.-Y., 3013
Jezierska, J., see Barszcz, B., 3713
Ji, L.N., see Long, L.-S., 1927
Ji, L.-N., see Ye, B.-H., 1785
Ji, W., see Zheng, H.-g., 3115
Jia, H., see Chen, Y., 481
Jian, F., Wang, Z., Bai, Z., You, X., Fun, H.-K., Chinnakali, K. and Razak, I.A., The crystal structure, equilibrium and spectroscopic studies of bis(dialkyldithiocarbamate) copper(II) complexes $[Cu_2(R_2dtc)_4]$ (dtc=dithiocarbamate), 3401
Jian, F.-F., Wang, Z.-X., Chen, W., Bai, Z.-P., Zhang, K.-K. and You, X.-Z., Crystal structure and spectroscopic properties of a one-dimensional copper(I) coordination polymer: μ-ethylene bis-(diethyldithiocarbamate) copper(I) perchlorate. $[Cu(EDTC)_2]$-ClO_4[EDTC=ethylene bis(diethyldithiocarbamate)], 2219
Jiang, J., Arnold, D.P. and Yu, H., Infra-red spectra of phthalocyanine and naphthalocyanine in sandwich-type (na)phthalocyaninato and porphyrinato rare earth complexes, 2129
Jiang, Z.-H., see Zhang, L., 781
Jiang, Z.-H., see Gao, E.-Q., 3643
Jie Wu, Y., see Lu, K., 1153
Jiménez, A., see Laurent, F., 3321
Jiménez-Aparicio, R., see Barral, M.C., 371
Jiménez-Pulido, S.B., see Hueso-Ureña, F., 85
Jin, L., Wang, R., Li, L., Lu, S. and Huang, S., Crystal structure and luminescence of europium 4-methoxybenzoate complex with 2,2′-bipyridine[Eu(*p*-MOBA)$_3$bipy]·1/2C_2H_5OH, 487
Jin, L., see Wang, M., 1853
Jin, X., see Shen, Y., 2423
Ji-tao, W., see Yao-feng, Y., 1247
Joerg, S., Webster, C.E., Drago, R.S. and Sales, J., Extension of the electrostatic-covalent model to 2:1 adducts, 1097
Johannsen, B., see Fietz, T., 1793
John, E., see Ackerman, L.J., 2759
Johnston, R.F., see Pang, Z., 3469
Jolley, J., Campbell, C.J., Castineiras, A., Yanovsky, A.I. and Nolan, K.B., Reactions of *N*,*N*′-dicarboxamido-*N*,*N*′-dicarboxymethyl-1,2-diaminoethane (EDTA–diamide) with hydrated ruthenium-(III) chloride and potassium tetrachloroplatinate(II). Crystal and molecular

structures of the pentadenate (EDTA–H complex $NH_4[Ru(EDTA–H)Cl]\cdot 2H_2O$ and the EDTA–imide complex $PtCl_2[_2(HOOCCH_2)NCH_2CH_2NCH_2CONHCOCH_2]\cdot 2H_2O$, 49
Jones, A.C., see Malik, M.A., 1641
Jones, A.C., see Davies, H.O., 3165
Jones, P., see Heirtzler, F., 601
Joorst, G., Karlie, R. and Mapolie, S., The synthesis and characterisation of a new series of ω-hydroxy-alkyl complexes of iron, 3377
Joseph, S. and Radhakrishnan, P.K., Yttrium and lanthanide iodide complexes of N,N′-bis(4-antipyrylmethylidene)ethylenediamine, 1881
Journaux, Y., see Ferbinteanu, M., 3019
Jun, M.J., see Sung, K.-M., 469
Jun, M.-J., see Huh, S., 2625
Junk, P.C. and Steed, J.W., Syntheses and X-ray crystal structures of $[Co(\eta^2\text{-}CO_3)(NH_3)_4](NO_3)\cdot 0.5H_2O$ and $[(NH_3)_3Co(\mu\text{-}OH)_2(\mu\text{-}CO_3)Co(NH_3)_3][NO_3]_2\cdot H_2O$, 3593

Kaitner, B., Paulić, N., Pavlović, G. and Sabolović, J., Bis(L-*N*,*N*-dipropylalaninato)copper(II). X-ray crystal structure, the crystal structure prediction and conformational analysis with a new force field, 2301
Kaizaki, S., see Sakagami, N., 2001
Kamenar, B., see Cindrić, M., 2781
Kameníček, J., see Pastorek, R., 2879
Kamikawa, T., see Wu, L.P., 2047
Kandaswamy, M., see Amudha, P., 1355
Kandaswamy, M., see Amudha, P., 1363
Kandaswamy, M., see Amudha, P., 1371
Kandaswamy, M., see Rajendiran, T.M., 3085
Kane, J.C., Wong, E.H., Yap, G.P.A. and Rheingold, A.L., Synthesis and structural studies of molybdenum and palladium complexes of 1,5-diaza-3,7-diphosphacyclooctane ligands, 1183
Kanellakopulos, B., see Apostolidis, C., 263
Kang, B., see Shen, X., 33
Kang, B.-S., see Wang, X.-J., 647
Kang, B.-S., see Su, C.-Y., 1577
Kang, B.-S., see Wang, X.-J., 3371
Kang, S.-G., Ryu, K. and Song, J., Synthesis and properties of a mono-*N*-hydroxyethylated tetraaza macrocycle and its nickel(II) and copper(II) complexes, 2193
Kannappan, R., see Rajendiran, T.M., 3085
Kapala, J., Lisek, I., Roszak, S. and Miller, M., Mass spectrometric and theoretical study of the mixed complex $NaNdCl_3(g)$, 2845
Kar, S.K., see Barik, A.K., 1
Kar, S.K., see Barik, A.K., 571
Karagiannidis, P., see Cox, P.J., 1501
Karlie, R., see Joorst, G., 3377
Kasahara, R., see Tsuchimoto, M., 3035
Kasselouri, S., see Garoufis, A., 39
Kasselouri, S., see Garoufis, A., 585
Kasselouri, S., see Garoufis, A., 1615
Kaszynski, P., see Janoušek, Z., 3517
Katsaros, N., see Garoufis, A., 361
Katsaros, N., see Garoufis, A., 3005
Katz, N.E., see Fagalde, F., 25
Kaur Chawla, S., Synthesis and characterisation of novel 1,3- and 1,4-bis[benzimidazole-1-yl-methylene]benzene and chloro bridged Cu(II) coordination polymers, 1397
Kelly, P.F., Man, S.-M., Slawin, A.M.Z. and Waring, K.W., Preparation of a range of copper complexes of diphenylsulfimide: X-ray crystal structures of $[Cu(Ph_2SNH)_4]Cl_2$ and $[Cu_4(\mu_4\text{-}O)(\mu\text{-}Cl)_6(Ph_2SNH)_4]$, 3173
Kemmitt, R.D.W., see Mentes, A., 1141
Kemmitt, R.D.W., see Hope, E.G., 2913
Keuleers, R., see Skorda, K., 3067
Keyte, R.W., see Cupertino, D.C., 311
Keyte, R.W., see Cupertino, D.C., 707
Khan, A., see Harris, G.S., 1455
Khan, A., see Harris, G.S., 2109
Khan, A., see de Assis, F., 3533
Khan, N.H., see Kureshy, R.I., 1773
Khander, A.A. and Rezvani, Z., Preparation and thermal properties of the bis[5-(4-heptyl-oxyphenyl)azo)-*N*-(4-alkoxyphenyl)-salicylal-diminato]copper(II) complex homologues, 129
Kharisov, B.I., Garnovskii, D.A., Blanco, L.M., Burlov, A.S., Vasil-chenko, I.S. and Garnovskii, A.D., Direct electrochemical synthesis of novel transition metal chelates of tridentate azomethinic ligands, 985
Kidwai, M., Misra, P. and Bhushan, K.R., Microwave assisted synthesis of novel organomercurials in 'dry media', 2641
Kim, I.-K., see Choi, K.-Y., 3013
Kim, J.-G., see Choi, K.-Y., 3013
Kim, Y., see Huh, S., 2625
Kimmerling, T.S., see Elliott, M.E., 1603
Kiš, E., see Kiurski, J., 741
Kita, E., see Sakagami, N., 2001
Kita, P., see Sakagami, N., 2001
Kiurski, J., Obadovič, D.Ž., Marinkovič-Nedučin, R. and Kiš, E., Spinel-type structure of Co in conditions of HDS catalyst aging, 741
Klapötke, T.M., Nöth, H., Schwenk-Kircher, H., Walther, W.-H. and Holl, G., Synthesis and X-ray structure of 1,1-dimethylhydrazinium azide, 717
Klapötke, T.M., Knizek, J., Krumm, B., Nöth, H. and Rienäcker, C.M., Crystal structures, semiempirical PM3 calculations and NMR studies of trimesityllead bromide and dimesityllead dibromide, 839
Klapötke, T.M., Knizek, J., Krumm, B., Nöth, H. and Rienäcker, C.M., Erratum to "Crystal structures, semiempirical PM3 calculations and NMR studies of trimesityllead bromide and dimesityllead dibromide" [Polyhedron 18 (1999) 839–844], 1687
Klement, R., Stock, F., Elias, H., Paulus, H., Pelikán, P., Valko, M. and Mazúr, M., Copper(II) complexes with derivatives of salen and tetrahydrosalen: a spectroscopic, electrochemical and structural study, 3617
Klevtsova, R.F., Glinskaya, L.A., Zemskova, S.M. and Larionov, S.V., Synthesis and crystal structure of $ZnPhen(i\text{-}Pr_2NCS_2)_2$ and molecule packing types in complexes $ZnPhen(R_2NCS_2)_2$ (R=Me, Et, i-Pr, n-Pr, i-Bu, n-Bu), 3559
Kniep, R., see Asbrand, M., 2427
Knizek, J., see Klapötke, T.M., 839
Knizek, J., see Klapötke, T.M., 1687
Knobler, C.B., see Chen, W., 1725
Knyazev, D.A., Semin, G.K. and Bochkarev, A.V., Nuclear quadrupole contribution to the equilibrium isotope effect, 2579
Koch, H.F., see Wolf, N.J., 885
Koch, H.F., Girard, L.A. and Roundhill, D.M., Addition of water and ammonia to the carbon–carbon double bond of acyclic alkenes and strained bicyclic dienes; a computational study, 2275
Koch, T. and Hey-Hawkins, E., P-H-functionalised phosphinocyclopentadienes: $1\text{-}SiMe_2PHCy\text{-}2,3,4,5\text{-}Me_4C_5H$, $Li_2[(C_5Me_4)SiMe_2PCy]$, $Li[(C_5H_4)CMe_2PHPh]$ and $Li_2[(C_5H_4)CH_2CH_2PPh]$, 2113
Koh, L.L., see Vijjulatha, M., 2249
Koikawa, M., see Reza, M.Y., 787
Kojima, M., see Tsuchimoto, M., 3035
Kolis, J.W., see Kuhlman, R., 1379
Komaei, S.A., van Albada, G.A., Mutikainen, I., Turpeinen, U. and Reedijk, J., Alkoxo-bridged dinuclear copper(II) compounds with 2-amino-picolines as ligands. Synthesis, spectroscopy, magnetism and X-ray crystal structures, 1991
Koner, S., Iijima, S., Mizutani, F., Harata, K., Watanabe, M., Nagasawa, A. and Sato, M., Fe(III)–azido complex with tetragonally compressed octahedral FeN_6 geometry: synthesis, spectroscopic and X-ray single crystal analysis of $[Fe(cyclam)(N_3)_2](ClO_4)$, 2201
Kopel, P., Trávníček, Z., Kvítek, L., Panchártková, R., Biler, M., Marek, J. and Nádvorník, M., Coordination compounds of nickel with

trithiocyanuric acid. Part III. Crystal and molecular structure of [Ni(bapen)(ttcH)]·2H_2O (bapen=*N,N'*-bis(3-aminopropyl)ethylenediamine, ttcH_3=trithiocyanuric acid), 1779
Korecz, L., see Szabó-Plánka, T., 1969
Kourkoumelis, N., see Kovala-Demertzi, D., 1005
Koutsodimou, A., see Garoufis, A., 361
Koutsodimou, A., see Garoufis, A., 3005
Kovala-Demertzi, D., Miller, J.R., Kourkoumelis, N., Hadjikakou, S.K. and Demertzis, M.A., Palladium(II) and platinum(II) complexes of pyridine-2-carbaldehyde thiosemicarbazone with potential biological activity. Synthesis, structure and spectral properties. Extended network via hydrogen bond linkages of [Pd(PyTsc)Cl], 1005
Kowalski, A., see Pruchnik, F.P., 2091
Kozlevčar, B., Leben, I., Turel, I., Segedin, P., Petrič, M., Pohleven, F., White, A.J.P., Williams, D.J. and Sieler, J., Complexes of copper(II) acetate with nicotinamide: preparation, characterization and fungicidal activity; crystal structures of [$Cu_2(O_2CCH_3)_4$(nia)] and [$Cu_2(O_2CCH_3)_4$(nia)$_2$], 755
Kozlova, N.I., see Starikova, Z.A., 941
Krajewska, M., see Pasiuk-Bronikowska, W., 561
Krannich, L.K., see Lake, C.H., 879
Krannich, L.K., see Styron, E.K., 1595
Krause-Bauer, J.A., see Becker, T.M., 2563
Kremer, E., see Gambino, D., 2099
Krishnamurthy, S.S., see Thirupathi, N., 437
Kritikos, M., see Ivanov, A.V., 2069
Krumm, B., see Klapötke, T.M., 839
Krumm, B., see Klapötke, T.M., 1687
Kuang, S.-M., Zhang, Z.-Z., Wang, Q.-G. and Mak, T.C.W., Synthesis and structure of a heterotrinuclear complex bridged by 2,6-bis-(diphenylphosphino)pyridine, [$Ir_2Cu(CO)_2Cl_2$(MeCN) {μ-($Ph_2P)_2$py}$_2$](ClO_4), 493
Kuang, S.-M., Zhang, Z.-Z., Xue, F. and Mak, T.C.W., Reaction of 2-(diphenylphosphino)-pyridine and -thiazole organoiron(0) polydentate ligands with iron(III) salts. X-ray structures of [η^2-Ph_2P(O)py]$_2$Fe(μ-Cl)$_2$$FeCl_2$ and Fe(NCS)$_2$[η^2-Ph_2P(O)taz]$_2$ (taz=thiazole), 3465
Kubiak, R., see Janczak, J., 1621
Kubiak, R., see Janczak, J., 2775
Kuchta, Ľ., see Sivák, M., 93
Kuhlman, R., Schimek, G.L. and Kolis, J.W., Inorganic–organic composites from solvothermal routes: Extended structures of [CuX(pyrazine)]$_\infty$ (X=CN, Cl, CF_3CO_2), and Cu(NO_2)$_2$(pyz), 1379
Kuhnert, O., see Siemeling, U., 1815
Kulkarni, N.D., see Gandhi, J.B., 1735
Kumar, A., Kumar, P. and Ramamurthy, P., Kinetics of oxidation of glycine and related substrates by diperiodatoargentate (III), 773
Kumar, D.S., Aruna, V.A.J. and Alexander, V., Synthesis of homodinuclear lanthanide(III) complexes of 24-membered tetraaza and 34-membered octaaza Schiff base macrocycles, 3123
Kumar, P., see Kumar, A., 773
Kumar Patra, A. and Mukherjee, R., Synthesis and properties of a monomeric and a μ-oxo-bridged dimeric iron(III) complex with a tetradentate pyridine amide in-plane ligand. X-ray structure of [Fe(bpc)Cl(DMF)] [H_2bpc=4,5-dichloro-1,2-bis(pyridine-2-carboxamido)benzene], 1317
Kumar, S.B., see Escuer, A., 377
Kumar, S.B., see Escuer, A., 909
Kumara Swamy, K.C., see Vijjulatha, M., 2249
Kumara Swamy, K.C., see Vijjulatha, M., 2557
Kumaraswamy, S., see Vijjulatha, M., 2557
Kung, H.F., see Sukal, S., 7
Kureshy, R.I., Khan, N.H., Abdi, S.H.R., Iyer, P. and Patel, S.T., Chiral Mn(III) Schiff base complex catalyzed aerobic enantioselective epoxidation of prochiral non-functionalized olefins, 1773
Kuroda-Sowa, T., see Suenaga, Y., 191
Kuroda-Sowa, T., see Suenaga, Y., 429
Kuroda-Sowa, T., see Wu, L.P., 2047
Kurup, M.R.P., see Bindu, P., 321
Kusz, J., see Bartczak, T.J., 2313
Kuzmina, N., Ryazanov, M. and Troyanov, S., Synthesis, crystal structure and thermal behaviour of Ba(hfa)$_2$(Phen)$_2$ and the crystal structure of Ba_2(hfa)$_2$(μ_2-CF_3COO)$_2$(Phen)$_4$ (hfa=hexafluoroacetylacetonate, Phen=*o*-Phenanthroline), 2177
Kvapilová, E., see Pastorek, R., 151
Kvítek, L., see Kopel, P., 1779
Kwak, C.-H., Nam, H., Moon, J.-M., Jeon, I.C. and Choi, Y.K., Synthesis, binding properties and electrochemistry of nickel(II) macrocyclic complexes containing crown ethers, 2597

Lachgar, A., see Narula, P.M., 1751
Laguna, A., see Crespo, O., 1279
Laguna, M., see Terroba, R., 807
Lahiri, G.K., see Santra, B.K., 617
Lahiri, G.K., see Samanta, R., 995
Lahiri, G.K., see Chakraborty, S., 1437
Lahiri, G.K., see Bhattacharyya, D., 2951
Lake, C.H., Schauer, S.J., Krannich, L.K. and Watkins, C.L., X-ray structural analysis of Me_3M·HN(CH_2Ph)$_2$ (M=Ga, In) adducts, 879
Lake, C.H., see Styron, E.K., 1595
Lal, T.K., Gupta, R., Mahapatra, S. and Mukherjee, R., Synthesis, spectra and redox properties of mononuclear five-co-ordinate copper(II) complexes with non-communicable pyrazole/pyridyl containing ligands. X-ray structure of [2,6-bis(3,5-dimethyl-pyrazol-1-ylmethyl)pyridine][2-(3,5-dimethylpyrazol-1-ylmethyl)pyridine]copper(II) diperchlorate, 1743
Lalia-Kantouri, M., Hatzidimitriou, A. and Uddin, M., Synthesis and characterization of new addition compounds of bis(2-hydroxyaryloximato) nickel(II) with α-diimines. Crystal and molecular structure of [Ni(saox)$_2$phen]·H_2O, 3441
Landry, C.C., see Nataro, C., 1471
Langer, V., see Mahmoudkhani, A.H., 3407
Larionov, S.V., see Klevtsova, R.F., 3559
Lasocha, W., see Podgajny, R., 3527
Latif, L.A., see Baker, P.K., 257
Laurent, F., Plantalech, E., Donnadieu, B., Jiménez, A., Hernández, F., Martínez-Ripoll, M., Biner, M. and Llobet, A., Synthesis, structure and redox properties of ruthenium complexes containing the tpm facial and the trpy meridional tridentate ligands. Crystal structures of [$RuCl_3$(trpy)] and [Ru(tpm)(py)$_3$](PF_6)$_2$, 3321
Lawrance, G.A., see Dyson, R.M., 3243
Lawrenz, E.T., see Field, L.D., 3031
Le Mest, Y., see Duclos, S., 1935
Leban, I., see Kozlevčar, B., 755
Lee, G.H., see Aneetha, H., 299
Leedham, T., see Malik, M.A., 1641
Leedham, T.J., see Davies, H.O., 3165
Leelamani, E.G., see Gayathri, V., 2351
Legendziewicz, J., Ciunik, Z., Gawryszewska, P. and Sokolnicki, J., Structural effect of ligand chirality and its spectroscopic consequences, 2701
Lehtonen, A. and Sillanpää, R., Reactions of tris(1,2-ethanediolato)tungsten(VI) with phenyl acetates. X-ray structures of three products, 175
Leibnitz, P., see Fietz, T., 1793
Leighton, F., see Bodini, M.E., 2233
Leis, F., see Brunner, H., 347
Lemenovskii, D.A., see Nikonov, G.I., 1159
Leng, W., see Yang, G., 1273
Lens, I., see Vidal, M.C.F., 3313
Leonesi, D., see Marchetti, F., 3041
Leovac, V.M., see Ivanovic-Burmazovic, I., 119
Levason, W., see Genge, A.R.J., 2673
Lezama, L., see García-Tojal, J., 3703
Li, D.-F., see Du, F., 2327

Li, D.-M., see Wang, R.-Z., 2971
Li, G.-M., Reibenspies, J.H., Derecskei-Kovacs, A. and Zingaro, R.A., *N,N*-dimethyl-selenobenzamide: two solid phases and low-temperature phase change, 3391
Li, J., see Wang, Q., 1411
Li, L., see Jin, L., 487
Li, S.-Q., see Zhang, L., 781
Li, W., see Peng, J., 3147
Li, X., see Li, X., 695
Li, X., Li, X., Zhang, S. and Pei, F., NMR relaxation studies of GdDTPA in human serum albumin solution, 695
Li, X., see Guo, S., 735
Liang, H., see Wang, X.-J., 647
Liao, D., see Zhang, Y., 3153
Liao, D.-Z., see Zhang, L., 781
Liao, D.-Z., see Gao, E.-Q., 3643
Liao, F.-L., see Lu, Y.-Yu., 145
Liao, F.-L., see Su, C.-C., 2361
Liao, F.-L., see Hong, F.-E., 2737
Liao, J.-H., see Wang, Y.-M., 1147
Liao, Z.-R., see Du, F., 2327
Liaw, J.-W., see Hong, F.-E., 2737
Lin, C., see Carlson-Day, K.M., 817
Lin, C.-C., see Hong, F.-E., 2737
Lin, H., see Sun, H., 1045
Lin, P., see Sheng, T., 1049
Lin, P., see Wang, Q., 1411
Lin, W.-C., see Wang, Y.-M., 1147
Lin, X., Chen, H.-Y., Chi, L.-S. and Zhuang, H.-H., Synthesis and crystal structures of two new trinuclear molybdenum cluster compounds containing a $[Mo_3Te_7]^{4+}$ fragment, 217
Lin, Y.X.Y., see Chen, Y., 481
Ling-yun, Z., see Yao-feng, Y., 1247
Lippens, W., see Pauwels, T.F., 1029
Lippens, W., see Steenland, M.W.A., 3417
Lippolis, V., see Demartin, F., 3107
Lisek, I., see Kapala, J., 2845
Lisowski, J. and Starynowicz, P., The macrocyclic mononuclear lanthanide complexes derived from 2,6-diformyl-4-methylphenol and 1,3-diamino-2-hydroxypropane, 443
Litorja Jr, L.A., see Darkwa, J., 1115
Litorja Jr., L.A., see Thomas, M.S., 2803
Liu, D., see Qin, J., 3461
Liu, G.-C., see Wang, Y.-M., 1147
Liu Gonzalez, M., see Duclos, S., 1935
Liu, H.-Q., see Wang, X.-J., 647
Liu, H.-Q., see Su, C.-Y., 1577
Liu, J., see Chen, Y., 481
Liu, J., see Zhou, Y.-s., 1419
Liu, J., Song, Y., Yu, Z., Zhuang, J., Huang, X. and You, X., A novel linear trinuclear copper(II) compound with 4-(2-pyridyl)-1,2,4-triazole as a bridging ligand, 1491
Liu, J., see Peng, J., 3147
Liu, J.F., see Wang, X.H., 2293
Liu, Q., see Shen, X., 33
Liu, Q., see Chen, Y., 481
Liu, Q., Huang, J., Qian, Y. and Chan, A.S.C., Synthesis and crystal structure of mono-chelating (chiral) ether side chain cyclopentadienyl lanthanide complexes with a symmetric tetradentate ligand, 2345
Liu, Q., see Zhang, Y., 3153
Liu, S.-H., see Zhu, X.-H., 181
Liu, S.-Q., see Wang, R.-Z., 2971
Liu, X., see Chu, Y., 3723
Liu, Y.-J., see Zhu, X.-H., 181
Liu, Y.-J., see Pan, Z.-Q., 2185
Liu, Yu., see Shen, X., 33
Llobet, A., see Laurent, F., 3321
Lloret, F., see Smékal, Z., 2787
Lloris, J.M., Martínez-Máñez, R., Soto, J., Pardo, T., Padilla Tosta, M.E., Benito, A. and Marcos, M.D., Transition metal binding properties of the redox-active 1,4,7,10,13,16-hexa(ferrocenylmethyl)-1,4,7,10,13,16-hexaazacyclooctadecane and its electrochemical behaviour in a non-aqueous solvent, 3689
Lo, J.-M., see Wang, Y.-M., 1917
Lo, K.M., see Zou, J.-Z., 1507
Lobbia, G.G., see Pettinari, C., 1941
Logsdon, B.C., see Yokota, Y., 2519
Lokanath, N.K., see Rao, C.P., 289
Long, D.-l., see Zheng, H.-g., 3115
Long, L.-S., Chen, X.-M., Yu, X.-L., Zhou, Z.-Y. and Ji, L.N., Synthesis, structures and hydrolytic properties of metal complexes with 1,3-bis[(4-methyl-5-imidazol-1-yl)ethylideneamino]propan-2-ol, 1927
Lopes, L.G.d.F., see Mazzetto, S.E., 979
López, C., see Bosque, R., 135
López, C., see Riera, X., 2549
López, C., see Benito, M., 2583
López, G., see Ruiz, J., 2281
López, G., see Sánchez, G., 3057
López-Garzón, R., see Arranz-Mascarós, P., 689
López-Garzón, R., see Arranz-Mascarós, P., 793
López-Garzón, R., see Moreno, J.M., 1635
López-Zafra, A., see García-Raso, Á., 871
Lorenzo, S., Craig, D.C., Scudder, M.L. and Dance, I.G., The crystal supramolecularity of methyltriphenylphosphonium dichromate, 3181
Lorenzotti, A., see Marchetti, F., 3041
Low, J.N., see de Assis, F., 3533
Low, M.K.L., see Zheng, H.-g., 3115
Lu, C., see Dilworth, J.R., 501
Lu, C., see Zhan, S., 2035
Lu, K., Jie Wu, Y., Xing Wang, H. and Xian Zhou, Z., Syntheses, characterizations and properties of boronoalkylalkoxycalix[4]arenes, 1153
Lu, Q., see Martell, A.E., 3203
Lu, S., see Jin, L., 487
Lu, S.-F., Huang, J.-Q., Wu, Q.-J., Huang, X.-Y., Wu, D.-X., Zheng, Yu. and Yu, R.-M., The synthesis and structural characterization of a novel Bi–Mo double cubane cluster by two bridging oxygen atoms $\{[Mo_3(BiI_3)OS_3(\mu\text{-}OAc)_2(py)_3]_2(\mu\text{-}O)_2\}\cdot(H_2O)$, 281
Lu, Y.-Yu., Tung, J.-Yu., Chen, J.-H., Liao, F.-L., Wang, S.-L., Wang, S.-S. and Hwang, L.-P., Salicylate exchange in *meso*-tetraphenylporphyrinato salicylato thallium(III), Tl(tpp)(2-OH-$C_6H_4CO_2$) and ^{13}C NMR investigation of its homolog thiocyanato (*meso*-tetra-*p*-tolyl-porphyrinato)thallium(III), Tl(tptp)(SCN), 145
Luna-Giles, F., see Bernalte-García, A., 2907
Luo, Q.-H., see Pan, Z.-Q., 2185
Luo, Q.-H., see Zhang, J.-J., 3637
Luo, R.-S., see Pan, Z.-Q., 2185
Luo, X., see Qiao, F., 1629
Luque, A., see Castillo, O., 1235
Lusvardi, G., see Bonamartini Corradi, A., 1975
Ly, T.Q., Slawin, A.M.Z. and Woollins, J.D., Synthesis and coordination chemistry of RC(E)NHPPh$_2$ (E=O or S; R=H$_2$N, Ph, or Py). X-ray structure of [Pt{H$_2$NC(S)NHPPh$_2$}$_2$] 2Cl 0.5MeOH, 1761

Ma, J., see Zhu, X.-H., 181
Machura, B., see Bartczak, T.J., 2313
Mäcke, H., see Dyson, R.M., 3243
Maeder, M., see Dyson, R.M., 3227
Maeder, M., see Dyson, R.M., 3243
Maekawa, M., see Suenaga, Y., 191
Maekawa, M., see Suenaga, Y., 429
Mahapatra, S., see Lal, T.K., 1743
Maher, D.L., see Stockland Jr, R.A., 1067
Mahmoudkhani, A.H. and Langer, V., Structural investigation of nickel

thiolates: a cyclic hexanuclear nickel thiolate with highly distorted NiS_4 units, 3407
Mahomedy Bholat, A., see Harris, G.S., 1455
Mahon, M.F., see Burrows, A.D., 2665
Maichle-Mössmer, C., see Bermejo, E., 3695
Maier, R., see Apostolidis, C., 263
Maina, T., Tsoukalas, C., Patsis, G., Pirmettis, I., Nock, B., Papadopoulos, M., Raptopoulou, C., Terzis, A. and Chiotellis, E., A 'preformed chelate approach' model for coupling amine-modified rhenium and technetium '3+1' mixed ligand complexes to carboxylate residues. Crystal structure of $ReO[CH_3SCH_2CH_2N(CH_2CH_2S)_2][p\text{-}SC_6H_4NH_2]$ and $ReO[CH_3SCH_2CH_2N(CH_2CH_2S)_2][p\text{-}SC_6H_4NHCOC_6H_5]$, 3545
Maitra, K. and Nelson, J.H., Formation of 1,2-bis(diphenylphosphino)ethane, dppe, from two coordinated diphenylvinylphosphine (DPVP) ligands; crystal structures of *cis*- and *trans*-$(DPVP)_2Mo(CO)_4$ and $(dppe)M(CO)_4$ (M=Cr, Mo), 203
Maji, M., Hossain, M., Chatterjee, M., Chattopadhyay, S.K., Puranik, V.G., Chakrabarti, P. and Ghosh, S., Synthesis, characterisation and reactivity of *trans*-$[Ru(L)(PPh_3)Br_2]$; L=2-pyridyl-*N*-(2′-methylthiophenyl)methyleneimine. Crystal structure of *trans*-$[Ru(L)(PPh_3)Br_2]$, 3735
Majumder, K. and Bhattacharya, S., Amino acid complexes of ruthenium: synthesis, characterization and cyclic voltammetric studies, 3669
Majumdar, P., Goswami, S. and Peng, S.-M., Synthesis and redox properties of trinuclear ruthenium and osmium complexes containing 2,2′-biimidazolate as bridging ligand, 2543
Mak, T.C.W., see Kuang, S.-M., 493
Mak, T.C.W., see Zhao, G., 577
Mak, T.C.W., see Mao, J.-G., 1519
Mak, T.C.W., see Ye, B.-H., 1785
Mak, T.C.W., see Kuang, S.-M., 3465
Malik, M.A., O'Brien, P., Motevalli, M., Jones, A.C. and Leedham, T., X-ray crystal structures of bis-2,2,6,6-tetramethylheptane-3,5-dionatolead(II) and bis-2,2-dimethyl-6,6,7,7,8,8,8-heptafluorooctane-3,5-dionatolead(II): compounds important in the metalorganic chemical vapour deposition (MOCVD) of lead-containing films, 1641
Malik, M.M., Motevalli, M. and O'Brien, P., Chalcogenolato-di-thiocarbamato-complexes of zinc: The X-ray single crystal structures of pyridine adducts, 1259
Man, S.-M., see Kelly, P.F., 3173
Maneiro, M., see Bermejo, M.R., 511
Manivannan, V., see Sangeetha, N.R., 1425
Mann, B.E., see de Paula, A.S.A.T., 2017
Mann, K.L.V., Jeffery, J.C., McCleverty, J.A. and Ward, M.D., Synthesis of the new ligand bis[3-(2-pyrazinyl)-pyrazol-1-yl]dihydroborate, and the crystal structures of its complexes with thallium(I) and lead(II), 721
Mannina, L., see Flamini, A., 799
Manová, A., see Breza, M., 2085
Mansilla, G., see Casas, J.M., 403
Manzur, J., García, A.M., Vega, A. and Spodine, E., Synthesis, structure and oxidation studies of a dinuclear copper(I)–copper(II) complex: $[Cu_2(bdpdz)_2](ClO_4)_3$, 2399
Mao, J.-G., Zhang, H.-J., Ni, J.-Z., Wang, S.-B. and Mak, T.C.W., Lanthanide coordination polymers with dicarboxylate-like ligands: crystal structures of polymeric lanthanum(III) and terbium(III) complexes with flexible double betaines, 1519
Mao, X.-A., see Song, L.-C., 19
Mao, X.-A., see Pan, Z.-Q., 2185
Mao, X.-A., see Du, F., 2327
Mapolie, S., see Joorst, G., 3377
Marchal, S., Moreno, V., Aullón, G., Alvarez, S., Quirós, M., Font-Bardia, M. and Solans, X., Synthesis and study of trinuclear Pd(II) and Pt(II) complexes with 2-mercaptonicotinic acid. Crystal and molecular structure of $[Pd_3(\text{mercaptonicotinic acid})_3Cl_3]$, 3675
Marchetti, F., Pettinari, C., Pettinari, R., Cingolani, A., Leonesi, D. and Lorenzotti, A., Group 12 metal complexes of tetradentate N_2O_2–Schiff-base ligands incorporating pyrazole. Synthesis, characterisation and reactivity toward S-donors, N-donors, copper and tin acceptors, 3041
Marcos, M.D., see Lloris, J.M., 3689
Marcus, S.T., Bernhardt, P.V., Grøndahl, L. and Gahan, L.R., Complexes of 1-thia-4,7,10-triazacyclododecane ([12]aneN_3S). Synthesis, structure and stability constants, 3451
Marek, J., see Sivák, M., 93
Marek, J., see Pastorek, R., 151
Marek, J., see Kopel, P., 1779
Marek, J., see Novoměstská, V., 2723
Marek, J., see Smékal, Z., 2787
Marinescu, G., see Ferbinteanu, M., 243
Marinkovič-Nedučin, R., see Kiurski, J., 741
Marqués, I., see Barbosa, J., 3361
Marques, N., see Apostolidis, C., 263
Márquez, V.E., Anacona, J.R., Hurtado, R.J., Díaz de Delgado, G. and Roque, E.M., Reactivity of a binuclear nickel(II) sulfur bridged complex with alkylating agents. Crystal structure of $[Ni(L)Br(\mu\text{-}Br)]_2$, (L=2,6-bis[(benzyl)mercaptomethyl]pyridine), 1903
Martell, A.E., Motekaitis, R.J., Lu, Q. and Nation, D.A., Phosphate anion binding by macrocyclic dinucleating ligands and their metal complexes, 3203
Martí, J.M., see Ruiz, J., 2281
Martínez-Máñez, R., see Lloris, J.M., 3689
Martínez-Ripoll, M., see Laurent, F., 3321
Martín-Ramos, J.D., see Román-Alpiste, M.J., 3341
Martin, A., see Casas, J.M., 403
Marzotto, A., see Clemente, D.A., 2749
Mashuta, M.S., see Gibson, D.H., 1189
Mason, C.J., see Dyson, R.M., 3227
Massoud, S.S., Mautner, F.A., Abu-Youssef, M.A.M. and Shuaib, N.M., Synthesis and characterization of binuclear and polymeric five-coordinate copper(II) complexes derived from 3,3′,3″-triaminotripropylamine (trpn). Crystal structure of $[Cu(trpn)(N_3)]ClO_4$ (**I**) and $[Cu_2(trpn)(tren)(NO_2)(H_2O)](ClO_4)_3$ (**II**), 2061
Massoud, S.S., Mautner, F.A., Abu-Youssef, M. and Shuaib, N.M., Azido–amine–cobalt(III) complexes. Crystal structures of *cis*-$[Co(tren)(N_3)_2]ClO_4$ and *trans*-$[Co(3,2,3\text{-tet})(N_3)_2]ClO_4$, 2287
Massoud, S.S., see Chun, H., 3647
Mata, I., see García-Raso, Á., 871
Matczak-Jon, E., Sawka-Dobrowolska, W., Dobrzyńska, D. and Hoffmann, M., Platinum(II) complexes with 1-amino-4-thiapentylphosphonic acid and its diethyl ester. Spectroscopic, electrospray mass spectrometric and X-ray studies, 2169
Matilla Hernández, A., see Vidal, M.C.F., 3313
Matsumoto, K., Takahashi, K., Hada, S. and Nakao, Y., Synthesis and cyclic voltammetry of trinuclear $[Pd_3(\mu_3\text{-}E)_2(dpae)_3]^{2+}$ clusters; E= S, Se or Te; dpae=1,2-bis(diphenylarsino)ethane and X-ray structure of $[Pd_3(\mu_3\text{-}S)_2(dpae)_3][BPh_4]_2$, 1811
Matsushima, H., see Reza, M.Y., 787
Mauro, A.E., see de Lucca Neto, V.A., 413
Mautner, F., see Escuer, A., 377
Mautner, F.A. and Goher, M.A.S., Synthesis, vibrational and emission spectra of some copper(I) complexes of 3- and 4-benzoylpyridine ligands and X-ray crystal structure of $[(4\text{-benzoylpyridine})_2H]^+\cdot I^-$, 553
Mautner, F.A., see Goher, M.A.S., 1805
Mautner, F.A., see Massoud, S.S., 2061
Mautner, F.A., see Massoud, S.S., 2287
Mautner, F.A., see Goher, M.A.S., 2339
Mautner, F.A., see Goher, M.A.S., 3425
Mazúr, M., see Klement, R., 3617
Mazzetto, S.E., Gambardella, M.T.d.P., Santos, R.H.A., Lopes, L.G.d.F. and Franco, D.W., The X-ray crystal structure and reactivity of *trans*-$[RuCl_2(P(OC_2H_5)_3)_4]$, 979

McCann, M., see Devereux, M., 2141
McCann, M., see Geraghty, M., 2931
McCleverty, J.A., see Mann, K.L.V., 721
McCleverty, J.A., see Humphrey, E.R., 1335
McFarlane, H.C.E. and McFarlane, W., Synthesis and NMR spectra of derivatives of the *polykis*(diphenylphosphino)benzenes, $(Ph_2P)_nC_6H_{6-n}$ [n=2 to 4], 2117
McFarlane, W., see McFarlane, H.C.E., 2117
McKee, V., see Devereux, M., 2141
McKee, V., see Geraghty, M., 2931
Mederos, A., see Valle, A., 3253
Mederos, A., see Alderighi, L., 3305
Meehan, M.M., see Baker, P.K., 257
Meenu, see Narula, S.P., 2055
Mei, Yu.-H., see Zhang, J.-J., 3637
Mele, A., see Santini, C., 2255
Menabue, L., see Bonamartini Corradi, A., 1975
Menabue, L., see Borsari, M., 1983
Méndez-Rojas, M.A., Cordova-Lozano, F., Gojon-Zorrilla, G., González-Vergara, E. and Quiroz, M.A., Direct electrosynthesis of Cu, Cd, Zn complexes of piroxicam (4-hydroxy-2-methyl-*N*-(2-pyridyl)-2H-1,2-benzothiazine-3-carboxamide-1,1,-dioxide) and isoxicam (4-hydroxy-2-methyl-*N*-(5-methyl-3-isoxazolyl)-2H-1,2-benzothiazine-3-carboxamide-1,1-dioxide) in nonaqueous media by in-situ generation of supporting electrolyte, 2651
Mendia, A., see Terroba, R., 807
Mendonça Silva, R. and Huffmann, J.C., Synthesis and X-ray crystal structure elucidation of an organometallic oxide containing Nb and Sn, 2823
Meng, Q., see Zhan, S., 2035
Mentes, A., Kemmitt, R.D.W., Fawcett, J. and Russeli, D.R., Substitution reactions of *trans*-[PdXPh$(SbPh_3)_2$J (X=Cl or Br) with nitrogen, phosphines and arsenic donor ligands. Crystal structures of *trans*-[PdClPh$(PPh_3)_2$], [PdClPh(bipy)], $[PdClPh(dppm)]_2$, and $[PdBrPh(dppm)]_2$, 1141
Menzer, S., see Atherton, Z., 273
Merkle, R. and Bertagnolli, H., Preparation of lead oxoalkoxides from lead oxide, 1089
Mévellec, F., Roucoux, A., Noiret, N., Patin, H. and Toupet, L., Synthesis, spectroscopic studies and molecular structure of original halogeno-[*S*-methyl 3-(2-hydroxyphenylethylidene)dithiocarbazato]-oxo–rhenium(V) complexes, 2537
Meyer, F. and Pritzkow, H., An isoxazole-based polymeric co-ordination network incorporating a helical Ag(I)-S structural motif, 2769
Meyer, T.J., see Demadis, K.D., 1587
Midollini, S., see Valle, A., 3253
Midollini, S., see Alderighi, L., 3305
Milinković, S.U., see Djuran, M.I., 3611
Miller, J.R., see Davies, H.O., 459
Miller, J.R., see Ahmed, L.S., 593
Miller, J.R., see Kovala-Demertzi, D., 1005
Miller, M., see Kapala, J., 2845
Miller, R.L., see Gibson, D.H., 1189
Misra, P., see Kidwai, M., 2641
Misra, T.K., see Santra, P.K., 1909
Misra, T.K., see Santra, P.K., 2869
Mitra, A., see Chatterjee, D., 2659
Mitra, S., see Gupta, T., 197
Mitra, S., see Dey, D.K., 2687
Mitrofanova, V.I., see Ivanov, A.V., 2069
Mitsopoulou, C.-A., see Garoufis, A., 39
Mitsopoulou, C.-A., see Garoufis, A., 361
Miura, Y., see Miyazaki, Y., 2041
Miyanaga, T. and Sudoh, S., Hydrated structures and dehydration processes of lanthanoid(III) chloranilates studied by EXAFS, 3433
Miyazaki, Y., Hiramatsu, E., Miura, Y. and Sakashita, H., ^{27}Al NMR studies on the complexation of aluminum(III) with phosphinate and phosphite ions, 2041
Mizutani, F., see Koner, S., 2201
Mok, K.-F., see Chen, B.-L., 1211
Molins, E., see García-Raso, Á., 871
Molins, E., see Sánchez, G., 3057
Mongeot, H., see Naoufal, D., 931
Monteiro, O.C., see Trindade, T., 1171
Montilla, F., see Robin, T., 1485
Moon, J.-M., see Kwak, C.-H., 2597
Moral, M.A., see Sánchez, G., 3057
Moreno, J.M., see Arranz-Mascarós, P., 689
Moreno, J.M., see Arranz-Mascarós, P., 793
Moreno, J.M., Arranz-Mascarós, P., López-Garzón, R., Gutiérrez-Valero, M.D., Godino-Salido, M.L. and Cobo-Domingo, J., Solution–solid-state study of the system Cu(II)//*N*-2-(4-amino-1,6-dihydro-1-methyl-5-nitroso-6-oxopyrimidinyl)glycine. Mononuclear and polynuclear ladder-like chain complex crystalline structures, 1635
Moreno, V., see Riera, X., 65
Moreno, V., see Riera, X., 2549
Moreno, V., see Marchal, S., 3675
Moreno-Carretero, M.N., see Hueso-Ureña, F., 2205
Moreno-Carretero, M.N., see Hueso-Ureña, F., 351
Moreno-Carretero, M.N., see Hueso-Ureña, F., 3629
Moreno-Carretero, M.N., see Hueso-Ureña, F., 85
Moret, Y.Y., see Teruel, H., 419
Morimoto, H., see Suenaga, Y., 429
Mortimer, M., see Berry, F.J., 1083
Morvan, X., see Benito, M., 2583
Motekaitis, R.J., see Martell, A.E., 3203
Motevalli, M., see Trindade, T., 1171
Motevalli, M., see Malik, M.A., 1259
Motevalli, M., see Malik, M.A., 1641
Moura, E.M., Dickman, M.H., Siebald, H.G.L. and Gama, G.J., Syntheses, characterization and structure determination of $\{[CpRu(X)]_2(\eta^2,\mu_2\text{-dppe})_2\}$ complexes (X=Cl, N_3; dppe=$Ph_2PCH_2CH_2PPh_2$). Chelating vs. bridging behavior of a classical bidentate ligand, 2899
Mrozek, R., Rzączyńska, Z., Sikorska-Iwan, M., Jaroniec, M. and Głowiak, T., A new complex of manganese(II) with L-α-alanine: structure, spectroscopy and thermal study, 2321
Muga, I., see Castillo, O., 1235
Mukherjee, R., see Kumar Patra, A., 1317
Mukherjee, R., see Lal, T.K., 1743
Mukherjee, S., see Chatterjee, D., 2659
Munakata, M., see Suenaga, Y., 191
Munakata, M., see Suenaga, Y., 429
Munakata, M., see Wu, L.P., 2047
Mundwiler, S., see Constable, E.C., 2433
Munk, V.P., Fenton, R.R. and Hambley, T.W., The resolution of 5,5,7-trimethyl-1,4-diazacycloheptane: coordination to platinum(II), crystal structure of the dichloroplatinum(II) complex and HPLC separation of the [Pt(GpG)(tmdz)] adducts, 1039
Muñoz, M., see Oleinikova, M., 3353
Munshi, K.N., see Rao, S.N., 2491
Munshi, P., see Santra, B.K., 617
Munshi, P., see Samanta, R., 995
Munshi, P., see Chakraborty, S., 1437
Munshi, P., see Bhattacharyya, D., 2951
Murillo, C.A., see Cotton, F.A., 423
Murphy, B., see Brophy, M., 611
Murphy, G., see Brophy, M., 611
Mutikainen, I., see Komaei, S.A., 1991
Muzart, J., see Bouquillon, S., 3511
Muzio, T., see Grodzicki, A., 519

Nádvorník, M., see Kopel, P., 1779
Nagasawa, A., see Koner, S., 2201
Nakajima, K., see Nonoyama, M., 533

Nakajima, K., see Tsuchimoto, M., 3035
Nakao, Y., see Matsumoto, K., 1811
Nakashima, M., see Reza, M.Y., 787
Nam, H., see Kwak, C.-H., 2597
Naoufal, D., Grüner, B., Bonnetot, B. and Mongeot, H., Replacement of the nitrogen of $[1\text{-}N_2B_{10}H_9]^-$ by amines or nitriles, a route to hydrophobic monoanions, 931
Narain, R., see Bhowon, M.G., 341
Narayan, S., Jain, V.K., Panneerselvam, K., Huey Lu, T. and Tung, S.-F., Synthesis and characterization of monomeric palladium(II) pyridine-2-chalcogenolate complexes, 1253
Narayan, S., Jain, V.K. and Butcher, R.J., Corrigendum to "Synthesis and structural characterization of chalcogenido-bridged trinuclear palladium(II) dialkyldithiophosphates, $[Pd_3(\mu_3\text{-}E)_2\{S_2P(OR)_2\}_2(PR'_3)_2]$ (E=S or Se, R=Et, Pr^n, Pr^i, Bu^s and R′=Ph, Et)" [Polyhedron 17 (1998) 2037–2042], 1685
Narula, P.M., Day, C.S., Powers, B.A., Odian, M.A., Lachgar, A., Pennington, W.T. and Noftle, R.E., Characterization and crystal structures of some fluorinated imides, 1751
Narula, S.P., Shankar, R., Meenu and Anand, R.D., Synthesis and characterisation of bis(salicylato)diisothiocyanato silicates. First example of hexacoordinate silicate dianions with six membered rings, 2055
Nataro, C., Cleaver, W.M., Landry, C.C. and Allen, C.W., Analysis of 2-ferrocenylethanol by NMR, cyclic voltammetry and X-ray crystallography, 1471
Näther, C., see Schur, M., 101
Natile, G., see Cini, R., 1863
Nation, D.A., see Martell, A.E., 3203
Necas, M., see Novosad, J., 2861
Neels, A., see Haak, S., 1675
Neels, A., see Faure, M., 2679
Nelson, J.H., see Maitra, K., 203
Nelson, J.H., see Gül, N., 1835
Nethaji, M., see Thirupathi, N., 437
Nethaji, M., see Wycliff, C., 949
Neuburger, M., see Heirtzler, F., 601
Neuburger, M., see Fallahpour, R.-A., 2445
Neumann, B., see Siemeling, U., 1815
Newman, P.D. and Hursthouse, M.B., Copper(II) and nickel(II) complexes of a novel asymmetric tetramine and its C,N-dehydro analogue, 75
Ng, S.-C., see Chen, B.-L., 1211
Ni, J.-Z., see Mao, J.-G., 1519
Ni, S.-S., see Zhu, X.-H., 181
Nicholas, K.M., see Carpenter, N.E., 2027
Niclós-Gutiérrez, J., see Vidal, M.C.F., 3313
Niclós-Gutiérrez, J., see Bugella-Altamirano, E., 3333
Niclós-Gutiérrez, J., see Román-Alpiste, M.J., 3341
Nieger, M., see Ratilainen, J., 2265
Nierlich, M., see Thuéry, P., 3599
Nikolov, G.S., see Bolos, C.A., 1661
Nikonov, G.I., Lemenovskii, D.A., Dorogov, K.Yu. and Churakov, A.V., Synthesis and structure of the phosphinophosphide niobocene complex $Cp_2Nb(PPh_2)(PHPh_2)$, 1159
Niu, S., see Hall, M.B., 1717
Nixon, D.M., see Housecroft, C.E., 2415
Nock, B., see Maina, T., 3545
Noethig-Laslo, V. and Paulić, N., The effect of *N*-alkyl chain-length on water binding to the copper(II) coordination sphere in bis[*N*,*N*-dialkyl-L-α-alaninato]copper(II) complexes, 1609
Noftle, R.E., see Narula, P.M., 1751
Noiret, N., see Mévellec, F., 2537
Nolan, K.B., see Jolley, J., 49
Noltemeyer, M., see Ferbinteanu, M., 243
Nonoyama, M. and Nakajima, K., Cycometallation of 2-(2-pyridyl)benzo[*b*]furan and 1-(2-pyridyl and 2-pyrimidyl)indole with palladium(II) and rhodium(III). Structures of unexpectedly formed nitro palladium(II) complexes, 533
Norifusa, T., see Hu, N.-H., 2987
Norman, T., see Hogarth, G., 1221
Nöth, H., see Klapötke, T.M., 717
Nöth, H., see Klapötke, T.M., 839
Nöth, H., see Klapötke, T.M., 1687
Novoměstská, V., Marek, J. and Příhoda, J., On the reaction of chlorodithiophosphoric acid pyridiniumbetaine with diphenylthiourea, 2723
Novosad, J., Törnroos, K.W., Necas, M., Slawin, A.M.Z., Woollins, J.D. and Husebye, S., Reaction of large-bite ligands with various tellurium compounds. Synthesis and structural characterization of $[Te_2(\mu\text{-}Cl)_2\{(SPPh_2)_2N\}_2]$, $[(4\text{-}MeOC_6H_4TeCl_3)_2\{\mu\text{-}Ph_2P(S)CH_2CH_2P(S)Ph_2\}]$ and $[Te_2(\mu\text{-}Ph_2PS_2)_2]$ representing novel types of tellurium complexes, 2861
Nuber, B., see Brunner, H., 347
Nurchi, V.M., see Crisponi, G., 3219
Nurchi, V.M., see Crisponi, G., 3257

Obadovič, D.Ž., see Kiurski, J., 741
Odian, M.A., see Narula, P.M., 1751
Oh, M., see Shik Chin, C., 811
Ohba, S., see Tsuchimoto, M., 3035
Olabe, J.A., see Fagalde, F., 25
Oleinikova, M., González, C., Valiente, M. and Muñoz, M., Selective transport of zinc through activated composite membranes containing di(2-ethylhexyl)dithiophosphoric acid as a carrier, 3353
Orchin, M., see Becker, T.M., 2563
Orlandini, A., see Alderighi, L., 3305
Orrell, K.G., see Gelling, A., 1285
Orrell, K.G., see Abel, E.W., 1345
Ortega, F., see Rodríguez, J.G., 3051
Ortiz, A., see Antiñolo, A., 959
Ortner, K. and Abram, U., Gold(III) complexes with diphenylthiocarbazonate. Synthesis and structures of $[Au(Hdamp\text{–}C^1)\{PhNHNC(S)NNPh\}Cl]Cl\times H_2O$ and $[Au(Hdamp\text{–}C^1)\{PhNNC(S)NNPh\}(Smetetraz)]$ (Hdamp-C^1=2-(dimethyl-ammoniummethyl)phenyl: $^-$Smetetraz=2-methylmercaptotetrazolate), 749
Ortner, K., see Abram, U., 2995
Osborn, J.A., see Bellemin-Laponnaz, S., 2533
Osborne, A.G., see Gelling, A., 1285
Osei-Twum, E.Y., see Darkwa, J., 1115
Osei-Twum, E.Y., see Thomas, M.S., 2803
Ostacoli, G., see Prenesti, E., 3233
Osterloh, F., Saak, W., Haase, D. and Pohl, S., Crystal structure of the Ni(II)-complex of a redox switched crown ether, 1957
Otero, L., see Gambino, D., 2099
O'Brien, P., see Trindade, T., 1171
O'Brien, P., see Malik, M.A., 1259
O'Brien, P., see Malik, M.A., 1641
O'Brien, P., see Davies, H.O., 3165
O'Leary, B.J., Spalding, T.R. and Ferguson, G., Compounds containing B–O–X bonds (X=Si, Ge, Sn, Pb). Part 5. Synthesis of chain borosilicates containing B:Si ratios of 2:1, 2:2, 2:3 and 2:4. Crystal structure of $(O\text{–}CMe_2CH_2CHMe\text{–}O\text{–}B\text{–}O)_2SiBu^t_2$, 3135
O'Sullivan, C., see Brophy, M., 611

Pacifico, C., see Cini, R., 1863
Padilla Tosta, M.E., see Lloris, J.M., 3689
Paige, D.R., see Hope, E.G., 2913
Pal, C.K., see Sangeetha, N.R., 1425
Pal, S., see Sangeetha, N.R., 1425
Pal, S., see Dutta, S., 2157
Pan, Y., see Shen, Y., 2423
Pan, Z.-Q., Luo, R.-S., Luo, Q.-H., Duan, C.-Y., Shen, M.-C., Zhang, N.-X., Liu, Y.-J. and Mao, X.-A., A study on some alkaline earth metal cryptates. Synthesis, characterization, crystal structure and solution structure, 2185
Panchártková, R., see Kopel, P., 1779

Pandiyan, T., Rios Enríquez, M.A., Bernès, S. and Durán de Bazúa, C., Coenzyme M studies with nickel(II) compounds. Synthesis, structure, spectra and redox behaviors, 3383
Pang, Z. and Johnston, R.F., The mechanism of substitution of cymantrene derivatives by phosphines and phosphites, 3469
Panneerselvam, K., see Narayan, S., 1253
Papadimitriou, C., see Garoufis, A., 39
Papadopoulos, M., see Maina, T., 3545
Parand, A., see Speetjens, J.K., 2617
Pardini, R., see Cabani, S., 3295
Pardo, T., see Lloris, J.M., 3689
Parish, R.V., see Habibi, D., 2977
Park, J.R., see Choi, K.-Y., 497
Park, Y.-S., see Choi, K.-Y., 3013
Parkin, G., see Ghosh, P., 1107
Parkin, G., see Dowling, C.M., 3567
Parra-Hake, M., see Rodríguez, J.G., 3051
Pasiuk-Bronikowska, W., Krajewska, M. and Flis-Kabulska, I., Transformations of manganese tetrasulphophthalocyanine in oxidative conditions, 561
Pastorek, R., Trávníček, Z., Kvapilová, E., Šindelář, Z., Březina, F. and Marek, J., Thiazolidinedithiocarbamate complexes of nickel with phosphorus donor ligands in the coordination sphere, 151
Pastorek, R., Kameníček, J., Trávníček, Z., Husárek, J. and Duffy, N., Benzylisopropyldithiocarbamate complexes of nickel with triphenylphosphine in the coordination sphere, 2879
Patel, S.T., see Kureshy, R.I., 1773
Patin, H., see Mévellec, F., 2537
Patsis, G., see Maina, T., 3545
Paul, S., see Barik, A.K., 571
Paulić, N., see Noethig-Laslo, V., 1609
Paulić, N., see Kaitner, B., 2301
Paulus, H., see Klement, R., 3617
Pauwels, T.F., Lippens, W., Smet, P.W., Herman, G.G. and Goeminne, A.M., The dinuclear copper(II) complex of the hexaaza macrocyclic ligand 3,6,9,17,20,23-hexaaza-tricyclo[23.3.1.1^{11,15}]triaconta-1(29),11(30),12,14,25,27-hexaene as a host for alanine, valine, leucine, norleucine, norvaline and serine anions, 1029
Pavlović, G., see Kaitner, B., 2301
Pazderski, L., see Grodzicki, A., 519
Peacock, R.D., see Ellis, D., 1229
Pei, F., see Li, X., 695
Pelikán, P., see Klement, R., 3617
Pelizzi, G., see Ivanovic-Burmazovic, I., 119
Pellei, M., see Pettinari, C., 1941
Pellei, M., see Santini, C., 2255
Pelosi, G., see Sgarabotto, P., 2505
Peñalba, E., see Escuer, A., 211
Peñas-Chamorro, A.L., see Hueso-Ureña, F., 351
Peñas-Chamorro, A.L., see Hueso-Ureña, F., 2205
Peñas-Chamorro, A.L., see Hueso-Ureña, F., 3629
Peng, J., see Zhou, Y.-s., 1419
Peng, J., Wang, E., Xin, M., Liu, J., Zhou, Y. and Li, W., Synthesis, electrical properties and X-ray crystal structure of a new BEDT-TTF-based radical cation salt with α-Keggin heteropolymolybdate, 3147
Peng, S.-M., see Basuli, F., 391
Peng, S.-M., see Sui, K., 631
Peng, S.-M., see Santra, P.K., 1909
Peng, S.-M., see Majumdar, P., 2543
Peng, S.-M., see Das, A., 2729
Pennington, W.T., see Narula, P.M., 1751
Pereira, C., see Batista, A.A., 2079
Pérez, J., see Sánchez, G., 3057
Pérez-Quintanilla, D., see Barral, M.C., 371
Perillo, B., see Teruel, H., 419
Perlepes, S.P., see Gourbatsis, S., 2369
Perlepes, S.P., see Skorda, K., 3067
Peruzzini, M., see Di Vaira, M., 2331
Petrič, M., see Kozlevčar, B., 755
Petriček, S., Demšar, A. and Golič, L., Synthesis of anhydrous lanthanide chloride complexes from oxides and the crystal structure of $[GdCl_3(thf)_2(tmeda)]$, 529
Petrilli, L., Tarli, F., Chiozzini, G. and Riccucci, C., Dithiolene-like platinum and nickel complexes of benzyl 3-phenyl and 3-(4′-nitro) phenyl dithiocarbazate and of (4′-nitro) benzyl 3-phenyl and 3-(4′-nitro) benzyldithiocarbazate, 2377
Petrucelli, G.P., see Santos Jr, L.S., 969
Pettinari, C., Pettinari, R., Pellei, M. and Lobbia, G.G., Synthesis and characterization of derivatives of copper(I) with *N*- and *S*-donor ligands. V. Imidazole and imidazoline-2(3*H*)-thione derivatives, 1941
Pettinari, C., see Santini, C., 2255
Pettinari, C., see Marchetti, F., 3041
Pettinari, R., see Pettinari, C., 1941
Pettinari, R., see Marchetti, F., 3041
Pickett, N.L., see Foster, D.F., 1329
Pifferi, A., see Santini, C., 2255
Piggott, B., see Gilby, L.M., 1077
Piggott, B., see Darwin, K., 3729
Pinilla, E., see Barral, M.C., 371
Pinna, R., see Crisponi, G., 3257
Pires de Matos, A., see Apostolidis, C., 263
Pirmettis, I., see Maina, T., 3545
Piro, O.E., see Gambino, D., 2099
Pizarro, J.L., see García-Tojal, J., 3703
Plakatouras, J.C., see Skorda, K., 3067
Plantalech, E., see Laurent, F., 3321
Playá, N., see Casas, J.S., 187
Playá, N., see Casas, J.S., 3653
Podgajny, R., Sieklucka, B., Łasocha, W., Stadnicka, K. and Schenk, H., Influence of the chloride counterion on the redox reactivity of tetraammineplatinum(II) cation with octacyanotungstate(V) anion. Crystal structure of $[Pt(NH_3)_4]_2[W(CN)_8]$, 3527
Pohl, S., see Osterloh, F., 1957
Pohleven, F., see Kozlevčar, B., 755
Polanc, S., see Golobič, A., 3661
Polborn, K., see Briel, O., 225
Ponton, C.B., see Berry, F.J., 1083
Poole, M.C., see Abel, E.W., 1345
Pope, S.J.A., see Connolly, J., 3553
Potter, I.D. and James, B.D., The interactions of added phenanthroline and triphenylphosphine ligands with the copper(I) tetrahydroborates (phen)Cu(BH_4) and (phen)(PPh_3)Cu(BH_4): Probing the character of species in solution, 1201
Povse, V.G., see Fagalde, F., 25
Powell, A.K., see Price, D.J., 2499
Power, P.P., see Wehmschulte, R.J., 1885
Powers, B.A., see Narula, P.M., 1751
Prasad, J.S., see Rao, C.P., 289
Predel, M., see Connolly, J., 3553
Prencipe, M., see Prenesti, E., 3233
Prenesti, E., Daniele, P.G., Prencipe, M. and Ostacoli, G., Spectrum–structure correlation for visible absorption spectra of copper(II) complexes in aqueous solution, 3233
Price, D.J., Powell, A.K. and Wood, P.T., Hydrothermal crystallisation and X-ray structure of anhydrous strontium oxalate, 2499
Priego, J.L., see Barral, M.C., 371
Příhoda, J., see Novoměstská, V., 2723
Pritchard, R.G., see Habibi, D., 2977
Pritzkow, H., see Meyer, F., 2769
Pruchnik, F.P., Galdecka, E., Galdecki, Z. and Kowalski, A., Carbonyl ruthenium(III) complexes with 1,10-phenanthroline and 2,2′-bipyridine, 2091
Puranik, V.G., see Maji, M., 3735
Purcell, W., see Visser, H.G., 2795

Purser, B.J., see Berry, F.J., 1083

Qian, B., Baek, S.W. and Smith III, M.R., Synthesis, structure, and reactivity of β-diketiminate boron(III) complexes, 2405
Qian, Y., see Liu, Q., 2345
Qiao, F., Hu, J., Zhu, H., Luo, X., Zhu, L. and Zhu, D., Site-specific hydrolysis of horse heart cytochrome *c* and apocytochrome *c* promoted by palladium(II) complex, 1629
Qin, J., Su, N., Dai, C., Yang, C., Liu, D., Day, M.W., Wu, B. and Chen, C., A tetrahedral coordination compound for second-order nonlinear optics: synthesis, crystal structure and SHG of $Zn(2\text{-}NH_2py)_2Cl_2$, 3461
Queiroz, S.L., see Batista, A.A., 2079
Quirós, M., see Marchal, S., 3675
Quirós-Olozábal, M., see Hueso-Ureña, F., 85
Quirós-Olozábal, M., see Hueso-Ureña, F., 351
Quiroz, M.A., see Méndez-Rojas, M.A., 2651

Radhakrishnan, P.K., see Joseph, S., 1881
Radüchel, B., see Richardson, N., 2457
Raj, S.S.S., see Zhu, X.-H., 3683
Rajendiran, T.M., Kannappan, R., Venkatesan, R., Sambasiva Rao, P. and Kandaswamy, M., Preparation and properties of a triply bridged antiferromagnetically coupled binuclear copper(II) complex $[Cu_2L(OAc)_2]ClO_4$ {L=2,6-bis[(*N*-methyl piperazin-1-yl) methyl]-4-bromo phenol}, 3085
Ramalingam, K., see Thirumaran, S., 925
Ramamurthy, P., see Kumar, A., 773
Rao, C.P., Sreedhara, A., Rao, P.V., Lokanath, N.K., Sridhar, M.A., Prasad, J.S. and Rissanen, K., Recognition of oxovanadium(V) species and its separation from other metal species through selective complexation by some acyclic ligands, 289
Rao, N.N., see Rao, S.N., 2491
Rao, P.V., see Rao, C.P., 289
Rao, S.N., Munshi, K.N., Rao, N.N., Bhadbhade, M.M. and Suresh, E., Synthesis, spectral and X-ray structural characterization of [*cis*-$MoO_2(L)(solv)$] (L=salicylidene salicyloyl hydrazine) and its use as catalytic oxidant, 2491
Raptopoulou, C., see Maina, T., 3545
Raptopoulou, C.P., see Garoufis, A., 585
Raptopoulou, C.P., see Garoufis, A., 1615
Raptopoulou, C.P., see Garoufis, A., 3005
Raptopoulou, C.P., see Skorda, K., 3067
Rath, N.P., see Stockland Jr, R.A., 1067
Ratilainen, J., Airola, K., Fröhlich, R., Nieger, M. and Rissanen, K., Synthesis of a tetradentate piperazine ligand and a structural study of its coordination compounds, 2265
Ray, M., Bhattacharya, S. and Banerjee, P., Kinetics and mechanisms of substitution and ring opening of platinum(II) complexes with *N*-heterocyclic bases, 1569
Razak, I.A., see Jian, F., 3401
Rebizant, J., see Apostolidis, C., 263
Redding, J., see Clark, H.C.S., 1207
Reddy, G.K.N., see Gayathri, V., 2351
Redmond, S.P., see Hogarth, G., 1221
Reedijk, J., see van Albada, G.A., 1821
Reedijk, J., see Komaei, S.A., 1991
Reeves, Z., see Humphrey, E.R., 1335
Reibenspies, J.H., see Hall, M.B., 1717
Reibenspies, J.H., see Li, G.-M., 3391
Reid, G., see Connolly, J., 3553
Ren, X.-M., see Zhu, X.-H., 3683
Renkema, K.B., Huffman, J.C. and Caulton, K.G., Characterization and structure of $OsH(OH)(CO)(P^tBu_2Me)_2$, 2575
Reza, M.Y., Matsushima, H., Koikawa, M., Nakashima, M. and Tokii, T., Synthesis and crystal structure of a novel hexanuclear Zr(IV) complex with 1,10-phenanthroline including carboxylato, hydroxo, and oxo bridging, 787
Rezvani, Z., see Khander, A.A., 129
Rheingold, A.L., see Sukal, S., 7
Rheingold, A.L., see Kane, J.C., 1183
Rheingold, A.L., see Calvo-Perez, V., 1869
Rheingold, A.L., see Housecroft, C.E., 2415
Rhine, W.E., Eyman, D.P. and Schauer, S.J., Trimer–dimer equilibrium studies of alkylaluminum alkoxides, 905
Riccucci, C., see Petrilli, L., 2377
Richardson, J.F., see Gibson, D.H., 1189
Richardson, N., Davies, J.A. and Radüchel, B., Iron(III)-based contrast agents for magnetic resonance imaging, 2457
Richter, J., see Janczak, J., 2775
Rienäcker, C.M., see Klapötke, T.M., 839
Rienäcker, C.M., see Klapötke, T.M., 1687
Riera, X., Moreno, V., Font-Bardia, M. and Solans, X., Pd(II) and Pt(II) complexes with 2-(ethylthio)ethylamine. Crystal structure of [Pd(2-(ethylthio)ethylamine)Cl_2] and [Pd(2-(ethylthio)ethylamine)$_2$]$(ClO_4)_2$, 65
Riera, X., Caubet, A., López, C. and Moreno, V., Study of the electrochemical properties of Pd(II) and Pt(II) complexes containing ferrocenyl ligands and their interaction with DNA, 2549
Righini, G., see Flamini, A., 799
Rijnberk, H., see Schur, M., 101
Ringrose, S., see Yokota, Y., 2519
Rios Enríquez, M.A., see Pandiyan, T., 3383
Ripert, V., Hubert-Pfalzgraf, L.G. and Vaissermann, J., Dehydration of scandium chloride hydrate: synthesis and molecular structures of $ScCl_3(\eta^2\text{-DME})(MeCN)$, $ScCl_3$(diglyme) and $[Sc_2(\mu\text{-}OH)_2(H_2O)_{10}]Cl_4{\cdot}2H_2O$, 1845
Rissanen, K., see Rao, C.P., 289
Rissanen, K., see Ratilainen, J., 2265
Ritter, S., see Abram, U., 831
Rivas, B.L. and Seguel, G.V., Poly(acrylic acid-*co*-maleic acid)–metal complexes with copper(II), cobalt(II), and nickel(II). Synthesis, characterization and structure of its metal chelates, 2511
Rivière, E., see Ferbinteanu, M., 3019
Robertson, N., see Takahashi, M., 1545
Robin, T., Montilla, F., Galindo, A., Caridad Ruiz, .R. and Hartmann, J., Synthesis and characterization of dioxocomplexes of molybdenum with $(\eta\text{-}C_5H_5)Co\{P(O)(OEt)_2\}_3$, $C_5H_4(SiMe_3)$ and 1,3-$C_5H_3(SiMe_3)_2$ ligands. X-ray crystal structure of $[(\eta\text{-}C_5H_5)Co\{P(O)(OEt)_2\}_3]MoO_2Cl$, 1485
Rockenbauer, A., see Szabó-Plánka, T., 1969
Rockwell, J.J., see Chen, W., 1725
Rodarte de Moura, C.V., de Sousa, A.P.G., Silva, R.M., Abras, A., Hörner, M., Bortoluzzi, A.J., Filgueiras, C.A.L. and Wardell, J.L., Syntheses and spectra of triphenyltin heteroarenethiolates. Crystal structures of triphenyltin 1-methyltetrazole-5-thiolate and triphenyltin benzoxazole-2-thiolate, 2961
Rodríguez, J.G., Parra-Hake, M., Aguirre, G., Ortega, F. and Walsh, P.J., Synthesis and structure of a dinuclear copper complex of a bis(bidentate)triazenide ligand, 3051
Roesky, H.W., see Ferbinteanu, M., 243
Rogers, L.M., see Yordanov, A.T., 1055
Rogers, R.D., see Yordanov, A.T., 1055
Rogers, R.D., see Gilbert, T.M., 1293
Rogers, R.D., see Gilbert, T.M., 1303
Roh, S.-G., see Han, S.H., 3027
Rojo, T., see García-Tojal, J., 1123
Rojo, T., see García-Tojal, J., 3703
Román, P., see Castillo, O., 1235
Román-Alpiste, M.J., Martín-Ramos, J.D., Castiñeiras-Campos, A., Bugella-Altamirano, E., Sicilia-Zafra, A.G., González-Pérez, J.M. and Niclós-Gutiérrez, J., Synthesis, XRD structures and properties of diaqua(iminodiacetato)copper(II), $[Cu(IDA)(H_2O)_2]$, and aqua(benzimidazole)(iminodiacetato)copper(II), $[Cu(IDA)(HBzIm)(H_2O)]$, 3341

Romero, J., see Garnovskii, A.D., 863
Romero, J., see Cabaleiro, S., 1669
Roméro, S. and Trombe, J.C., Two novel families of lanthanide mixed-ligand complexes: synthesis, structure and characterization of $[Ln(H_2O)_x]_2(C_2O_4)[O(CH_2CO_2)_2]_2$ with $x=3$, Ln=Ce–Gd and $x=1$, Ln=Ho–Lu, including yttrium, 1653
Roque, E.M., see Márquez, V.E., 1903
Rosair, G., see Dey, D.K., 2687
Rosales, M.J., see Antiñolo, A., 959
Roszak, S., see Kapala, J., 2845
Roucoux, A., see Mévellec, F., 2537
Roundhill, D.M., see Wolf, N.J., 885
Roundhill, D.M., see Koch, H.F., 2275
Roy, R., see Santra, P.K., 1909
Royer, E.C., see Barral, M.C., 371
Rozière, J., see G. Hubert-Pfalzgraf, L., 845
Ruiz, J., Martí, J.M., Florenciano, F. and López, G., New aryloxo allylpalladium complexes, 2281
Ruiz, M., see Barrón, D., 3281
Running, W.E., see Ackerman, L.J., 2759
Russeli, D.R., see Mentes, A., 1141
Russell, D.R., see Clark, H.C.S., 1207
Ryazanov, M., see Kuzmina, N., 2177
Ryu, K., see Kang, S.-G., 2193
Rzączyńska, Z., see Mrozek, R., 2321

Saak, W., see Osterloh, F., 1957
Sabolović, J., see Kaitner, B., 2301
Sadikov, G.G., see Garnovskii, A.D., 863
Sadler, P.J., see Sevillano, P., 383
Saha, M.K., see Gupta, T., 197
Saha, M.K., see Dey, D.K., 2687
Saha, N., see Adhikari, N., 1323
Sakagami, N., Kita, E., Kita, P., Wísniewska, J. and Kaizaki, S., The crystal structures of bis(oxalato)chromium(III) complexes with histamine and B_6 vitamin: $Na[Cr(ox)_2(hm)]\cdot 3H_2O$ and $Na[Cr(ox)_2(PM)]\cdot H_2O$ (hm, histamine; PM, pyridoxamine), 2001
Sakashita, H., see Miyazaki, Y., 2041
Sala, L.F., see Frutos, A.A., 989
Sala Pala, J., see Duclos, S., 1935
Saladini, M., see Battistuzzi, G., 57
Saladini, M., see Bonamartini Corradi, A., 1975
Saladini, M., see Borsari, M., 1983
Salas-Peregrín, J.M., see Hueso-Ureña, F., 85
Salas-Peregrín, J.M., see Hueso-Ureña, F., 351
Salas Peregrín, J.M., see Frutos, A.A., 989
Sales, J., see Joerg, S., 1097
Salvadó, V., see Escoda, M., 3269
Salvadó, V., Escoda, M. and de la Torre, F., A study of the complex formation between trivalent ions (Al^{3+}, Fe^{3+}) and 2-phosphonobutane-1,2,4-tricarboxylic acid and their industrial applications, 3275
Samadi, A., see Ballesteros, R., 3129
Samanta, R., Munshi, P., Santra, B.K. and Lahiri, G.K., A new class of sulfur bridged ruthenium–molybdenum complexes, $(L)_2Ru^{II}(\mu\text{-}S)_2Mo^{IV}(OH)_2$ [L=$NC_5H_4N{=}NC_6H_4(R)$, R=H, *o*-Me/Cl, *m*-Me/Cl]. Synthesis, spectroscopic and electron-transfer properties, 995
Sambasiva Rao, P., see Rajendiran, T.M., 3085
Samuelson, A.G., see Wycliff, C., 949
Sánchez, A., see Casas, J.S., 187
Sánchez, A., see Casas, J.S., 3653
Sánchez, G., Serrano, J.L., Moral, M.A., Pérez, J., Molins, E. and López, G., New cyclometalated palladium(II) complexes with iminophosphines. Crystal structures of $[Pd(C{\times}N)(o\text{-}Ph_2PC_6H_4\text{–}CH{=}NR)][PF_6]$ (C×N=azobenzene, R=Et; C×N=2-phenylpyridine, R=Me), 3057
Sangeetha, N.R., Baradi, K., Gupta, R., Pal, C.K., Manivannan, V. and Pal, S., Synthesis, structure and properties of a dicopper(II) complex, 1425
Sanmartin, J., see Bermejo, M.R., 511
Santini, C., Pettinari, C., Pellei, M., Gioia Lobbia, G., Pifferi, A., Camalli, M. and Mele, A., Synthesis, characterization and crystal structure of new copper(II) complexes with tris- and tetrakis-(pyrazol-1-yl)borate ligands, 2255
Santos, I.C.M.S., see Gamelas, J.A., 1163
Santos Jr, L.S., Petrucelli, G.P. and Airoldi, C., Thermochemistry of 2,2,6,6-tetramethyl-3,5-heptanedione chelates of lanthanide group elements, 969
Santos, R.H.A., see Mazzetto, S.E., 979
Santra, B.K., Munshi, P., Das, G., Bharadwaj, P. and Lahiri, G.K., Osmium mediated selective aromatic thiolation reaction in the complexes $[Os^{II}\{o\text{-}SC_6H_3(R)N{=}NC_5H_4N\}_2]$. Synthesis, spectroscopic characterization, electron-transfer properties and crystal structure of the complex where R=H, 617
Santra, B.K., see Samanta, R., 995
Santra, P.K., Das, D., Misra, T.K., Roy, R., Sinha, C. and Peng, S.-M., Chemistry of azopyrimidines. Synthesis, spectral characterization, electrochemistry and X-ray crystal structure of bis[2-(arylazo)pyrimidine] complexes of copper(I), 1909
Santra, P.K., Misra, T.K., Das, D., Sinha, C., Slawin, A.M.Z. and Woollins, J.D., Chemistry of azopyrimidines. Part II. Synthesis, spectra, electrochemistry and X-ray crystal structures of isomeric dichloro bis[2-(arylazo)pyrimidine] complexes of ruthenium(II), 2869
Sanz-Aparicio, J., see Antiñolo, A., 959
Sato, M., see Koner, S., 2201
Satyakeerty, T.R., see Bindu, P., 321
Sawka-Dobrowolska, W., see Matczak-Jon, E., 2169
Scarcia, V., Furlani, A., Fregona, D., Faraglia, G. and Sitran, S., Palladium and platinum dithiocarbamato complexes containing mono- and diamines, 2827
Schauer, S.J., see Lake, C.H., 879
Schauer, S.J., see Rhine, W.E., 905
Schauer, S.J., see Styron, E.K., 1595
Schenk, H., see Podgajny, R., 3527
Schijf, J. and Byrne, R.H., Determination of stability constants for the mono- and difluoro-complexes of Y and the REE, using a cation-exchange resin and ICP-MS, 2839
Schimek, G.L., see Kuhlman, R., 1379
Schina, R., see Canepari, S., 3263
Schmidt, H.-G., see Ferbinteanu, M., 243
Schmidt-Brücken, B., see Abram, U., 831
Schur, M., Rijnberk, H., Näther, C. and Bensch, W., $Cr(en)_2SbS_3$: the first example of a single SbS_3 ligand in a transition-metal-complex, and the crystal structure of $Cr(en)_3SbS_4$, 101
Schwenk-Kircher, H., see Klapötke, T.M., 717
Scott, B.L., see Clark, D.L., 1389
Scudder, M.L., see Lorenzo, S., 3181
Secco, F. and Venturini, M., Complex formation between a dimer of iron(III) and 5-nitrotropolone, 3289
Seco, J.M., Amador, U. and González Garmendia, M.J., Synthesis and spectroscopic, magnetic and EPR studies of di-μ-hydroxo-bis[(NN)(*N*-phenyl-2-pyridinamine)copper(II)]hexaflourophosphate, with NN=2,2′-bipyridine or 1,10-phenanthroline. X-ray crystal structure of the 2,2′-bipyridine complex, 3605
Segedin, P., see Kozlevčar, B., 755
Seguel, G.V., see Rivas, B.L., 2511
Semin, G.K., see Knyazev, D.A., 2579
Sen, S., see Gupta, T., 197
Serna, Z., Barandika, M.G., Cortés, R., Urtiaga, M.K. and Arriortua, M.I., Crystal structure and ESR spectra of two M(II)-dpk-NCS coordination compounds (M=Mn, Cu and dpk=di-2-pyridilketone), 249
Serna, Z.E., see Barandika, M.G., 1311
Serrano, J.L., see Sánchez, G., 3057
Sertucha, J., see Castillo, O., 1235

Server-Carrió, J., see Ballesteros, R., 3129

Setterdahl, A.T., see Yokota, Y., 2519

Sevillano, P., Habtemariam, A., Castiñeiras, A., Garc, M.E. and Sadler, P.J., Chelate ring-opening of Pd(II) triphos complexes: Ligand exchange, selective phosphine oxidation, and X-ray crystal structure of $[Pd(Ph_2P(CH_2)_2PPh(CH_2)_2PC(O)Ph_2)_2Br]Br$, 383

Sgarabotto, P., see Bonamartini Corradi, A., 1975

Sgarabotto, P., Bisceglie, F., Pelosi, G. and Abdel-Rahman, L., Synthesis, X-ray crystal structures and characterization of copper(II)-2,2′-bipyridyl derivatives of (4-amino)-hippuric acid and of L-proline, 2505

Shang, M., see Calvo-Perez, V., 1869

Shankar, R., see Narula, S.P., 2055

Shen, F.-J., see Chu, Y., 3723

Shen, M.-C., see Pan, Z.-Q., 2185

Shen, X., Shi, X., Kang, B., Tong, Y., Liu, Yu., Gu, L., Liu, Q. and Huang, Y., Preparation and crystal structure of a new Cu(II) complex derived from the desulfurization of *N*-(*p*-nitrophenyl)-*N′*-ethoxycarbonyl-thiourea, 33

Shen, Y., Pan, Y., Jin, X., Xu, X., Sun, X. and Huang, X., Synthesis and characterization of dialkylaluminum, -gallium or -indium[2-(2-pyridyl)]ethoxides. Crystal structure of $[Me_2In\{\mu\text{-}O\text{-}CH_2CH_2(2\text{-}C_5H_4N)\}]_2$, 2423

Sheng, T., Wu, X., Lin, P., Zhang, W., Wang, Q. and Chen, L., Two novel polymeric bismuth(III) complexes with dmit: syntheses and structures of $\{[Et_4N][Bi(dmit)_2]\}_n$ and $\{[Et_4N]_2[Bi_2(dmit)_4]\cdot Et_2O\}_n$ (dmit=1,3-dithiole-2-thione-4,5-dithiolate), 1049

Sheng, T., see Wang, Q., 1411

Sheridan, V., see Geraghty, M., 2931

Sheu, R.-S., see Wang, Y.-M., 1147

Shi, Q., see Wang, Y.-Yu., 2009

Shi, Q.-Z., see Wang, Y.-Yu., 2009

Shi, Q.-Z., see Chu, Y., 3723

Shi, X., see Shen, X., 33

Shi, Y.-C., see Song, L.-C., 19

Shi, Y.-C., see Song, L.-C., 2163

Shik Chin, C., Oh, M., Won, G., Cho, H. and Shin, D., Formation and isomerization of *cis*, *cis*-$Ir(H)_2(\text{-}\equiv\text{-}Ph)(CO)(PPh_3)_2$ and *cis*, *cis*-$Ir(H)(\text{-}\equiv\text{-}Ph)_2(CO)(PPh_3)_2$ in oxidative addition of hydrogen and phenylacetylene to *trans*-$Ir(CO)(\text{-}\equiv\text{-}Ph)(PPh_3)_2$, 811

Shin, D., see Shik Chin, C., 811

Shuaib, N.M., see Massoud, S.S., 2061

Shuaib, N.M., see Massoud, S.S., 2287

Sicilia-Zafra, A.G., see Bugella-Altamirano, E., 3333

Sicilia-Zafra, A.G., see Román-Alpiste, M.J., 3341

Siebald, H.G.L., see Moura, E.M., 2899

Sieklucka, B., see Podgajny, R., 3527

Sieler, J., see Kozlevčar, B., 755

Siemeling, U., Neumann, B., Stammler, H.-G. and Kuhnert, O., Molybdenum complexes containing ferrocenyl-functionalised arylimido ligands; crystal structure of 2,6-Pr^i_2-4-Fc-C≡C-$C_6H_2N(SiMe_3)_2$, 1815

Šik, V., see Gelling, A., 1285

Šik, V., see Abel, E.W., 1345

Sikorska-Iwan, M., see Mrozek, R., 2321

Sillanpää, R., see Lehtonen, A., 175

Silva, R.M., see Rodarte de Moura, C.V., 2961

Silvagni, R., see Crisponi, G., 3219

Simopoulos, A., see Garoufis, A., 3005

Šindelář, Z., see Pastorek, R., 151

Singh, N. and Gupta, S., Complex salt and heterobimetallic complexes derived from bis(1-ethoxycarbonyl-1-cyanoethylene-2,2-dithiolato) diargentate(I) ion: preparation, spectroscopic investigation and electrical conductance properties, 1265

Sinha, C., see Santra, P.K., 1909

Sinha, C., see Santra, P.K., 2869

Sinn, E., see Crane, J.D., 1527

Sitran, S., see Scarcia, V., 2827

Sivák, M., Suchá, V., Kuchta, Ľ. and Marek, J., Synthesis, characterization, crystal structure and reactivity of the vanadium(V) monoperoxo complex with tetradentate *N*-(carbamoylethyl)iminodiacetate as heteroligand, 93

Skorda, K., Keuleers, R., Terzis, A., Raptopoulou, C.P., Perlepes, S.P. and Plakatouras, J.C., Copper(II) bromide/1-methylbenzotriazole chemistry. Variation of product as a function of solvent and ligand-to-metal reaction ratio, 3067

Slawin, A.M.Z., see Cupertino, D.C., 311

Slawin, A.M.Z., see Cupertino, D.C., 707

Slawin, A.M.Z., Smith, M.B. and Woollins, J.D., New hydrogen-bonded dimeric and polymeric gold(I) complexes of the heterodifunctional ligand $Ph_2PNHP(O)Ph_2$, 1135

Slawin, A.M.Z., see Ly, T.Q., 1761

Slawin, A.M.Z., see Novosad, J., 2861

Slawin, A.M.Z., see Santra, P.K., 2869

Slawin, A.M.Z., see Kelly, P.F., 3173

Sleadd, B.A., see Gibson, D.H., 1189

Sletten, J., see Garoufis, A., 39

Smart, L.E., see Asbrand, M., 2427

Smékal, Z., Trávníček, Z., Lloret, F. and Marek, J., Synthesis and characterization of binuclear μ-oxalato nickel(II), copper(II) and zinc(II) complexes with 3,3′-diamino-*N*-methyl-dipropylamine or *trans*-1,2-diaminocyclohexane, 2787

Smet, P.W., see Pauwels, T.F., 1029

Smith III, M.R., see Qian, B., 2405

Smith, L.T., see Carlson-Day, K.M., 817

Smith, M.B., see Slawin, A.M.Z., 1135

Sohn, Y.S., see Cho, Y., 1799

Sokolnicki, J., see Legendziewicz, J., 2701

Solans, X., see Riera, X., 65

Solans, X., see Escuer, A., 211

Solans, X., see García-Raso, Á., 765

Solans, X., see Escuer, A., 909

Solans, X., see García-Raso, Á., 3077

Solans, X., see Marchal, S., 3675

Somjitsripunya, W., see Youngme, S., 857

Song, J., see Kang, S.-G., 2193

Song, J.-Y., see Tao, J.-C., 1015

Song, L.-C., Shi, Y.-C., Hu, Q.-M., Du, F. and Mao, X.-A., Synthesis of M=M (M=Mo, W) doubly bonded *trans*/*syn*-$(\eta^5\text{-}RC_5H_4)_2M_2(CO)_2(\mu\text{-}SePh)_2$ and *trans*/*anti* $(\eta_5\text{-}RC_5H_4)_2M_2(CO)_2(\text{-}\mu\text{-}SePh)_2$ isomers via reaction of M≡M triply bonded complexes $(\eta^5\text{-}RC_5H_4)_2M_2(CO)_4$ (M=Mo, W) with diphenyl diselenide Ph_2Se_2, 19

Song, L.-C., Shi, Y.-C. and Zhu, W.-F., Synthesis and characterization of doubly bonded and quadruply bridged *trans*/*anti* and *trans*/*syn*-$(\eta^5\text{-}RC_5H_4)_2M_2(\mu\text{-}Se)_2(\mu\text{-}SePh)_2$(M=Mo, W) isomers, 2163

Song, Y., see Liu, J., 1491

Sordo, J., see Casas, J.S., 187

Sordo, J., see Casas, J.S., 3653

Soto, J., see Lloris, J.M., 3689

Sousa, A., see Bermejo, M.R., 511

Sousa, A., see Garnovskii, A.D., 863

Sousa, A., see Cabaleiro, S., 1669

Sousa-Pedrares, A., see Garnovskii, A.D., 863

Spalding, T.R., see O'Leary, B.J., 3135

Speetjens, J.K., Parand, A., Crowder, M.W., Vincent, J.B. and Woski, S.A., Low-molecular-weight chromium-binding substance and biomimetic $[Cr_3O(O_2CCH_2CH_3)_6(H_2O)_3]^+$ do not cleave DNA under physiologically-relevant conditions, 2617

Spencer, G.M., see de Assis, F., 3533

Speziali, N.L., see Graúdo, J.E.J.C., 2483

Spies, H., see Fietz, T., 1793

Spodine, E., see Zolezzi, S., 897

Spodine, E., see Manzur, J., 2399

Sreedhara, A., see Rao, C.P., 289
Sridhar, M.A., see Rao, C.P., 289
Srinivas, B., see Aneetha, H., 299
Stadnicka, K., see Podgajny, R., 3527
Stammler, H.-G., see Siemeling, U., 1815
Staples, R.J., see Carlson-Day, K.M., 817
Staples, R.J., see Concolino, T.E., 915
Starikova, Z.A., Turevskaya, E.P., Kozlova, N.I., Turova, N.Ya., Berdyev, D.V. and Yanovsky, A.I., Structural study of zirconium and hafnium oxoalkoxides, 941
Starynowicz, P., see Lisowski, J., 443
Stœckli-Evans, H., see Haak, S., 1675
Stœckli-Evans, H., see Faure, M., 2679
Steed, J.W., see Birri, A., 1825
Steed, J.W., see Junk, P.C., 3593
Steenland, M.W.A., Westbroek, P., Dierck, I., Herman, G.G., Lippens, W., Temmerman, E. and Goeminne, A.M., Aqueous solution study of Cu(II) and Ni(II) complexes of macrocyclic oxa- and thia-containing *trans*-dioxo-tetraamines, 3417
Štefane, B., see Golobič, A., 3661
Steinborn, D., see Gerisch, M., 1953
Stock, F., see Klement, R., 3617
Stockland Jr, R.A., Maher, D.L., Anderson, G.K. and Rath, N.P., Demethylation of trimethylphosphite promoted by dichlorodiphosphineplatinum and palladium complexes. Structures of the metallophosphonate complexes $[Pt(P\hat{}P)\{P(O)(OMe)_2\}_2]$ ($P\hat{}P$=dppe, dppp), 1067
Stoddart, F.J. and Welton, T., Metal-containing dendritic polymers, 3575
Stoppioni, P., see Di Vaira, M., 2331
Storhoff, B.N., see Elliott, M.E., 1603
Strähle, J., see Bermejo, E., 3695
Strenger, I., see Ferbinteanu, M., 3019
Strukan, N., see Cindrić, M., 2781
Stuart, A.M., see Hope, E.G., 2913
Styron, E.K., Lake, C.H., Schauer, S.J., Watkins, C.L. and Krannich, L.K., Reactivity of triethylaluminum with a series of secondary amines. Adduct and aminoalane dimer synthesis and characterization; the crystal structures of $[Et_2AlN(c\text{-}C_6H_{11})_2]_2$ and $[Et_2AlNC_4H_8NCH_3]_2$, 1595
Su, C.-C., Tai, T.-Y., Wu, S.-P., Wang, S.-L. and Liao, F.-L., Spectroscopic and electronic properties of mixed ligand aminoacidatocopper(II) complexes. Molecular structure of [Cu(4,7-dimethyl-1,10-phenanthroline)(L-phenylalaninato)](ClO_4), 2361
Su, C.-Y., see Wang, X.-J., 647
Su, C.-Y., Kang, B.-S., Wen, T.-B., Tong, Y.-X., Yang, X.-P., Zhang, C., Liu, H.-Q. and Sun, J., Chemistry of tripodal ligands. Part III. Copper complexes of tris(benzimidazol-2-ylmethyl)amine and of its *N*-*n*-propyl derivative, 1577
Su, C.-Y., see Wang, X.-J., 3371
Su, N., see Qin, J., 3461
Su, W., see Cao, R., 333
Su, X., see Sun, H., 1045
Suchá, V., see Sivák, M., 93
Suchada Chantrapromma, .C., see Youngme, S., 851
Sudoh, S., see Miyanaga, T., 3433
Suenaga, Y., Kuroda-Sowa, T., Munakata, M. and Maekawa, M., Two-dimensional silver(I) compound with square mesh structure, $[Ag(dcpz)](ClO_4)$ (dcpz=pyrazine-2,3-dicarbonitrile), 191
Suenaga, Y., Kuroda-Sowa, T., Munakata, M., Maekawa, M. and Morimoto, H., Syntheses and structures of copper(I) and silver(I) coordination polymer with hexakis(methylthio)benzene, 429
Sugimoto, K., see Wu, L.P., 2047
Suh, I.-H., see Choi, K.-Y., 497
Suh, I.-H., see Choi, K.-Y., 2811
Suh, I.-H., see Choi, K.-Y., 3013
Sui, K., Peng, S.-M. and Bhattacharya, S., Chemistry of 2-(arylazo)phenolate complexes of ruthenium. Synthesis, structure and reactivities, 631
Sukal, S., Bradshaw, J.E., He, J., Yap, G.P.A., Rheingold, A.L., Kung, H.F. and Francesconi, L.C., Copper and rhenium complexes of a bis(aminoethanethiol) ligand, 7
Sun, B.-W., see Zhang, L., 781
Sun, H., Lin, H., Zhu, S., Zhao, G., Su, X. and Chen, Y., Kinetics and mechanism of the acid dissociation of copper(II) complex of 1,10-phenanthroline tetradentate diamine ligands, 1045
Sun, J., see Chen, X.-N., 1555
Sun, J., see Su, C.-Y., 1577
Sun, W.H., see Xu, F., 1541
Sun, X., see Shen, Y., 2423
Sung, K.-M., Huh, S. and Jun, M.J., Syntheses of ruthenium(II) complexes containing polyphosphine ligands and their applications in the homogeneous hydrogenation, 469
Sünkel, K. and Birk, U., Coordination chemistry of perhalogenated cyclopentadienes and alkynes, XXIII. The reaction of dichloroethyne with Ni(0) phosphine complexes: the strong influences of phosphine, solvent and concentration on the product composition. Structures of $Ni(PPh_3)_2(Cl)(C{\equiv}CCl)$ and $[Ni(PBu_3)_2(C{\equiv}C{-}PBu_3)_2]^{2+}[SbF_6^-]_2$, 3187
Suresh, E., Bhadbhade, M.M. and Venkatasubramanian, K., Metal α, ω dicarboxylate complexes. 4. Effect of N-donor substitutions on the polymeric network in cobalt(II) hexanedioate complexes: synthesis and single crystal X-ray investigations, 657
Suresh, E., see Rao, S.N., 2491
Suresh Kumar, D. and Alexander, V., Synthesis of lanthanide(III) complexes of chloro- and bromo substituted 18-membered tetraaza macrocycles, 1561
Süss-Fink, G., see Haak, S., 1675
Süss-Fink, G., see Faure, M., 2679
Swearingen, J.K., see Ackerman, L.J., 2759
Swearingen, J.K., see West, D.X., 2919
Syal, R.K., see Tripathi, A., 2229
Szłyk, E., see Grodzicki, A., 519
Szabó-Plánka, T., Rockenbauer, A. and Korecz, L., An ESR study of co-ordination modes in copper(II) complexes of l-serine in aqueous solution at ligand excess above pH 7, 1969
Szłyk, E. and Szymańska, I., Studies of new volatile copper(I) complexes with triphenylphosphite and perfluorinated carboxylates, 2941
Szymańska, I., see Szłyk, E., 2941

Tai, T.-Y., see Su, C.-C., 2361
Takahashi, K., see Matsumoto, K., 1811
Takahashi, M., Robertson, N., Clark, R.J.H. and Underhill, A.E., Isolation and characterisation of a new monodithiolate gold(III) complex, 1545
Tan, W.-l., see Zheng, H.-g., 3115
Tanase, S., see Ferbinteanu, M., 3019
Tang, J.-K., see Gao, E.-Q., 3643
Tang, L.-F., Wang, Z.-H., Xu, Yu.-M., Wang, J.-T., Wang, H.-G. and Yao, X.-K., Synthesis, structures and electrochemical properties of VIB carbonyl complexes containing bis(4-halopyrazol-1-yl)alkanes, 2383
Tann, B., see Crane, J.D., 1527
Tao, J.-C., Wu, Y.-J. and Song, J.-Y., Syntheses, characterization and complexing behavior of substituted unsymmetrical aza-macrocycles, 1015
Tapia Estévez, M.J., see Crisponi, G., 3257
Tapia, R., see Bodini, M.E., 2233
Tarli, F., see Petrilli, L., 2377
Temmerman, E., see Steenland, M.W.A., 3417
Tercero Moreno, J.M., see Vidal, M.C.F., 3313
Terreros, P., see Antiñolo, A., 959
Terroba, R., Hursthouse, M.B., Laguna, M. and Mendia, A., Unexpected diastereoisomeric-trimers in the crystalline structure of triflatet-riphenylphosphinesilver(I), 807
Teruel, H., Moret, Y.Y. and Perillo, B., Reactivity of $MoO_2(S_2CNEt_2)_2$ with sulfonyltrimethylsilanes. The $Me_3SiSO_3CF_3$ and Me_3SiSO_3Cl cases, 419

Terzis, A., see Garoufis, A., 585
Terzis, A., see Skorda, K., 3067
Terzis, A., see Maina, T., 3545
Tfouni, E., see de Paula, A.S.A.T., 2017
Thied, R.C., see Asbrand, M., 2427
Thirumaran, S., Ramalingam, K., Bocelli, G. and Cantoni, A., Electron density distribution studies on ZnS_4N_2 chromophore in solution and solid phases: XPS and cyclic voltammetric studies on 1,10-phenanthroline and 2,2′-bipyridine adducts of bis(piperidinecarbodithioato-S,S′)zinc(II). Single crystal X-ray structure of (2,2′-bipyridine)bis-(piperidinecarbodithioato-S,S′)zinc(II), 925
Thirumavalavan, M., see Amudha, P., 1363
Thirumavalavan, M., see Amudha, P., 1371
Thirupathi, N., Krishnamurthy, S.S. and Nethaji, M., Molybdenum tetracarbonyl complexes of (aryloxy) λ^3-cyclotriphosphazanes; X-ray crystal structure of $[Mo(CO)_4\{EtNP(OC_6H_4Br\text{-}4)\}_3]$, 437
Thomas, M.S., Darkwa, J., Osei-Twum, E.Y. and Litorja, L.A., Synthesis characterisation and stability of mixed aryldichalcogenide bis-(diphenylphosphino)ethanenickel(II) complexes. X-ray structure of $Ni(dppe)(SeC_6H_4S)$, 2803
Thomas, R.L. and Welch, A.J., Haloaryl carbaboranes. 2. Synthesis and characterisation of haloaryl-*closo*-carbaboranes. Crystal structures of 1-(4-BrC_6F_4)-2-R-1,2-*closo*-$C_2B_{10}H_{10}$ (R=Me, Ph, Bu^t), 1961
Thuéry, P., Nierlich, M., Charbonnel, M.-C., Den Auwer, C. and Dognon, J.-P., Complexation of lanthanum(III) nitrate by *N,N′,N,N′*-tetraethylmalonamide. Crystal structure of three polymorphic forms, 3599
Tian, Yu.-P., see Zhu, X.-H., 181
Tiezzi, E., see Cini, R., 669
Timmons, D.J., see Cotton, F.A., 423
Tiné, M.R., see Cabani, S., 3295
Ting-zhen, D., see Yao-feng, Y., 1247
Tocher, D.A., see Constable, E.C., 159
Tocher, D.A., see Birri, A., 1825
Tocher, D.A., see Giorgi, R.V., 2981
Tokii, T., see Reza, M.Y., 787
Tong, Y., see Shen, X., 33
Tong, Y.-X., see Su, C.-Y., 1577
Tonpho, S., see Youngme, S., 851
Törnroos, K.W., see Novosad, J., 2861
Torrens, H., see Antiñolo, A., 959
Toupet, L., see Mévellec, F., 2537
Trávníček, Z., see Pastorek, R., 151
Trávníček, Z., see Kopel, P., 1779
Trávníček, Z., see Smékal, Z., 2787
Trávníček, Z., see Pastorek, R., 2879
Triki, S., see Duclos, S., 1935
Trindade, T., Monteiro, O.C., O'Brien, P. and Motevalli, M., Synthesis of PbSe nanocrystallites using a single-source method. The X-ray crystal structure of lead (II) diethyldiselenocarbamate, 1171
Tripathi, A., Syal, R.K. and Bharadwaj, P.K., An air-stable Ni(III) complex with thiolate, phenolate and amide ligation, 2229
Trombe, J.C., see Roméro, S., 1653
Troyanov, S., see Kuzmina, N., 2177
Troyanov, S.I., Gorbenko, O.Yu. and Bosak, A.A., Synthesis, crystal structure and properties of manganese(II) hexafluoroacetylacetonates $Mn(hfa)_2(H_2O)_2$ and $KMn(hfa)_3$, 3505
Tsoukalas, C., see Maina, T., 3545
Tsuchimoto, M., Kasahara, R., Nakajima, K., Kojima, M. and Ohba, S., Monomeric and polymeric structures of oxovanadium(IV) complexes with Schiff base ligands derived from (*R,R*)-2,4-pentanediamine. Synthesis and crystal structure, 3035
Tung, J.-Yu., see Lu, Y.-Yu., 145
Tung, S.-F., see Narayan, S., 1253
Turel, I., see Kozlevčar, B., 755
Turevskaya, E.P., see Starikova, Z.A., 941
Turova, N.Ya., see Starikova, Z.A., 941
Turpeinen, U., see Komaei, S.A., 1991
Uddin, M., see Lalia-Kantouri, M., 3441
Underhill, A.E., see Takahashi, M., 1545
Urbanos, F.A., see Barral, M.C., 371
Urtiaga, M.K., see Serna, Z., 249
Urtiaga, M.K., see Barandika, M.G., 1311

Vacca, A., see Valle, A., 3253
Vacca, A., see Alderighi, L., 3305
Vaissermann, J., see G. Hubert-Pfalzgraf, L., 845
Vaissermann, J., see Ripert, V., 1845
Vaissermann, J., see Decams, J.M., 2885
Vaissermann, J., see Hubert-Pfalzgraf, L.G., 3497
Valach, F., A bond-valence approach to the semicoodination of copper-oxygen and copper-nitrogen complexes, 699
Valdes-Martínez, J., see Goldberg, K.I., 1177
Valdés-Martínez, J., see Castiñeiras, A., 1463
Valdés-Martínez, J., see West, D.X., 2919
Valiente, M., see Oleinikova, M., 3353
Valko, M., see Klement, R., 3617
Valle, A., Chinea, E., Domínguez, S., Mederos, A., Midollini, S. and Vacca, A., Complexes of beryllium(II) in aqueous solution with 3-phosphonopropionic acid, 3253
Valle, G., see Clemente, D.A., 2749
van Albada, G.A., Gorter, S. and Reedijk, J., Synthesis, spectral characterization and X-ray structure of aquasodium triaquabis(pyridine-2,6-dicarboxyl-diato)samariate trihydrate, an unique bis-pdc compound, with a sheet-type structure stabilised by sodium ions in each direction, 1821
van Albada, G.A., see Komaei, S.A., 1991
Van Houten, J., see Yang, G., 1273
van Meurs, F., see West, D.X., 2919
Varela, J.Ma., see Casas, J.S., 187
Varela, J.Ma., see Casas, J.S., 3653
Vasilchenko, I.S., see Garnovskii, A.D., 863
Vasilchenko, I.S., see Kharisov, B.I., 985
Vázquez-López, E., see Cabaleiro, S., 1669
Vázquez-López, E.M., see Casas, J.S., 187
Vázquez-López, E.M., see Abram, U., 1495
Vázquez-López, E.M., see Bolaño, S., 1431
Vázquez-López, E.M., see Casas, J.S., 3653
Vega, A., see Manzur, J., 2399
Venkatasubramanian, K., see Suresh, E., 657
Venkatesan, R., see Rajendiran, T.M., 3085
Venturini, M., see Secco, F., 3289
Verani, G., see Demartin, F., 3107
Verkade, J.G., see Yokota, Y., 2519
Vicente, R., see Escuer, A., 211
Vicente, R., see Escuer, A., 377
Vicente, R., see Escuer, A., 909
Vidal, M.C.F., Lens, I., Castiñeiras, A., Matilla Hernández, A., Tercero Moreno, J.M. and Niclós–Gutiérrez, J., *N,N′*-substituted dithiooxamides derived from alkyl-α-amino acids or from glycylglycine: acid dissociation properties in aqueous solution and crystal and molecular structures of *N,N′*-bis(carboxymethyl) dithiooxamide (GLYDTO) and *N,N′*-bis(1-carboxyethyl) dithiooxamide (ALADTO), 3313
Vijjulatha, M., Kumara Swamy, K.C., Vittal, J.J. and Koh, L.L., Synthesis and structures of new symmetrically and unsymmetrically substituted cyclodiphosphazanes, 2249
Vijjulatha, M., Kumaraswamy, S., Kumara Swamy, K.C. and Engelhardt, U., Synthesis and structures of new bicyclic 1,3-Di-*t*-butyl-1,3,2-λ^3, 4-λ^3-diazadiphosphetidines containing ten- and eleven-membered rings, 2557
Vincent, J.B., see Speetjens, J.K., 2617
Vincent, J.B., see Chakov, N.E., 2891
Visonà, C.J., see Clemente, D.A., 2749
Visser, H.G., Purcell, W. and Basson, S.S., Identification of different Cr(III) nta complexes: crystallisation of $Cs_2[Cr_2(nta)_2(\mu\text{-}OH)_2]\cdot 4H_2O$ in two space groups, 2795

Vitoria, P., see Castillo, O., 1235
Vittal, J.J., see Vijjulatha, M., 2249

Wachter, J., see Brunner, H., 347
Wah, H.L.K., see Bhowon, M.G., 341
Walker, J.V., see Constable, E.C., 159
Walsh, P.J., see Rodríguez, J.G., 3051
Walther, W.-H., see Klapötke, T.M., 717
Wang, B., see Xie, W., 1647
Wang, B.-Q., see Xie, W.-H., 2645
Wang, E., see Peng, J., 3147
Wang, E.-B., see Zhou, Y.-s., 1419
Wang, G., see Zhan, S., 2035
Wang, G.-L., see Zhang, L., 781
Wang, H.-G., see Zhang, L., 781
Wang, H.-G., see Tang, L.-F., 2383
Wang, J.-T., see Tang, L.-F., 2383
Wang, M., Jin, L. and Bünzli, J.-C.G., Characterization and photophysical properties of lanthanide macrocyclic complexes derived from (2,1), 1853
Wang, Q., see Sheng, T., 1049
Wang, Q., Wu, X., Lin, P., Zhang, W., Sheng, T., Yu, H., Chen, L. and Li, J., Syntheses and crystal structures of cdta (*trans*-cyclohexane-1,2-diamine-*N,N,N′,N′*-tetra-acetate)-based copper(II) dimers and polymers, 1411
Wang, Q.-G., see Kuang, S.-M., 493
Wang, Q.-G., see Zhao, G., 577
Wang, R., see Jin, L., 487
Wang, R.-Z., Xu, J.-Q., Yang, G.-Yu., Bu, W.-M., Xing, Y.-H., Li, D.-M., Liu, S.-Q., Ye, L. and Fan, Yu.-G., A metal-oxo cluster-supported transition metal complex: synthesis, structure and properties of $[Cu(phen)_2]_2[\{Cu(phen)\}_2Mo_8O_{26}]\cdot H_2O$, 2971
Wang, S.-B., see Mao, J.-G., 1519
Wang, S.-L., see Lu, Y.-Yu., 145
Wang, S.-L., see Su, C.-C., 2361
Wang, S.-L., see Hong, F.-E., 2737
Wang, S.-S., see Lu, Y.-Yu., 145
Wang, X.H., Dai, H.C. and Liu, J.F., Synthesis and characterization of organotin-substituted heteropoly tungstosilicates and their biological activity I, 2293
Wang, X.-J., Chen, Z.-F., Kang, B.-S., Liang, H., Liu, H.-Q., Yu, K.-B., Su, C.-Y. and Chen, Z.-N., Chemistry of 2-mercaptophenol (H_2mp). Part III. One dimensional arrays of binuclear anions of Mo(VI) linked by bis(2-hydroxyphenyl)disulfide via hydrogen bondings, 647
Wang, X.-J., Kang, B.-S., Su, C.-Y., Yu, K.-B., Zhang, H.-X. and Chen, Z.-N., Function of the hydrogen bond in the conversion of α- to β-$Mo_8O_{26}^{4-}$ ions. Formation and structure of tetra(tributylhydrogenammonium) β-octamolybdate, 3371
Wang, Y., see Aneetha, H., 299
Wang, Y.-J., see Wang, Y.-M., 109
Wang, Y.-J., see Wang, Y.-M., 1147
Wang, Y.-M., Wang, Y.-J. and Wu, Ya.-L., Synthesis, stability and nuclear magnetic resonance studies for the complexation of trivalent lanthanides, Ca^{2+}, Cu^{2+} and Zn^{2+} by *N,N*-bis(amide) derivatives of ethylenedinitrilotetraacetic acid, 109
Wang, Y.-M., Wang, Y.-J., Sheu, R.-S., Liu, G.-C., Lin, W.-C. and Liao, J.-H., Relaxivity studies and X-ray structure of Gd(III)-diethylenetriamine-*N,N′,N″*-triacetic acid-*N,N″*-bis(2-methoxyphenethylamide) as a potential contrast agent for magnetic resonance imaging, 1147
Wang, Y.-M., Chung, C.-S., Lo, J.-M. and Wu, Ya.-L., Kinetics and mechanism of the complexation reaction of copper(II) with diazadioximes, 1917
Wang, Y.-Yu., Shi, Q., Shi, Q.-Z., Gao, Y.-C. and Zhou, Z.-Y., Syntheses, characterization and crystal structure of copper(II) α,β-unsaturated carboxylate complexes with imidazole, 2009
Wang, Y.-Yu., see Chu, Y., 3723
Wang, Z., see Jian, F., 3401
Wang, Z.-H., see Tang, L.-F., 2383
Wang, Z.-X. and Zhao, H., Synthesis of $[(\mu_2\text{-}\eta^2\text{-}CH{=}CHPh)(\mu\text{-}S)\{Fe_2(CO)_6\}_2(\mu_4\text{-}S)]^-$ and its reactions with electrophiles, 1131
Wang, Z.-X., see Jian, F.-F., 2219
Wan-yi, L., see Yao-feng, Y., 1247
Warczewski, J., see Bartczak, T.J., 2313
Ward, A.J., see Field, L.D., 3031
Ward, M.D., see Constable, E.C., 159
Ward, M.D., see Mann, K.L.V., 721
Ward, M.D., see Humphrey, E.R., 1335
Ward, M.D., see Couchman, S.M., 2633
Wardell, J.L., see Rodarte de Moura, C.V., 2961
Wardell, J.L., see de Assis, F., 3533
Wardell, S.M.S.V., see de Assis, F., 3533
Waring, K.W., see Kelly, P.F., 3173
Watanabe, M., see Koner, S., 2201
Watkin, J.G., see Clark, D.L., 1389
Watkins, C.L., see Lake, C.H., 879
Watkins, C.L., see Styron, E.K., 1595
Wazeer, M.I.M., see Isab, A.A., 1401
Webb, J.W., see Ackerman, L.J., 2759
Webster, C.E., see Joerg, S., 1097
Webster, M., see Genge, A.R.J., 2673
Wehmschulte, R.J. and Power, P.P., Reaction of cyclopentadienyl zirconium derivatives with sterically encumbered arylaluminum hydrides: X-ray crystal structure of $(\eta^5\text{-}C_5H_5)_2(H)Zr(\mu^2\text{-}H)_2Al(H)C_6H_2\text{-}2,4,6\text{-}Bu^t_3$, 1885
Wei, P. and Atwood, D.A., Syntheses and structures of products resulting from oxygen insertion and hydrolysis of Salan-Al compounds, 641
Wei, T.-X., see Zhai, J., 1513
Welch, A.J., see Thomas, R.L., 1961
Welton, T., see Stoddart, F.J., 3575
Wen, R., see Chun, H., 3647
Wen, T.-B., see Su, C.-Y., 1577
West, D.X., see Goldberg, K.I., 1177
West, D.X., see Castiñeiras, A., 1463
West, D.X., see Ackerman, L.J., 2759
West, D.X., Swearingen, J.K., Valdés-Martínez, J., Hernández-Ortega, S., El-Sawaf, A.K., Van Meurs, F., Castiñeiras, A., Garcia, I. and Bermejo, E., Spectral and structural studies of iron(III), cobalt(II,III) and nickel(II) complexes of 2-pyridineformamide N(4)-methylthiosemicarbazone, 2919
West, D.X., see Bermejo, E., 3695
Westbroek, P., see Steenland, M.W.A., 3417
Wheatley, N., see Ahmed, L.S., 593
White, A.J.P., see Kozlevčar, B., 755
White, A.J.P., see Davies, H.O., 3165
White, P.S., see Demadis, K.D., 1587
Whitson, A., see Dyson, R.M., 3227
Whittle, K.R., see Berry, F.J., 1083
Whittlesey, B.R., see Wolf, N.J., 885
Williams, D.J., see Atherton, Z., 273
Williams, D.J., see Kozlevčar, B., 755
Williams, D.J., see Davies, H.O., 3165
Wipf, D.O., see Carlson-Day, K.M., 817
Wisniewska, J., see Sakagami, N., 2001
Wohnrath, K., see Batista, A.A., 2079
Wojtczak, A., see Grodzicki, A., 519
Wolf, N.J., Georgiev, E.M., Yordanov, A.T., Whittlesey, B.R., Koch, H.F. and Roundhill, D.M., Synthesis and crystal structures of lower rim amine and carbamoyl substituted calixarenes as transfer agents for oxyanions between an aqueous and a chloroform phase, 885
Woo, L.K., see Chen, J., 825
Won, G., see Shik Chin, C., 811
Wong, E.H., see Kane, J.C., 1183
Wong, W.-T., see Zheng, H.-g., 3115
Wood, D.R.W., see Hope, E.G., 2913

Wood, M., see Ghosh, P., 1107
Wood, P.T., see Price, D.J., 2499
Woollins, J.D., see Cupertino, D.C., 311
Woollins, J.D., see Cupertino, D.C., 707
Woollins, J.D., see Slawin, A.M.Z., 1135
Woollins, J.D., see Ly, T.Q., 1761
Woollins, J.D., see Novosad, J., 2861
Woollins, J.D., see Santra, P.K., 2869
Woski, S.A., see Speetjens, J.K., 2617
Wrzeszcz, G., see Grodzicki, A., 519
Wu, B., see Qin, J., 3461
Wu, D.-X., see Lu, S.-F., 281
Wu, L.P., Yamagiwa, Y., Ino, I., Sugimoto, K., Kuroda-Sowa, T., Kamikawa, T. and Munakata, M., Unique tetranuclear copper(II) cluster and monomeric iron(II), (III) complexes with a tris(imidazolyl) chelating ligand, 2047
Wu, Q.-J., see Lu, S.-F., 281
Wu, Q.-J., see Zhu, H.-G., 3491
Wu, S.-P., see Su, C.-C., 2361
Wu, X., see Sheng, T., 1049
Wu, X., see Wang, Q., 1411
Wu, Y.J., see Cui, X.L., 1023
Wu, Y.-J., see Tao, J.-C., 1015
Wu, Ya.-L., see Wang, Y.-M., 109
Wu, Ya.-L., see Wang, Y.-M., 1917
Wycliff, C., Bharathi, D.S., Samuelson, A.G. and Nethaji, M., Probing the limits of steric constraints in the oligomerization of copper(I) complexes: structures of two sterically congested oligomers, 949

Xian Zhou, Z., see Lu, K., 1153
Xie, F.-X., see Zhu, X.-H., 181
Xie, W., Wang, B., Xu, S. and Zhou, X., Thermal rearrangement of digermyl-bridged bis(1-indenyl) diiron complexes $(Me_2GeGeMe_2)[(\eta^5\text{-}1\text{-indenyl})Fe(CO)]_2(\mu\text{-}CO)_2$, 1647
Xie, W.-H., Wang, B.-Q., Xu, S.-S., Zhou, X.-Z. and Cheung, K.-K., Synthesis, structure and thermal rearrangement of tetramethyldisilane-bridged bis(cyclopentadienyl) diiron complexes with a phosphite or phosphine ligand substitution, 2645
Xin, M., see Peng, J., 3147
Xin, X.-q., see Zheng, H.-g., 3115
Xing Wang, H., see Lu, K., 1153
Xing, Y.-H., see Wang, R.-Z., 2971
Xu, F., Yang, S.Y., Sun, W.H., Yu, J.Y. and Yu, K.B., Synthesis and characterization of $Cp^*MCpWFe(CO)_7(\mu_3\text{-}S)$ ($Cp^*=C_5H_5$, $C_5H_4CH_3$; $Cp=C_5H_5$; M=W, Mo) and crystal structure of $(\eta^5\text{-}C_5H_5)W(\eta^5\text{-}C_5H_4CH_3)WFe(CO)_7(\mu_3\text{-}S)$, 1541
Xu, J.-Q., see Wang, R.-Z., 2971
Xu, S., see Xie, W., 1647
Xu, S.-S., see Xie, W.-H., 2645
Xu, X., see Shen, Y., 2423
Xu, Y., see Zhu, H.-G., 3491
Xu, Yu.-M., see Tang, L.-F., 2383
Xu, Z., see Zou, J.-Z., 1507
Xue, F., see Ye, B.-H., 1785
Xue, F., see Kuang, S.-M., 3465
Xue, G.-Q., see Ye, B.-H., 1785

Yamagiwa, Y., see Wu, L.P., 2047
Yan, S.-P., see Zhang, L., 781
Yan, S.-P., see Gao, E.-Q., 3643
Yang, C., see Qin, J., 3461
Yang, G., Leng, W., Zhang, Y., Chen, Z. and Van Houten, J., Synthesis, characterization, and photochemistry of the supramolecules formed from chromium(III) thiocyanato anion associated with crown ethers, 1273
Yang, G.-M., see Gao, E.-Q., 3643
Yang, G.-Yu., see Wang, R.-Z., 2971
Yang, S.Y., see Xu, F., 1541
Yang, X.-P., see Su, C.-Y., 1577
Yanovsky, A.I., see Jolley, J., 49
Yanovsky, A.I., see Starikova, Z.A., 941
Yao, X.-K., see Zhang, L., 781
Yao, X.-K., see Tang, L.-F., 2383
Yao-feng, Y., Ling-yun, Z., Ai-guo, H., Ji-tao, W., Wan-yi, L. and Ting-zhen, D., Synthesis, characterization and electrochemical behaviour of 1′-formyl [(2,2-diferrocenyl)propane]isonicotinoyl hydrazone and its lanthanide complexes, 1247
Yap, G.P.A., see Sukal, S., 7
Yap, G.P.A., see Kane, J.C., 1183
Yap, G.P.A., see Calvo-Perez, V., 1869
Ye, B.-H., Xue, F., Xue, G.-Q., Ji, L.-N. and Mak, T.C.W., Syntheses and characterization of two monomeric zinc complexes containing aqua ligands, 1785
Ye, J.-L., see Chen, Z., 1339
Ye, L., see Wang, R.-Z., 2971
Yin, Y., see Guo, S., 735
Yin, Y.-Q., see Chen, X.-N., 1555
Yokota, Y., Jacobson, R.A., Logsdon, B.C., Ringrose, S., Setterdahl, A.T. and Verkade, J.G., Synthesis of alkali and alkaline earth metal complexes of open cryptands and their X-ray structures wherein $M=Li^+$, Na^+ and Ba^{2+}, 2519
Yordanov, A.T., see Wolf, N.J., 885
Yordanov, A.T., Gansow, O.A., Brechbiel, M.W., Rogers, L.M. and Rogers, R.D., The preparation and X-ray crystallographic characterization of lead(II) calix[4]arenesulfonate complex, 1055
You, X., see Zhou, Y.-s., 1419
You, X., see Liu, J., 1491
You, X., see Jian, F., 3401
You, X.-Z., see Zhu, X.-H., 181
You, X.-Z., see Zou, J.-Z., 1507
You, X.-Z., see Jian, F.-F., 2219
You, X.-Z., see Zhu, H.-G., 3491
You, X.-Z., see Zhu, X.-H., 3683
Youm, K.-T., see Huh, S., 2625
Youngme, S., Tonpho, S., Chinnakali, K., Suchada Chantrapromma, .C. and Fun, H.-K., Synthesis, spectroscopic characterisation and X-ray crystal structures of acetato(di-2-pyridylamine)nitritocopper(II) monohydrate and (di-2-pyridylamine)dinitritocopper(II), 851
Youngme, S., Somjitsripunya, W., Chinnakali, K., Chantrapromma, S. and Fun, H.-K., The crystal and molecular structures of di-μ-hydroxy-bis(di-2-pyridylamine)dinitratodicopper(II) and aqua-μ-formato-triformato-bis(di-2-pyridylamine)dicopper(II) monohydrate, 857
Yu, H., see Wang, Q., 1411
Yu, H., see Jiang, J., 2129
Yu, J.Y., see Xu, F., 1541
Yu, K.B., see Xu, F., 1541
Yu, K.-B., see Wang, X.-J., 647
Yu, K.-B., see Zheng, H.-g., 3115
Yu, K.-B., see Wang, X.-J., 3371
Yu, R.-M., see Lu, S.-F., 281
Yu, X.-L., see Long, L.-S., 1927
Yu, Z., see Liu, J., 1491
Yu, Z., see Zhu, H.-G., 3491

Zacharias, P.S., see Aneetha, H., 299
Zanin, S., see Baker, P.K., 257
Zehnder, M., see Heirtzler, F., 601
Zehnder, M., see Fallahpour, R.-A., 2445
Zemskova, S.M., see Klevtsova, R.F., 3559
Zhai, J., Huang, C., Wei, T.-X., Gan, L. and Cao, H., The photoelectric conversion and second harmonic generation properties of the transition metal-containing complexes $[(CH_3)_2N\ C_6H_4\text{-}CH{=}CH\text{-}C_5H_4N\text{-}C_{18}H_{37}\ ]_2M(dmit)_2$ (M=Cd, Ni), 1513
Zhan, S., Hu, C., Chen, X., Meng, Q., Lu, C., Wang, G. and Zheng, P.,

Synthesis, structure, spectral and magnetic properties of a dinuclear copper(II)/nickel(II) complex bridged by glyoximate groups, 2035
Zhang, C., see Su, C.-Y., 1577
Zhang, H.-J., see Mao, J.-G., 1519
Zhang, H.-X., see Wang, X.-J., 3371
Zhang, J., see Chen, X.-N., 1555
Zhang, J.-J., Zhang, W., Luo, Q.-H. and Mei, Yu.-H., Non-template synthesis and electrospray mass spectrometric study of some lanthanide(III) complexes, 3637
Zhang, K.-K., see Jian, F.-F., 2219
Zhang, L., Li, S.-Q., Sun, B.-W., Liao, D.-Z., Jiang, Z.-H., Yan, S.-P., Wang, G.-L., Yao, X.-K. and Wang, H.-G., Synthesis, crystal structures and magnetic properties of copper(II) complexes with nitronyl nitroxide, 781
Zhang, L.-X., Zhou, X.-G., Huang, Z.-E., Cai, R.-F. and Huang, X.-Y., Synthesis and characterization of biscyclopentadienyllanthanide benzothiazole-2-thiolates. X-ray crystal structures of $Cp_2Ln(SBT)(THF)$ (Ln=Yb, Dy), 1533
Zhang, N.-X., see Pan, Z.-Q., 2185
Zhang, Q., see Cao, R., 333
Zhang, S., see Li, X., 695
Zhang, W., see Sheng, T., 1049
Zhang, W., see Wang, Q., 1411
Zhang, W., see Zhang, J.-J., 3637
Zhang, X., see Cui, Y., 3411
Zhang, Y., see Yang, G., 1273
Zhang, Y., Liu, Q., Deng, Y., Zhu, H., Chen, C., Liao, D. and Cui, J., Study on $(Et_4N)[VFe_3S_4(R_2dtc)_4]$ complexes with cubane-type cores. Syntheses, structure, spectral and magnetic properties and chemical behaviors in solution, 3153
Zhang, Z.-Z., see Kuang, S.-M., 493
Zhang, Z.-Z., see Kuang, S.-M., 3465
Zhao, G., Wang, Q.-G. and Mak, T.C.W., Isolation and absolute configuration of diastereomeric di-μ-chloro-bridged dimers of a planar chiral cyclopalladated ferrocenylimine, 577
Zhao, G., see Sun, H., 1045
Zhao, H., see Wang, Z.-X., 1131
Zheng, H.-g., Tan, W.-l., Low, M.K.L., Ji, W., Long, D.-l., Wong, W.-T., Yu, K.-B. and Xin, X.-q., Synthesis, crystal structure and nonlinear optical properties of two new cluster compounds: $[WCu_3S_4(PPh_3)_3\{S_2P(OCH_2Ph)_2\}]$ and $[WAg_3OS_3(Ph_3P)_3\{S_2P(OPr^i)_2\}]$, 3115
Zheng, P., see Zhan, S., 2035
Zheng, Y., see Cao, R., 333
Zheng, Y., see Davies, H.O., 459
Zheng, Y., see Dilworth, J.R., 501
Zheng, Y., see Abram, U., 2995
Zheng, Yu., see Lu, S.-F., 281
Zhou, X., see Xie, W., 1647
Zhou, X.-G., see Zhang, L.-X., 1533
Zhou, X.-Z., see Xie, W.-H., 2645
Zhou, Y., see Peng, J., 3147
Zhou, Y.-S., Wang, E.-B., Peng, J., Liu, J., Hu, C.-w., Huang, R.-d. and You, X., Synthesis and the third-order optical nonlinearities of two novel charge-transfer complexes of a heteropoly blue type $(C_9H_7NO)_4$ $H_7PMo_{12}O_{40}\cdot 3H_2O$ (C_9H_7NO=quinolin-8-ol) and $(phen)_3$ $H_7PMo_{12}O_{40}\cdot CH_3CN\cdot H_2O$ (phen=1,10-phenanthroline), 1419
Zhou, Z.-Y., see Long, L.-S., 1927
Zhou, Z.-Y., see Wang, Y.-Yu., 2009
Zhu, D., see Qiao, F., 1629
Zhu, H., see Qiao, F., 1629
Zhu, H., see Zhang, Y., 3153
Zhu, H.-G., Xu, Y., Yu, Z., Wu, Q.-J., Fun, H.-K. and You, X.-Z., The synthesis, structure of 1-D lead halide adducts: $PbI_2(L)$ (L=2,2′-bipyridine, 1,10-phenanthroline), 3491
Zhu, L., see Elliott, M.E., 1603
Zhu, L., see Qiao, F., 1629
Zhu, S., see Sun, H., 1045
Zhu, W.-F., see Song, L.-C., 2163
Zhu, X.-H., Liu, S.-H., Liu, Y.-J., Ma, J., Duan, C.-Y., You, X.-Z., Tian, Yu.-P., Xie, F.-X. and Ni, S.-S., Syntheses and metal complexes of a quadridentate NNSS ligand derived from *S*-benzyl dithiocarbazate (H_2L) and crystal structure of the complex of CuL, 181
Zhu, X.-H., Chen, X.-F., Ren, X.-M., You, X.-Z., Raj, S.S.S. and Fun, H.-K., Unambiguous *cis*-coordination of mono- and bi-dentate Lewis bases to $Ni(SN)_2$ Schiff-base complexes derived from *S*-alkyl dithiocarbazate, 3683
Zhuang, H.-H., see Lin, X., 217
Zhuang, J., see Liu, J., 1491
Ziller, J.W., see Evans, W.J., 1475
Zingaro, R.A., see Li, G.-M., 3391
Zolezzi, S., Decinti, A. and Spodine, E., Syntheses and characterization of copper(II) complexes with Schiff-base ligands derived from ethylenediamine, diphenylethylenediamine and nitro, bromo and methoxy salicylaldehyde, 897
Zou, D.P., see Cui, X.L., 1023
Zou, J.-Z., Xu, Z., Chen, W., Lo, K.M. and You, X.-Z., Synthesis, structure and magnetic properties of new polymeric compounds containing manganese(II)–Pzdc ($PzdcH_2$: 2,3-Pyrazinedicarboxylic acid), 1507
Zubieta, J., see Dilworth, J.R., 501

PERGAMON

Polyhedron 18 (1999) 3769–3801

POLYHEDRON

www.elsevier.nl/locate/poly

Subject Index to Volume 18

ab initio calculations
Group 13/15 adduct, X-ray structure, Ddibenzylamine, 879

Ab initio calculations
Copper(II) complexes, Dien, 2-Amino-5-methyl-1,3-thiazole, Crystal structure, Molecular structure, 1661

Absorption spectra
2-(Pyrazol-1-ylmethyl)pyridine and 2,6-bis(pyrazol-1-ylmethyl)pyridine and their 3,5-dimethylpyrazole derivatives, Anion-bound and mixed-ligand copper(II) complexes, X-ray structure, EPR spectra, Cyclic voltammetry, 1743

Abstraction reaction
Three-coordinate boron, Four-coordinate boron, X-ray structure, β-Diketiminate ligand, 2405

Acetate
Triazene, Triazenide, Copper(II) complex, Dinuclear structure, 3051

Acetato
Yttrium(III) complex, X-ray diffraction, Tripodal ligand, 3027

Acetohydroxamic acid
Dihydroxamic acids, Desferrioxamine B, Transition metal complexes, Ca(II) and Mg(II) complexes, 2391

2-Acetylpyridine-^{4}N-ethylthiosemicarbazone
Group 12 metal(II) complexes, X-ray structures, 3695

Acid dissociation
1,10-phenanthroline tetradentate diamine, Kinetics, Mechanism, Copper(II) complex, 1045

Activated composite membranes
Facilitated transport, Selective metal ion transport, 3353

Acylpyrazolonato-metal derivatives
Novel Schiff base–metal derivatives, Group 12 coordination chemistry, ^{113}Cd NMR, 3041

Addition reaction
Schiff-base complexes, *S*-Alkyl dithiocarbazate, Crystal structure, *Cis*-addition, 3683

Adduct(s)
Electron density, Zinc dithiocarbamate, Bidentate nitrogen ligands, 925
Triarylarsines, Halogen, Dihalides, Conductance (electrolytic), Steric effects, 1455
Aminoalane, Molecular structure, NMR, Secondary amine, Triethylaluminum, 1595

Adducts of zinc(II) dithiocarbamate complexes
Nitrogen bases, Isomerism of coordination compounds, X-ray diffraction, ESR, CP/MAS ^{13}C and ^{15}N NMR, 2069

Adducts with ICl
N-methylbenzothiazole-2(3H)-thione and *N*-methylbenzothiazole-2(3H)-selone, Crystal structures, FT-Raman, 3107

Adenosine triphosphate (ATP)
Coordination sites, Iron(III), NMR relaxation enhancements, 2327

ADP
Macrocyclic ligands, ATP, AMP, Triphosphate, Pyrophosphate, Phosphate, 3203

aepn
Crystal structure, Co(III), Conglomerate, 3647

Aerobic epoxidation
Chiral catalysis, Chiral Schiff base, Enantioselective, Mn(III), Non-functionalized olefins, 1773

Aging
Spinel-type structure, Co-catalyst, Hydrodesulphurization, 741

Air-stable Ni(III) complex
Nickel, Ligand, 2229

α-Alanine complexes
Manganese(II), X-ray analyses, 2321

Alkali earth
Open cryptand, Alkaline earth, Complex, X-ray structure, 2519

Alkaline earth
Open cryptand, Alkali earth, Complex, X-ray structure, 2519

Alkenyl compounds
Hydroxy-alkyl, Functionalised alkyls, Oxidative-hydroboration, 3377

Alkenyl ligand
Iron, Sulfur-centered anion, Complex, Synthesis, 1131

Alkoxide(s)
Tungsten, Phenoxide, 175
Niobium, Diolates, Sol–gel, 845
Zirconium, Hafnium, Oxoalkoxides, 941
Metal–metal dimer, π bonding, X-ray structure, Proximal ligand, Distal ligand, 1293
Niobium, Cerium, Titanium, Diolates, Mixed-metal alkoxides, 3497

Alkoxo chelates
β-Amino alcohols, Complex formation equilibria, Copper(II), Hydroxyl groups deprotonation, Potentiometric and spectrophotometric study, 3263

Alkoxo-bridged
Copper(II), Magnetism, Picolines, Crystal structure, 1991

Alkyl
Metal–metal dimer, Triple bond, Homoleptic, X-ray structure, Distal ligand, 1303

S-Alkyl dithiocarbazate
Addition reaction, Schiff-base complexes, Crystal structure, *Cis*-addition, 3683

Alkylaluminum
Alkylgallium, Alkylindium, Metallic alkoxide, Polymer cocatalyst, 2423

N-alkylated amino acids
Copper, L-*N*,*N*-dipropylalanine, Molecular mechanics, Force field, Conformational analysis, 2301

Alkylgallium
Alkylaluminum, Alkylindium, Metallic alkoxide, Polymer cocatalyst, 2423

Alkylindium
Alkylaluminum, Alkylgallium, Metallic alkoxide, Polymer cocatalyst, 2423

Alkylthioureas complexes
Rhenium(III), $[Re(N\text{-ethylthiourea})_6](PF_6)_3$ structure, $[Re(N,N'\text{-dimethylthiourea})_6](PF_6)_3$ structure, Ligand substitution onto Re(III)-alkylthioureas, Synthesis of diphosphine rhenium(III) complexes by ligand substitution, 2099

μ-Alkyne bridged bimetallic compounds
Nucleophilic substitution, Chromium, Cobalt, 2737

Alkyne complex(es)
Bimetallic–linear triphos-bridged, Molybdenum(II), Tungsten(II), Cyclopentadienyl, 729
Nickel complexes, Dichloroethyne, Phosphonioacetylide complexes, Mechanism, 3187

Allopurinol
Hypoxanthine, 6-Mercaptopurine, Copper, Magnetic coupling, Magnetic model, 1549

Allyl complexes
Palladium, Aryloxo complexes, 2281

Alternating chain
Copper(II) complex, Azido complex, Crystal structure, Magnetic behavior, 211

PII: S0277-5387(99)00337-X

Aluminium oxides
NMR investigation, Trimer–dimer equilibrium, 905

Aluminium(III)
Iron(III), 2-Phosphonobutane-1,2,4-tricarboxylic acid, Complex formation, Industrial water treatment, 3275

Aluminum
Gallium, Molybdenum, Cluster, Carboxylate complex, Chain complex, 3411
Poly(pyrazolyl)hydroborato ligand system, Gallium, Dimethyl complexes, 3567

Aluminum(III) ion
Phosphinate ion, Phosphite ion, Complex formation, ^{27}Al NMR, Thermodynamic parameters, 2041

Amidate synthesis
Metal–metal bonds, Small molecule activation, 915

Amide
Nickel, Exchange, Macrocycle, Barium, Structure, 679
Uranyl complexes, Binucleating ligands, Amine, 1735
Platinum, Nitrile, Intermolecular interaction, 1863

Amide complexes
Electrochemical synthesis, Nickel (II) complexes, X-ray, 1669
Ruthenium complexes, 2-Carbamoylpyridine derivatives, Electrochemistry, Geometrical isomers, 2157

Amide NS_3 macrocycle
Silver complexes, Synthesis, Crystal structures, 459

Amidocalixarenes
Aminocalixarenes, Oxyanions, Phase transfer, 885

N-(2-Amidomethyl)iminodiacetate
N-(Carbamoylmethyl)iminodiacetic acid, Copper(II), Chelation, Crystal structure, Spectral properties, 3333

Amine
Uranyl complexes, Binucleating ligands, Amide, 1735

Amine derivatives
Hydroborates, Hydrophobic anions, Diazonium salts, Nitrile derivatives, 931

α-Amino acids
Ruthenium, Synthesis, Characterization, Electrochemistry, 3669

β-Amino alcohols
Complex formation equilibria, Copper(II), Hydroxyl groups deprotonation, Alkoxo chelates, Potentiometric and spectrophotometric study, 3263

Aminoacidatodiiminecopper(II) complexes
X-ray structure, *d–d* spectra, Circular dichroism spectra, EPR spectra, Gaussian analysis, 2361

Aminoalane
Adduct, Molecular structure, NMR, Secondary amine, Triethylaluminum, 1595

Aminocalixarenes
Amidocalixarenes, Oxyanions, Phase transfer, 885

Aminoethanethiol
Copper, Rhenium, 7

R-aminohexahydroazepine-dichloropalladium(II)
Pd···Pd contacts, Pd···H(—C) contacts, *N*-ethyl-*R*-aminohexahydroazepine-dichloropalladium(II), Molecular mechanics analysis, 2149

Aminomalonate
Phosphazene, Cyclotriphosphazene, Cyclic trimer, Aspartate, Glutamate, 1799

2-Aminothiazole
Modified silica gel, Electron spin resonance, Copper complexes with 2-aminothiazole, Copper complexes, Isotherms of adsorption of CuX_2, 2241

Amino-acids
Electron paramagnetic resonance (EPR) spectroscopy, Copper(II) complexes, *N,N*-dialkyl-L-α-alanine, 1609

N-(3-amino,3-oxopropyl)
Vanadium(V) monoperoxo complex, *N*-(carbamoylethyl)iminodiacetato ligand, *N*-(carboxymethyl)glycine, Thermal stability, Crystal structure, 93

2-Amino-5-methyl-1,3-thiazole
Copper(II) complexes, Dien, Crystal structure, Molecular structure, Ab initio calculations, 1661

AMP
Macrocyclic ligands, ATP, ADP, Triphosphate, Pyrophosphate, Phosphate, 3203

2-Anilinopyridine
Cu dimers, Magnetic properties, Ferromagnetic dimer, Antiferromagnetic dimer, Crystal structure, 3605

Anion binding
Nickel(II) complexes, Cobalt(III) complexes, Isothiosemicarbazides, Crystal structure, 451

Anionic guests
Dinuclear Cu(II) complexes, Host–guest interactions, 1029

Anion-bound and mixed-ligand copper(II) complexes
2-(Pyrazol-1-ylmethyl)pyridine and 2,6-bis(pyrazol-1-ylmethyl)pyridine and their 3,5-dimethylpyrazole derivatives, X-ray structure, Absorption spectra, EPR spectra, Cyclic voltammetry, 1743

Antibacterial
Thiosemicarbazone, Copper(II) complexes, Spectra, Cyclic voltammetry, Antifungal, 321

Antiferromagnetic coupling
Nickel(II) complex, Pentadentate carbonato, Crystal structure, Selenocyanate, Bis-(3aminopropyl) methylamine, 377
Dicopper(II) complex, Crystal structure, Phenolate bridge, 1425

Antiferromagnetic dimer
Cu dimers, 2-Anilinopyridine, Magnetic properties, Ferromagnetic dimer, Crystal structure, 3605

Antiferromagnetic interaction
Dinuclear complex, Glyoximate, 2035

Antiferromagnetism
Metalloproteins, Benzimidazole, Dicopper(II) complexes, Electrochemistry, 1355

Antifungal
Thiosemicarbazone, Copper(II) complexes, Spectra, Cyclic voltammetry, Antibacterial, 321

Antimony
Rhodium, Pyrimidine, Pyridine, Phenyl, Organometallic, 669

Antitumor
Diorganotin(IV) complexes, 2-(2′-pyridyl)quinoxaline, Crystal structure, 3005

Antitumoral activity
Organotin, Keggin structure, Sandwich structure, 2293

Antitumour
Ruthenium(III), Platinum(II), EDTA, EDTA-amide, Complexes, Pentadentate, Ring-closure, 49

Apocytochrome *c*
Cytochrome *c*, Palladium, Protein cleavage, 1629

Aqua
Zinc complex, 2,2′-Biimidazole, 2,2′-Bipyridine, Carboxylate, 1785

Aqua complexes
Manganese complexes, Crystal structures, Tetrazolato complexes, Azido complexes, 1,3-Dipolar cycloadditions, 2563

Aqueous phase
Manganese tetrasulphophthalocyanine, Phthalocyanine degradation, Sulphur dioxide oxidation, Stopped-flow technique, Homogeneous catalyst, 561

Arbusov
Platinum, Palladium, Phosphonate, Phosphite, Demethylation, 1067

Arene
Ruthenium, Pyridyl, X-ray, Hetero-metallic, 2981

Arene ligand
Cluster, Trinuclear, Ruthenium, Oxo cap, Aromatic hydrogenation, Water-soluble catalyst, 2679

Aromatic hydrogenation
Cluster, Trinuclear, Ruthenium, Arene ligand, Oxo cap, Water-soluble catalyst, 2679

Aromatic thiolation reaction
Complexes, Osmium, 617

Arsenic
Cobalt complexes, Selenium, Mixed ligands, 347

Artificial peptidase
Peptide hydrolysis, Palladium(II), 3611

Arylaluminum hydrides
Cyclopentadienyl zirconium derivatives, Bulky aryl ligands, 1885

2-(arylazo)phenolates
Osmium, Synthesis, Structure, Redox properties, 391
Ruthenium, Synthesis, Structure, Reactivities, 631
Aryloxide
Copper(I), Heterocumulene, Oligomeric structures, Fluoresence, 949
Aryloxo complexes
Palladium, Allyl complexes, 2281
Ascorbic acid
Redox reactivity, $[Ru^{III}(edta)(NC)Fe^{III}(CN)_5]^{4-}$, $[Ru^{III}(edta)(NC)Fe^{II}(CN)_5]^{5-}$, Peroxydisulfate, Kinetics, Electron transfer, 1767
Aspartate
Phosphazene, Cyclotriphosphazene, Cyclic trimer, Aminomalonate, Glutamate, 1799
ATP
Macrocyclic ligands, ADP, AMP, Triphosphate, Pyrophosphate, Phosphate, 3203
Aurate
Monodithiolate complex, IR, Raman spectra, 1545
Azide(s)
Hydrazine, Hydrazinium azide, 717
Ruthenium, Diphosphine, Dimer, dppe, Cyclopentadienyl, 2899
Azido complex(es)
Copper(II) complex, Crystal structure, Magnetic behavior, Alternating chain, 211
Copper(II)-(3,3′,3″-triaminotripropylamine) complexes, Copper(II)-(2,2′,2″-triaminotriethylamine) complexes, Nitrito complexes, Dinuclear copper(II) complexes, Polymeric copper(II) complexes, Crystal structure, Tripod amines, 2061
Cyclam, Mössbauer spectroscopy, X-ray diffraction, Iron(III) complex, 2201
Cobalt(III) complexes, 2,2′,2″-Triaminotriethylamine, 1,10-Diamino-4,7-diazadecane, Crystal structure, 2287
Manganese complexes, Aqua complexes, Crystal structures, Tetrazolato complexes, 1,3-Dipolar cycloadditions, 2563
Azomethinic ligands
Electrosynthesis, Mononuclear chelates, 985
Azopyrimidines
High potential copper(I) complexes, Distorted tetrahedral structure, 1909
High potential Ru(II) complexes, Isomers, Structures, 2869

Barium
Amide, Nickel, Exchange, Macrocycle, Structure, 679
Cryptate, NMR, 2185
Barium β-diketonates
Crystal structures, Thermal analysis, 2177
Basicity and *trans* influence of ligands
Tellurium complexes, 2861
BEDT-TTF
Heteropolymolybdate, X-ray crystallography, 3147
Benzamidinates
Niobium, Tantalum, Guanidinates, 2885
Benzimidazole(s)
Metalloproteins, Antiferromagnetism, Dicopper(II) complexes, Electrochemistry, 1355
Cobalt, Phenolates, Bulky ligands, Bidentate, 1527
Copper(II), Iminodiacetate, Crystal structure, Mixed-ligand complexes, Magnetic and spectral properties, 3341
Benzothiazole-2-thiolate
Lanthanide, Cyclopentadienyl, Synthesis, Crystal structure, 1533
3- and 4-benzoyl pyridine
Copper(I) complexes, [(4-benzoylpyridine)$_2$H] I, Vibration spectra, Emission spectra, Crystal structure, 553
[(4-benzoylpyridine)$_2$H] I
Copper(I) complexes, 3- and 4-benzoyl pyridine, Vibration spectra, Emission spectra, Crystal structure, 553
Benz-1,3-thiazolidine-2-thione
Copper(I) complexes, Triphenylphoshine, Crystal structure, 1501
Beryllium complexes
Phosphonate ligands, Stability constants, ^{9}Be NMR, 3253
Beryllium(II)
Dicarboxylate complexes, X-ray structure, Stability constants, 3305
Bicyclic
Diazadiphosphetidines, Cyclophosphazane, X-ray structure, 2557
Bidentate
Polypyridyl ligands, Mononuclear, Dinuclear, Fluxional, Pentamethylcyclopentadiene, Quasi-reversible, 299
Cobalt, Benzimidazoles, Phenolates, Bulky ligands, 1527
Bidentate ligand(s)
Coordination polymer, Chloro bridged, Extended chain, Non-chelating, Oligomeric, 1397
Eight-coordinate copper complex, Crystal structure, EPR spectra, Stability constants, 3713
Bidentate nitrogen ligands
Electron density, Adducts, Zinc dithiocarbamate, 925
Bidentate 2-(ethylthio)ethylamine ligand
Pd complexes, Pt complexes, Crystal structures, Reactivity with DNA, 65
2,2′-Biimidazole
Zinc complex, Aqua, 2,2′-Bipyridine, Carboxylate, 1785
Bimetallic phospine-bridged
Molybdenum(II), Tungsten(II), Crystal structure, 257
Bimetallic–linear triphos-bridged
Molybdenum(II), Tungsten(II), Alkyne complex, Cyclopentadienyl, 729
Binding properties
Macrotetracyclic complexes of nickel(II), Crown ether, Pendant arm, Electrochemical behavior, 2597
Binuclear complexes
Cyclometallation, Rhodium, 1,3-Bis(benzimidazolyl)benzene, 1,3-Bis(*N*-methylbenzimidazolyl)benzene, Multidentate N-heterocycles, 2351
Binuclear copper(II) complexes
Binucleating ligands, Electrochemical studies, Magnetic studies, 1363

Binucleating ligand(s)
Binuclear copper(II) complexes, Electrochemical studies, Magnetic studies, 1363
Uranyl complexes, Amide, Amine, 1735
Copper complexes, Mixed valence, Structure, Oxidation, 2399
Copper complex, Crystal structure, Electrochemical, 3085
Bio-inorganic
Coordination, Metal, Pyrimidine, 689
Coordination, Metal, Pyrimidine, 793
2-2′-Bipyridine
2-(2′-pyridyl)quinoxaline, Ru(II) complexes, Electrospray-MS, 361
Zinc complex, Aqua, 2,2′-Biimidazole, Carboxylate, 1785
Ruthenium(III), Carbonyl, 1,10-Phenanthroline, Ruthenium(III) carbonyls, 2091
4,′4-Bipyridine
Crystal structure, Copper, Pyrazine, *trans*-Cyclohexane-1,2-diamine–*N*,*N*,*N*′,*N*′-tetra-acetate, 1411
Bipyridyl
Palladium, Diphenylphosphinomethane, Crystal structure, 1141
2,2′-Bipyridyl
Copper complexes, Hippuric acid, X-ray diffraction, L-Proline, Dinuclear complex, 2505
Bis(acyl)-bridged complexes
Platina-β-diketones, Platinum blue complexes, Closed shell interactions, 1953
1,3-Bis(benzimidazolyl)benzene
Cyclometallation, Rhodium, 1,3-Bis(*N*-methylbenzimidazolyl)benzene, Binuclear complexes, Multidentate N-heterocycles, 2351
N,*N*′-bis(carboxymethyl)dithiooxamide
N,*N*′-bis(1-carboxyethyl)dithiooxamide, Hyperquad protonation constants, Crystal and molecular structure, Dithiooxamide-valine derivative, Dithiooxamide-glycylglycine derivative, 3313
Biscyclohexylammonium cation
Cobalt complexes, Crystal structure, Synthesis, Nitrosation, Hydrogen bonding, 3661
2,6-Bis(diphenylphosphino)pyridine
Iridium, Copper, Heterotrinuclear complex, Rigid phosphine ligand, 493
Bisferrocenylimine
Mercury, Crystal structure, 1023
Bismuth complex
1,3-dithiole-2-thione-4,5-dithiolate, Polymer, X-ray structure, 1049
Bismuth(III) complex

D-Gluconic acid, Competition equilibria, 989

Bismuth(III) phthalocyanine
Phthalocyanine, Triple-decker phthalocyanine, Crystal structure, Synthesis, 2775

1,3-Bis(*N*-methylbenzimidazolyl)benzene
Cyclometallation, Rhodium, 1,3-Bis(benzimidazolyl)benzene, Binuclear complexes, Multidentate N-heterocycles, 2351

Bis(oxalato)chromium(III) complex
Crystal structures, Histamine, B_6 vitamin, Pyridoxamine, 2001

Bis[pyrazolyl]borate
Lead, Thallium, Crystal structures, 721

Bis(pyridine) ligands
X-ray structure, Polymeric complexes, 273

Bis(salicylato)diisothiocyanato
Silicates, Dianionic, Hexacoordinate, Six membered ring, 2055

Bis(thicsemicarbazone)
1-Phenylglyoxal, Zinc, Platinum, Structure, 1463

Bis-(3aminopropyl) methylamine
Nickel(II) complex, Pentadentate carbonato, Crystal structure, Selenocyanate, Antiferromagnetic coupling, 377

N,N′-bis(4-antipyrylmethylidene)ethylenediamine
Schiff base, Lanthanides, Yttrium, Iodide, Complexes, 1881

N,N′-bis(1-carboxyethyl)dithiooxamide
N,N′-bis(carboxymethyl)dithiooxamide, Hyperquad protonation constants, Crystal and molecular structure, Dithiooxamide-valine derivative, Dithiooxamide-glycylglycine derivative, 3313

bis-compound
Lanthanide, X-ray structure, Polymeric, 1821

Bis(4-halopyrazolyl)alkanes
VIB carbonyl metal complexes, X-ray structure, Electrochemistry, 2383

N,N′-bis[1-(pyridin-2-yl)ethylidene]ethane-1,2-diamine
Crystal structures, Zinc(II) complexes, Hydrolytic cleavage of di-Schiff-base ligands, Template reactions, *N*-[1-pyridin-2-yl)ethylidene]ethane-1,2-diamine, 2369

1,2-bis-(4-pyridyl)ethane
Cobalt complexes, Nitrogen ligands, Self-assembly, 243

Fe–Fe bond
Indenyl ligand, Thermal rearrangement, Crystal structure, 1647
Rearrangement, Sila-bridged, 2645

Bond valence
Semicoordination, Copper complexes, Structure, 699

π bonding
Metal–metal dimer, Alkoxide, X-ray structure, Proximal ligand, Distal ligand, 1293

Co(II)–N bonds
Crystal structures, Cobalt(II) complexes, Piperazine and piperazin-1-ium ligands, 2749

Boron
Rhenium, Gallium, Nitrido bridges, Crystal structure, 831

Boronoalkylalkoxycalix[4]arene
Synthesis, Coordination, Carbohydrates, 1153

Boron-insertion
Carborane, Boron-substitution, Carborane degradation, 1725

Boron-substitution
Carborane, Boron-insertion, Carborane degradation, 1725

Borosilicate
Silyl borate, Synthesis, X-ray crystallography, 3135

bpy ligand
$\{Ru(tpy)_2\}$, Heteronuclear complexes, 1891

Bridging ligands
Dinuclear ruthenium(II) bipyridine complexes, 1437
Tetradentate chelate, 2633

Bridging nicotinamide
Copper(II) acetates, Crystal structure, EPR, Polymer, Fungicidal activity, 755

Bulky aryl ligands
Arylaluminum hydrides, Cyclopentadienyl zirconium derivatives, 1885

Bulky ligands
Cobalt, Benzimidazoles, Phenolates, Bidentate, 1527

t-BuOOH
Oxo-functionalisation, $[Ru^{III}(amp)(bipy)Cl]$, Cyclohexene, Cyclohexane, Stilbenes, Kinetics, 2659

Butterfly clusters
Monogold derivatives, Heterometallic boron, 2415

C_2-Symmetry
Organolanthanide complexes, Schiff base, Methoxyethylcyclopentadienyl, Tetrahydrofurfurylcyclopentadienyl, Crystal structure, 2345

Cadmium
Zinc, Pyrazolyl, Thioether, Enzyme, 1107
Divalent metals, Copper, Zinc, *N*-*p*-tolylsulfonyl-L-glutamic acid, Compounds, 1975

Cadmium complex(es)
Trimethylene–bisadenine, X-ray structure, 765
Zinc complexes, Chalcogenides, Pyridine adducts, 1259

Ca(II) and Mg(II) complexes
Dihydroxamic acids, Acetohydroxamic acid, Desferrioxamine B, Transition metal complexes, 2391

Calix[4]arenesulfonate
Lead, Complex, Organic clay, X-ray structure, 1055

Candida albicans
Copper(II), Manganese(II), Salicylic acid, *cis*-5-norbornene-*endo*-2, 3-dicarboxylic acid, *N*-heterocycles, 2931

Carbaboranylchlorophosphines
Carbaboranylchlorothiophosphines, 545

Carbaboranylchlorothiophosphines
Carbaboranylchlorophosphines, 545

Carbamato-substituted
o-Carborane, Heterocycles, Thiolato-substituted, 1279

N-(carbamoylethyl)iminodiacetato ligand
Vanadium(V) monoperoxo complex, *N*-(3-amino,3-oxopropyl), *N*-(carboxymethyl)glycine, Thermal stability, Crystal structure, 93

N-(Carbamoylmethyl)iminodiacetic acid
N-(2-Amidomethyl)iminodiacetate, Copper(II), Chelation, Crystal structure, Spectral properties, 3333

2-Carbamoylpyridine derivatives
Ruthenium complexes, Amide complexes, Electrochemistry, Geometrical isomers, 2157

Carbohydrates
Boronoalkylalkoxycalix[4]arene, Synthesis, Coordination, 1153

Carbonyl(s)
Osmium(II) complexes, Phosphine, Crystal structure, 1207
Ruthenium(III), 1,10-Phenanthroline, 2,2′-Bipyridine, Ruthenium(III) carbonyls, 2091
Cyclophosphazenes, Polyphosphazenes, Phenolic phosphine, Macromolecular complexes, Cesium carbonate, 2853

Carbon-carbon double bonds
Transition-metal vinyl complexes, Density functional theory, 1717

o-Carborane
Heterocycles, Thiolato-substituted, Carbamato-substituted, 1279

Carborane
Boron-insertion, Boron-substitution, Carborane degradation, 1725

Carborane degradation
Carborane, Boron-insertion, Boron-substitution, 1725

Carboxylate
Zinc complex, Aqua, 2,2′-Biimidazole, 2,2′-Bipyridine, 1785

Carboxylate complex
Aluminum, Gallium, Molybdenum, Cluster, Chain complex, 3411

Carboxylate dimers
Diruthenium compounds, Metal–metal bonds, Multiple bonds, Ruthenium complexes, 371

Carboxylates
Cobalt, Chromium, Zinc, Platinum, Samarium, Clusters, 1869

N-carboxymethyl oxa-tetraaza macrocyle
Macrocycle, Metal complexes, Stability constants, Dinuclear complexes, EPR copper(II) complexes, 3479

N-(carboxymethyl)glycine
Vanadium(V) monoperoxo complex, *N*-(carbamoylethyl)iminodiacetato ligand, *N*-(3-amino,3-oxopropyl), Thermal stability, Crystal structure, 93

Catalysis

Iron, Manganese, Pyrazole, Epoxidation, Dioxygen, 825
Oxidation, Complexes, Palladium, Quaternary ammonium salts, X-ray structure, 3511
Cation
Crystal packing, Supramolecular, Dichromate, 3181
Cation distortion isomer
Low temperature, Static copper(II) stereochemistries, 611
Cationic oxosiloxy compound
Sulfonyltrimethylsilanes, 419
CD
Copper(II), Nickel(II), Chiral, Tetradentate, Crystal structure, 75
Cerium
Halide abstraction, Polychlorinated, 1475
Niobium, Titanium, Alkoxides, Diolates, Mixed-metal alkoxides, 3497
Cesium carbonate
Cyclophosphazenes, Polyphosphazenes, Phenolic phosphine, Macromolecular complexes, Carbonyls, 2853
Chain complex(es)
Crystal structures, Copper(II) complexes, Thiophene-2,5-dicarboxylic acid, Stacking interactions, Hydrogen bonding, 1211
Aluminum, Gallium, Molybdenum, Cluster, Carboxylate complex, 3411
Chalcogenides
Cadmium complexes, Zinc complexes, Pyridine adducts, 1259
Chalcogenido ions, 1,2-Bis(diphenylarsino)ethane
Trinuclear cluster, Palladium, X-ray structure, 1811
Characterization
Metal multiple bond, Molybdenum, Tungsten, Ph_2Se_2, Synthesis, 19
Copper(II), α,β-Unsaturated carboxylate, Imidazole, Crystal structure, 2009
Metal–metal double bond, Selenium, Molybdenum, Tungsten, Reaction, 2163
Ruthenium, α-Amino acids, Synthesis, Electrochemistry, 3669
Ternary complexes, Lanthanide, 3,5-Di-*tert*-butyl-γ-resorcylic acid, Substituted pyridine-*N*-oxides, Single-crystal structure, 3723
Charge-transfer complex
Heteropoly blue, Quinolin-8-ol, 1,10-phenanthroline, Z-scan, Third-order optical nonlinearity, 1419
Charge-transfer salt
Molybdosilicateheteropoly anion, Dibenzotetrathiofulvalene, Crystal structure, 481
Chelate ring-opening
Palladium(II) complexes, Triphosphine ligand, NMR spectroscopy, Phosphine oxidation, X-ray crystallography, 383
Chelates
X-ray crystallography, Triorganotin thiolates, Mössbauer, Organotin compounds, 2961
Chelation
N-(Carbamoylmethyl)iminodiaceticacid, *N*-(2-Amidomethyl)iminodiacetate, Copper(II), Crystal structure, Spectral properties, 3333
Substitution mechanism, Thermodynamic parameter, 3469
Chemical and electrochemical studies
Ruthenium(II) complexes, Trans dibromo complex, NNS ligand, X-ray crystal structure, 3735
Chiral
Copper(II), Nickel(II), Tetradentate, Crystal structure, CD, 75
Chiral amine oxide
Enantioselective preparation, (Propargyl alcohol)$Co_2(CO)_5(PR_3)$ complexes, 2027
Chiral catalysis
Aerobic epoxidation, Chiral Schiff base, Enantioselective, Mn(III), Non-functionalized olefins, 1773
Chiral ligands
Molybdenum, Vanadium, Metal oxides, X-ray, 2533
Chiral Schiff base
Aerobic epoxidation, Chiral catalysis, Enantioselective, Mn(III), Non-functionalized olefins, 1773
Chiral symmetrical complexes
Copper(II) complexes, Schiff-base ligands, Circular dichroism, Hammett, 897
Chirality
Heterometallics, Iron, Molybdenum, Tungsten, Sulfido, 1541
Chirality effect
Spectroscopy, X-ray, Cooperative interaction, Lanthanides, Isoleucine, 2701
Chloranilate
Dinuclear, Platinum, Pentafluorphenyl, Dihydroxybenzoquinonate, 403
Chloride ligands
Osmium complexes, Terpyridine, Pyrazolyl, Crystal structures, Redox chemistry, 1587
Chloride metathesis
Gold(I) complexes, X-ray crystallography, Heterodifunctional ligands, 1135
Chloro bridged
Coordination polymer, Extended chain, Non-chelating, Bidentate ligand, Oligomeric, 1397
Chloroacetic acid
Cu(II) complexes, 1,2,4-triazolo-[1,5-α]-pyrimidine, Magnetic properties, UV–VIS, IR, 519
Chlorodithio-phosphoric acid pyridiniumbetaine
Four-membered heterocycle, Diazadiphosphetidine, Diazaphosphetidine, 2723
Chlorotrimethylsilane
Synthesis of lanthanide chloride complexes, Lanthanide oxide, Crystal structure, 529
Chromate bridge
Macrocyclic zinc(II) complex, 497
Chromium
Cobalt, Zinc, Platinum, Samarium, Clusters, Carboxylates, 1869
Nucleophilic substitution, μ-Alkyne bridged bimetallic compounds, Cobalt, 2737
Chromium(III) trispicolinate, Electronic spectroscopy, Di-μ-hydroxotetrapicolinatodichromium(III), Picolinic acid, Mass spectrometry, 2891
Chromium(III)
Crown ether, Thiocyanate, Photochemistry, Supramolecule, 1273
Synthesis, Identification, Crystal structure, Nitrilotriacetate dimer, 2795
Chromium thioantimonates
Solvothermal synthesis, Crystal structures, Thermal investigations, 101
Chromium(III) complexes
Low-molecular-weight chromium-binding substance, Chromium(III) tris(picolinate), DNA nicking complexes, Trinuclear complexes, 2617
Chromium(III) tris(picolinate)
Low-molecular-weight chromium-binding substance, Chromium(III) complexes, DNA nicking complexes, Trinuclear complexes, 2617
Electronic spectroscopy, Di-μ-hydroxotetrapicolinatodichromium(III), Chromium, Picolinic acid, Mass spectrometry, 2891
Circular dichroism
Copper(II) complexes, Schiff-base ligands, Chiral symmetrical complexes, Hammett, 897
Circular dichroism spectra
Aminoacidatodiiminecopper(II) complexes, X-ray structure, *d–d* spectra, EPR spectra, Gaussian analysis, 2361
cis geometries
Crystal structure, Thallium porphyrin complexes, Salicyato ligand, Low temperature ^{13}C NMR analysis, Ligand exchange, 145
Cis-addition
Addition reaction, Schiff-base complexes, *S*-Alkyl dithiocarbazate, Crystal structure, 3683
cis-DioxoMe(VI)
cis-DioxoV(v), *trans*-DioxoO(IV), Selective complexation, Recognition, Transmetallation, 289
cis-DioxoV(v)
cis-DioxoMe(VI), *trans*-DioxoO(IV), Selective complexation, Recognition, Transmetallation, 289
cis-$(PPh_3)_2$ complexes
Iridium(I,III) complexes, Oxidative addition, Isomerization, Intramolecular rearrangement, 811
cis-5-norbornene-*endo*-2
Copper(II), Manganese(II), Salicylic acid, 3-dicarboxylic acid, *Candida albicans*, *N*-heterocycles, 2931

Citric acid
Iron (III), Orthophosphoric acid, Mixed ligand complexes, Thermodynamic characterization, 3269

Closed shell interactions
Platina-β-diketones, Bis(acyl)-bridged complexes, Platinum blue complexes, 1953

Cluster(s)
Cobalt, Chromium, Zinc, Platinum, Samarium, Carboxylates, 1869
Trinuclear, Ruthenium, Arene ligand, Oxo cap, Aromatic hydrogenation, Water-soluble catalyst, 2679
Nickel, Thiolates, Crystal structure, 3407
Aluminum, Gallium, Molybdenum, Carboxylate complex, Chain complex, 3411

Cluster compounds
Molybdenum complexes, Tellurium-rich compounds, Crystal structures, 217
Crystal structure, Cobalt, Molybdenum, 1555

Co(III)
Crystal structure, aepn, Conglomerate, 3647

Co(III) hapticity coordination
Cobalt coordination complexes, Unexpected reaction by-products, 3593

Cobalt
Imidophosphinates, X-ray structure, Inorganic chelates, 1077
Benzimidazoles, Phenolates, Bulky ligands, Bidentate, 1527
Crystal structure, Molybdenum, Cluster compounds, 1555
Chromium, Zinc, Platinum, Samarium, Clusters, Carboxylates, 1869
Nucleophilic substitution, μ-Alkyne bridged bimetallic compounds, Chromium, 2737
Thiosemicarbazone, 2-Pyridineformamide, Crystal structure, Iron, Nickel, 2919

Cobalt complexes
1,2-bis-(4-pyridyl)ethane, Nitrogen ligands, Self-assembly, 243
Arsenic, Selenium, Mixed ligands, 347
Crystal structures, Mononuclear, Trinuclear, Four-coordinate, Iron complexes, 423
Crystal structure, Synthesis, Nitrosation, Biscyclohexylammonium cation, Hydrogen bonding, 3661

Cobalt coordination complexes
Co(III) hapticity coordination, Unexpected reaction by-products, 3593

1D Cobalt(II) azido complexes
Pyridine derivative complexes, Preparation of pyridine derivative complexes, Crystal structure, Spectra, 2339

Cobalt(II) complex(es)
X-ray structures, Coordination polymers, Hydrogen bond, Hexanedioic acid, N-donor ligands, 657
Co(II)–N bonds, Crystal structures, Piperazine and piperazin-1-ium ligands, 2749

Cobalt(III) complexes
Nickel(II) complexes, Isothiosemicarbazides, Crystal structure, Anion binding, 451
Azido complexes, 2,2′,2″-Triaminotriethylamine, 1,10-Diamino-4,7-diazadecane, Crystal structure, 2287

Co-catalyst
Spinel-type structure, Hydrodesulphurization, Aging, 741

Co(II) complexes
Dioxygen carriers, Macrocyclic tetraamines, Complex formation enthalpy, Complex formation kinetics, Protonation enthalpy, 3295

Coenzyme M
Nickel(II) complexes, Nephelauxetic effect, Redox potentials, 3383

Combined XRD/EXAFS
Mullite, MAS NMR, 1083

Competition equilibria
Bismuth(III) complex, D-Gluconic acid, 989

Complex(es)
Ruthenium(III), Platinum(II), EDTA, EDTA-amide, Pentadentate, Ring-closure, Antitumour, 49
Crystal structure, Pteridine, Lumazine, 85
Crystal structure, Schiff bases, Uracil, Nitrito, 351
Aromatic thiolation reaction, Osmium, 617
Mercury, Pyrrolizinato, Tetracyanoethylene, XPS, 799
Macrocycles, Transport, Hydrolysis, Phosphate diester, 1015
Lead, Calix[4]arenesulfonate, Organic clay, X-ray structure, 1055
Iron, Alkenyl ligand, Sulfur-centered anion, Synthesis, 1131
Schiff base, N,N′-bis(4-antipyrylmethylidene)ethylenediamine, Lanthanides, Yttrium, Iodide, 1881
Crystal structure, Schiff bases, Uracil, 2205
Platinum, Nickel, Dithiocarbazates, Dithiolene-like, Electron-transfer, 2377
Open cryptand, Alkali earth, Alkaline earth, X-ray structure, 2519
Nickel(II), Copper(II), Zinc(II), Hexadentate ligand, 2811
C(2)-substituted derivative of thiamine, Crystal structure, 2987
Copper, Sulfimides, Isomerism, Hydrogen bonding, 3173
Macrocycle, Structure, Conformation, Molecular mechanics, Stability constant, 3451
Catalysis, Oxidation, Palladium, Quaternary ammonium salts, X-ray structure, 3511
Zinc, Sulfur, Nitrogen, Crystal structure, Molecule packing, $\pi-\pi$ Interactions, 3559
Crystal structure, Schiff bases, Uracil, 3629

Complex formation
Aluminum(III) ion, Phosphinate ion, Phosphite ion, ^{27}Al NMR, Thermodynamic parameters, 2041

Complex formation
Iron(III), Aluminium(III), 2-Phosphonobutane-1,2,4-tricarboxylic acid, Industrial water treatment, 3275

Complex formation enthalpy
Dioxygen carriers, Co(II) complexes, Macrocyclic tetraamines, Complex formation kinetics, Protonation enthalpy, 3295

Complex formation equilibria
β-Amino alcohols, Copper(II), Hydroxyl groups deprotonation, Alkoxo chelates, Potentiometric and spectrophotometric study, 3263

Complex formation kinetics
Dioxygen carriers, Co(II) complexes, Macrocyclic tetraamines, Complex formation enthalpy, Protonation enthalpy, 3295

Complex ions
Copper(I), Tetrahydroborate, Phenanthrolines, Triphenylphosphine, 1201

Complexation
Tropolone, Iron(III), Dimer, Kinetics, Stopped-flow, 3289

Complexes, Biphosphines
Ruthenium, Nitrosyl, X-ray structure, Isomerism, 2079

Compounds
Divalent metals, Copper, Zinc, Cadmium, *N*-*p*-tolylsulfonyl-L-glutamic acid, 1975

Conductance (electrolytic)
Triarylarsines, Halogen, Adducts, Dihalides, Steric effects, 1455

Configuration
β-octamolybdate, Hydrogen bond, Polyoxoanion, Conversion, Crystal structure, 3371

Conformation
Macrocycle, Complex, Structure, Molecular mechanics, Stability constant, 3451

Conformational analysis
Copper, L-*N*,*N*-dipropylalanine, *N*-alkylated amino acids, Molecular mechanics, Force field, 2301

Conglomerate
Crystal structure, Co(III), aepn, 3647

Contrast agent(s)
Gadolinium complexes, Relaxivity, MRI, Thermodynamics, Paramagnetic complexes, 109
Paramagnetic gadolinium(III) complex, Relaxivity, MRI, 1147
NMR, Relaxation, Noncovalent binding, GdDTPA, Human serum albumin, 695

Conversion
β-octamolybdate, Configuration, Hydrogen bond, Polyoxoanion, Crystal structure, 3371

Cooperative interaction
Spectroscopy, X-ray, Chirality effect, Lanthanides, Isoleucine, 2701

Coordination
Metal, Pyrimidine, Bio-inorganic, 689
Metal, Pyrimidine, Bioinorganic, 793
Boronoalkylalkoxycalix[4]arene, Synthesis, Carbohydrates, 1153
ESR, Copper(II) complexes, l-Serine, Isomerism, 1969
X-Ray, Platinum, Heterocycle, 1761

Coordination chemistry
Diethoxy-diphenyl-dith-iomidodiphosphinate, Ring conformations, 311
Tetrabutyldithioimidodiphosphinates, Synthesis, 707

Coordination complexes
Macrocyclic ligands, *N,N′,N″*-1,4,7-Triazacyclononane, 1229

Coordination compound(s)
Isoxazole ligands, Silver, Gold, Helical structures, 2769
Synthesis, Crystal structure, Nonlinear optics, Zinc, 3461

Coordination polymer(s)
X-ray structures, Cobalt(II) complex, Hydrogen bond, Hexanedioic acid, N-donor ligands, 657
Chloro bridged, Extended chain, Non-chelating, Bidentate ligand, Oligomeric, 1397
Lanthanide, Lanthanum, Terbium, Double betaine, Crystal structure, 1519
Molecular composites, Styryl pyridinium salts, Hexacyanometalate, Sn, Pb, 2711

Coordination properties
Copper(II) complexes, Spectrum–structure correlation, Visible spectrophotometry, Organic ligands, Donor groups, 3233

Coordination sites
Adenosine triphosphate (ATP), Iron(III), NMR relaxation enhancements, 2327

Copper
Aminoethanethiol, Rhenium, 7
Iridium, Heterotrinuclear complex, Rigid phosphine ligand, 2,6-Bis(diphenylphosphino)pyridine, 493
Polyoxometalates, Heteropolyanions, Metal substituted polyoxotungstates, Tungstophosphate, Tungstoborate, EPR, 1163
Solvothermal, Pyrazine, Low dimensional, 1379
Crystal structure, 4,′4-Bipyridine, Pyrazine, *trans*-Cyclohexane-1,2-diamine–*N,N,N′,N′*-tetra-acetate, 1411
Hypoxanthine, Allopurinol, 6-Mercaptopurine, Magnetic coupling, Magnetic model, 1549
Divalent metals, Zinc, Cadmium, *N*-*p*-tolylsulfonyl-L-glutamic acid, Compounds, 1975
L-*N,N*-dipropylalanine,*N*-alkylated amino acids, Molecular mechanics, Force field, Conformational analysis, 2301
Nickel, Mixed bis(thiosemicarbazone), Pyruvaldehyde, 2759
Complexes, Sulfimides, Isomerism, Hydrogen bonding, 3173

Copper and nickel(II) complexes
methyl/ethyl thiocarbamylpyrazole, Synthesis, Spectroscopy, X-ray crystal structure, 1

Copper complex(es)
Semicoordination, Bond valence, Structure, 699

Copper complex
Nitronyl nitroxide, Magnetism, 781
Magnetic and spectroscopic properties, Thiosemicarbazone complexes, 1123
2-Aminothiazole, Modified silica gel, Electron spin resonance, Copper complexes with 2-aminothiazole, Isotherms of adsorption of CuX_2, 2241
Mixed valence, Structure, Oxidation, Binucleating ligand, 2399
2,2′-Bipyridyl, Hippuric acid, X-ray diffraction, L-Proline, Dinuclear complex, 2505
Binucleating ligand, Crystal structure, Electrochemical, 3085
Crystal structure, Triazolopyridines, EPR spectroscopy, 3129
Structure, Magnetic and spectroscopic properties, ESR, Thiosemicarbazone complexes, 3703

Copper complexes with 2-aminothiazole
2-Aminothiazole, Modified silica gel, Electron spin resonance, Copper complexes, Isotherms of adsorption of CuX_2, 2241

Copper compound
Nonlinear optical properties, Crystal structure, Tungsten compound, Silver compound, Dithiophosphate, 3115

Copper salen and salphen complexes
Oxidative dehydrogenation, Electrochemical properties, ESR, Effect of hydrogenation, Crystal structure, Effect of ligand modification, 3617

Copper(I)
Aryloxide, Heterocumulene, Oligomeric structures, Fluoresence, 949
Tetrahydroborate, Phenanthrolines, Triphenylphosphine, Complex ions, 1201
N-donor ligand, *S*-donor ligand, IR spectroscopy, 1941
Crystal structure, Polymeric compound, One-dimensional chain compounds, Electrospray mass spectrometry technique, 2219
Triphenylphosphite, NMR spectra, 2941

Copper(I) and silver(I) complexes
Unsubstituted phosphorus compounds, X-ray crystal structure, 2331

Copper(I) complex(es)
X-ray structure, Silver(I) complex, Hexakis(methylthio)benzene, S···S contacts, 429
3- and 4-benzoyl pyridine, [(4-benzoylpyridine)$_2$H] I, Vibration spectra, Emission spectra, Crystal structure, 553
Benz-1,3-thiazolidine-2-thione, Triphenylphoshine, Crystal structure, 1501
Di-2-pyridyl ketone oxime complexes, Crystal structures, Electronic and IR spectra, 3425

Copper(II)
Nickel(II), Chiral, Tetradentate, Crystal structure, CD, 75
Synthesis, Spectroscopy, Electrochemistry, Pyridyl pyrazolyl carboxamide, X-ray crystal structure, 1323
Alkoxo-bridged, Magnetism, Picolines, Crystal structure, 1991
α,β-Unsaturated carboxylate, Imidazole, Characterization, Crystal structure, 2009
Nickel(II), Zinc(II), Complexes, Hexadentate ligand, 2811
Manganese(II), Salicylic acid, *cis*-5-norbornene-*endo*-2, 3-dicarboxylic acid, *Candida albicans*, *N*-heterocycles, 2931
β-Amino alcohols, Complex formation equilibria, Hydroxyl groups deprotonation, Alkoxo chelates, Potentiometric and spectrophotometric study, 3263
N-(Carbamoylmethyl)iminodiacetic acid, *N*-(2-Amidomethyl)iminodiacetate, Chelation, Crystal structure, Spectral properties, 3333
Iminodiacetate, Benzimidazole, Crystal structure, Mixed-ligand complexes, Magnetic and spectral properties, 3341
Macrocycles, Polyamines, Protonation, Stability constants, Nickel(II), 3417

Copper(II) acetates
Crystal structure, EPR, Bridging nicotinamide, Polymer, Fungicidal activity, 755

Copper(II) bromide complexes
1-Methylbenzotriazole complexes, X-ray crystallography, Spectroscopic characterization, 3067

Copper(II) complex(es)
Azido complex, Crystal structure, Magnetic behavior, Alternating chain, 211
Thiosemicarbazone, Spectra, Cyclic voltammetry, Antibacterial, Antifungal, 321
Schiff-base ligands, Chiral symmetrical complexes, Circular dichroism, Hammett, 897
1,10-phenanthroline tetradentate diamine, Acid dissociation, Kinetics, Mechanism, 1045
Crystal structures, Chain complexes, Thiophene-2,5-dicarboxylic acid, Stacking interactions, Hydrogen bonding, 1211
μ-oxalato dimers, Crystal structure, ESR, Magnetic properties, 1235
Electron paramagnetic resonance (EPR) spectroscopy, Amino-acids, *N,N*-dialkyl-L-α-alanine, 1609
Dien, 2-Amino-5-methyl-1,3-thiazole, Crystal structure, Molecular structure, Ab initio calculations, 1661
Diazadioximes, Kinetic studies, 1917
ESR, l-Serine, Isomerism, Co-ordination, 1969
Crystal structures, Tetranuclear cluster, Iron complexes, Imidazole, Tris(imidazolyl) ligand, 2047

Dicarboxylate, Crystal structures, 2141
Tetraaza macrocycle, Functionalized macrocycle, Nickel(II) complex, 2193
Crystal structure, Tris- and tetrakis-(pyrazol-1-yl)borate ligands, 2255
Nickel(II) complexes, Zinc(II) complexes, Oxalato-bridged complexes, Magnetic properties, Crystal structure, 2787
Crystal structure, N-functionalized macrocycle, Nickel(II) complex, 3013
Triazene, Triazenide, Acetate, Dinuclear structure, 3051
Spectrum–structure correlation, Visible spectrophotometry, Organic ligands, Donor groups, Coordination properties, 3233
Copper(II), nickel(II) and iron(III) complexes
2,6-diacetylpyridine derivative, IR-spectra, Crystal structure, 119
Copper(II)–Iron(III) complexes
Macrocyclic compound, Oxamide, Tetranuclear complexes, Magnetism, 3643
Copper(II)-(2,2′,2″-triaminotriethylamine) complexes
Copper(II)-(3,3′,3″-triaminotripropylamine) complexes, Azido complexes, Nitrito complexes, Dinuclear copper(II) complexes, Polymeric copper(II) complexes, Crystal structure, Tripod amines, 2061
Copper(II)-(3,3′,3″-triaminotripropylamine) complexes
Copper(II)-(2,2′,2″-triaminotriethylamine) complexes, Azido complexes, Nitrito complexes, Dinuclear copper(II) complexes, Polymeric copper(II) complexes, Crystal structure, Tripod amines, 2061
2-D copper(I)-pyrazine complexes
Thiocyanato and azido complexes, Crystal structures, Spectra, 1805
Correlations
ECW model, Phosphines, Enthalpies of reaction, 1097
Coupling constant
Polyphosphine, ^{31}P NMR, steric hindrance, metal complex, 2117
Crown ether
Chromium(III), Thiocyanate, Photochemistry, Supramolecule, 1273
Lanthanide complexes, Luminescence, quantum yield, Lifetime, 1853
Nickel complex, Cryptand, Crystal structure, Redox properties, 1957
Macrotetracyclic complexes of nickel(II), Pendant arm, Binding properties, Electrochemical behavior, 2597
Cryptand
Nickel complex, Crown ether, Crystal structure, Redox properties, 1957
Cryptate
Barium, NMR, 2185
Lanthanide, Electrospray mass spectrometry, 3637
Crystal and molecular structure
N,N′-bis(carboxymethyl)dithiooxamide, *N,N′*-bis(1-carboxyethyl)dithiooxamide, Hyperquad protonation constants, Dithiooxamide-valine derivative, Dithiooxamide-glycylglycine derivative, 3313
Crystal packing
Cation, Supramolecular, Dichromate, 3181
Crystal structure(s)
Synthesis, Cu^{II} complex, *N′*-(*p*-nitrophenyl)-*N′*-ethoxycarbonyl-thiourea, 33
Schiff base ligand, Tetradentate ligand, Ni(II) complexes, 39
Thiopyrimidine, Rhenium(V) oxo-bridged complex, UV-VIS, IR, NMR spectra, Cyclic voltammetry, 57
Pd complexes, Pt complexes, Bidentate 2-(ethylthio)ethylamine ligand, Reactivity with DNA, 65
Copper(II), Nickel(II), Chiral, Tetradentate, CD, 75
Complexes, Pteridine, Lumazine, 85
Vanadium(V) monoperoxo complex, *N*-(carbamoylethyl)iminodiacetato ligand, *N*-(3-amino,3-oxopropyl), *N*-(carboxymethyl)glycine, Thermal stability, 93
Chromium thioantimonates, Solvothermal synthesis, Thermal investigations, 101
Copper(II), nickel(II) and iron(III) complexes, 2,6-diacetylpyridine derivative, IR-spectra, 119
Thallium porphyrin complexes, *cis* geometries, Salicyato ligand, Low temperature ^{13}C NMR analysis, Ligand exchange, 145
Syntheses, Quadridentate Schiff base ligand, Dimeric metal complexes, ESR, 181
Thiohydantoin, Phenylmercury(II) complex, 187
Mn(III) complex, Schiff base, Salicylaldehyde, 197
Phosphines, Molybdenum, Photochemistry, NMR Spectroscopy, 203
Copper(II) complex, Azido complex, Magnetic behavior, Alternating chain, 211
Cluster compounds, Molybdenum complexes, Tellurium-rich compounds, 217
Cu and Mn complexes, Thiocyanate, Hydration of di-2-pyridylketone, Thermal analysis, ESR spectra, 249
Bimetallic phospine-bridged, Molybdenum(II) Tungsten(II), 257
Plutonium, Lanthanides, Polypyrazolylborates, IR, NMR spectroscopy, 263
Mo–Bi–S(O) double cubane cluster, Synthesis, Spectrum, 281
Mo–Cu cluster compounds, IR spectra, 333
Complexes, Schiff bases, Uracil, Nitrito, 351
Nickel(II) complex, Pentadentate carbonato, Selenocyanate, Antiferromagnetic coupling, Bis-(3aminopropyl) methylamine, 377
Mononuclear, Trinuclear, Four-coordinate, Iron complexes, Cobalt complexes, 423
Schiff base macrocycles, Lanthanide complexes, NMR of paramagnetic compounds, 443
Nickel(II) complexes, Cobalt(III) complexes, Isothiosemicarbazides, Anion binding, 451
Amide NS_3 macrocycle, Silver complexes, Synthesis, 459
Charge-transfer salt, Molybdosilicateheteropoly anion, Dibenzotetrathiofulvalene, 481
Europium complex, Luminescence, 487
Synthesis of lanthanide chloride complexes, Lanthanide oxide, Chlorotrimethylsilane, 529
Copper(I) complexes, 3- and 4-benzoyl pyridine, $[(4\text{-benzoylpyridine})_2H]$ I, Vibration spectra, Emission spectra, 553
Dinuclear dioxomolybdenum complex, Hydrogen bonding, One-dimensional linear chain, 2-Mercaptophenol, ^1H–^1H COSY, 647
Lead, Thallium, Bis[pyrazolyl]borate, 721
Copper(II) acetates, EPR, Bridging nicotinamide, Polymer, Fungicidal activity, 755
Rhenium, Boron, Gallium, Nitrido bridges, 831
Trimesityllead bromide, Dimesityllead dibromide, ^{207}Pb NMR, 839
$[Cu(dpyam)(O_2CCH_3)(NO_2)].H_2O$, $[Cu(dpyam)(NO_2)_2]$, 851
Nickel complexes, Cubane complexes, Ferromagnetic behaviour, Zero Field Splitting, 909
Bisferrocenylimine, Mercury, 1023
Nickel thiolato complexes, Mass spectrometry, 1115
Palladium, Bipyridyl, Diphenylphosphinomethane, 1141
6-methyl-2-acetylpyridine, Thiosemicarbazone, Hexamethyleneimine, Palladium, Platinum, 1177
Infrared spectra, Spectra/structure correlations, Synthetic methods, 1189
Osmium(II) complexes, Carbonyl, Phosphine, 1207
Copper(II) complexes, Chain complexes, Thiophene-2,5-dicarboxylic acid, Stacking interactions, Hydrogen bonding, 1211
Copper(II) complexes, μ-oxalato dimers, ESR, Magnetic properties, 1235
Cu picolinates, Mn picolinates, Degradation of bis(2-pyridyl-ketone), ESR spectroscopy, Magnetic susceptibility, 1311
Copper, 4,′4-Bipyridine, Pyrazine, *trans*-Cyclohexane-1,2-diamine–*N,N,N′,N′*-tetra-acetate, 1411
Dicopper(II) complex, Phenolate bridge, Antiferromagnetic coupling, 1425
Tricopper(II) complex, 4-(2-Pyridyl)-1,2,4-triazole, Magnetism, 1491
Copper(I) complexes, Benz-1,3-thiazolidine-2-thione, Triphenylphoshine, 1501
Lanthanide, Lanthanum, Terbium, Coordination polymer, Double betaine, 1519

Lanthanide, Cyclopentadienyl, Benzothiazole-2-thiolate, Synthesis, 1533
Cobalt, Molybdenum, Cluster compounds, 1555
Mononuclear copper complexes, Rntb ligands, CV, IR, UV–Vis, 1577
Osmium complexes, Terpyridine, Pyrazolyl, Chloride ligands, Redox chemistry, 1587
Manganese(II) dinuclear complex, Electrospray MS, 2-(2′-pyridyl)quinoxaline, 1615
Sandwich phthalocyanine, Iodine-doped uranium diphthalocyanine, Raman spectroscopy, EPR, 1621
Indenyl ligand, Thermal rearrangement, Fe–Fe bond, 1647
Lanthanides, Oxalate, Oxydiacetate, Thermal behavior, 1653
Copper(II) complexes, Dien, 2-Amino-5-methyl-1,3-thiazole, Molecular structure, Ab initio calculations, 1661
Imides, Imide acids, Fluorinated imides, 1751
Oxorhenium(V), Mixed-ligand complexes, Ligand exchanges, 1793
2-D copper(I)-pyrazine complexes, Thiocyanato and azido complexes, Spectra, 1805
Cyclic voltammetry, Ferrocene, functionalised, Imido ligand, redox-functionalised, Iron, Molybdenum, 1815
Ruthenium, Ligand substitutions, NMR spectroscopy, 1835
Nickel complexes, Polynuclear complexes, Pyridine complexes, 1903
Poly-imidazole, Schiff base, Hydrolysis, 1927
Metal carbonyl, Cyanocarbanion, Tungsten complex, Electrochemistry, 1935
Nickel complex, Crown ether, Cryptand, Redox properties, 1957
Copper(II), Alkoxo-bridged, Magnetism, Picolines, 1991
Bis(oxalato)chromium(III) complex, Histamine, B_6 vitamin, Pyridoxamine, 2001
Copper(II), α,β-Unsaturated carboxylate, Imidazole, Characterization, 2009
Copper(II) complex, Tetranuclear cluster, Iron complexes, Imidazole, Tris(imidazolyl) ligand, 2047
Copper(II)-(3,3′,3″-triaminotripropylamine) complexes, Copper(II)-(2,2′,2″-triaminotriethylamine) complexes, Azido complexes, Nitrito complexes, Dinuclear copper(II) complexes, Polymeric copper(II) complexes, Tripod amines, 2061
Copper(II) complexes, Dicarboxylate, 2141
Barium β-diketonates, Thermal analysis, 2177
Complexes, Schiff bases, Uracil, 2205
Copper(I), Polymeric compound, One-dimensional chain compounds, Electrospray mass spectrometry technique, 2219
Copper(II) complexes, Tris- and tetrakis-(pyrazol-1-yl)borate ligands, 2255
Azido complexes, Cobalt(III) complexes, 2,2′,2″-Triaminotriethylamine, 1,10-Diamino-4,7-diazadecane, 2287
1D Cobalt(II) azido complexes, Pyridine derivative complexes, Preparation of pyridine derivative complexes, Spectra, 2339
Zinc(II) complexes, Hydrolytic cleavage of di-Schiff-base ligands, Template reactions, *N,N′*-bis[1-(pyridin-2-yl)ethylidene]ethane-1,2-diamine, *N*-[1-pyridin-2-yl)ethylidene]ethane-1,2-diamine, 2369
Organolanthanide complexes, Schiff base, Methoxyethylcyclopentadienyl, Tetrahydrofurfurylcyclopentadienyl, C_2-Symmetry, 2345
Fe–Sn heterobimetallics, Semicarbazone, Thiosemicarbazone, 2483
Manganese complexes, Aqua complexes, Tetrazolato complexes, Azido complexes, 1,3-Dipolar cycloadditions, 2563
Schiff base, SNO ligand, Rhenium complex, Oxo core, 2537
Diorganotin(IV) complexes, $^{13}C/^{119}Sn$ NMR spectra, Tetradentate Schiff bases, 2687
Co(II)–N bonds, Cobalt(II) complexes, Piperazine and piperazin-1-ium ligands, 2749
Phthalocyanine, Bismuth(III) phthalocyanine, Triple-decker phthalocyanine, Synthesis, 2775
Nickel(II) complexes, Copper(II) complexes, Zinc(II) complexes, Oxalato-bridged complexes, Magnetic properties, 2787
Synthesis, Identification, Chromium (III), Nitrilotriacetate dimer, 2795
Nickel(II) complexes, Stability, Mass spectrometry, 2803
Thiosemicarbazone, 2-Pyridineformamide, Cobalt, Iron, Nickel, 2919
Hydrothermal synthesis, β-Octamolybdate-supported complex, 2971
Silver(I) thiolate, Polymer, 2977
C(2)-substituted derivative of thiamine, Complex, 2987
Diorganotin(IV) complexes, 2-(2′-pyridyl)quinoxaline, Antitumor, 3005
N-functionalized macrocycle, Nickel(II) complex, Copper(II) complex, 3013
Heterobimetallic cyano-bridged complexes, Synthesis, Magnetic properties, 3019
Binucleating ligand, Copper complex, Electrochemical, 3085
Cyclometalated palladium(II) complexes, Iminophosphine ligands, 3057
N-methylbenzothiazole-2(3H)-thione and *N*-methylbenzothiazole-2(3H)-selone, Adducts with ICl, FT-Raman, 3107
Nonlinear optical properties, Tungsten compound, Copper compound, Silver compound, Dithiophosphate, 3115
Copper complexes, Triazolopyridines, EPR spectroscopy, 3129
N-(Carbamoylmethyl)iminodiacetic acid, *N*-(2-Amidomethyl)iminodiacetate, Copper(II), Chelation, Spectral properties, 3333
Copper(II), Iminodiacetate, Benzimidazole, Mixed-ligand complexes, Magnetic and spectral properties, 3341
β-octamolybdate, Configuration, Hydrogen bond, Polyoxoanion, Conversion, 3371
Dialkyldithiocarbamate, Equilibrium constant, 3401
Nickel, Thiolates, Clusters, 3407
Copper(I) complexes, Di-2-pyridyl ketone oxime complexes, Electronic and IR spectra, 3425
Nickel(II) complexes, 2-Hydroxyaryloximes, α-Diimines, Spectroscopy, Thermal behaviour, 3441
Synthesis, Nonlinear optics, Coordination compound, Zinc, 3461
β-Diketonates, manganese(II), MOCVD, 3505
Octacyanotungstate(V), Octacyanotungstate(IV), Tetraammineplatinum(II), Tetraamminedichloroplatinum(IV), Redox reactivity, 3527
Mixed phosphathia ligands, Cr(III) and Co(III) complexes, 3553
Complex, Zinc, Sulfur, Nitrogen, Molecule packing, $\pi-\pi$ Interactions, 3559
Lanthanum(III), Tetraethylmalonamide, Phase transition, Ion extraction, Nuclear reprocessing, 3599
Cu dimers, 2-Anilinopyridine, Magnetic properties, Ferromagnetic dimer, Antiferromagnetic dimer, 3605
Copper salen and salphen complexes, Oxidative dehydrogenation, Electrochemical properties, ESR, Effect of hydrogenation, Effect of ligand modification, 3617
Complexes, Schiff bases, Uracil, 3629
Co(III), aepn, Conglomerate, 3647
Methylmercury and dimethylthallium complexes, NMR (multiprobe) spectroscopy, 3653
Cobalt complexes, Synthesis, Nitrosation, Biscyclohexylammonium cation, Hydrogen bonding, 3661
Addition reaction, Schiff-base complexes, *S*-Alkyl dithiocarbazate, *Cis*-addition, 3683
Eight-coordinate copper complex, Bidentate ligands, EPR spectra, Stability constants, 3713
Crystal structure analysis
Cyclic diamine tmdz, X-ray diffraction, 1039
Crystal structure determination
Molybdovanadates, Oxalato ligand, 2781
Crystal structure of a mononuclear iron(III) complex
4,5-Dichloro-1,2-bis(pyridine-2-carboxamido)benzene, Mononuclear iron(III) complex, μ-Oxo-bridged diiron(III) complex, Temperature-dependent magnetic studies, Mössbauer spectral studies, 1317

Crystal structure Pd(II) mercaptonicotinic complex
Mercaptonicotinic acid complexes, Trinuclear palladium complex, Trinuclear platinum complex, Density functional calculations, 3675
Crystal study
Palladium(II) and Platinum(II) complexes, Thiosemicarbazonato complexes, Spectroscopic and electrochemical studies, 1005
Cr(III) and Co(III) complexes
Mixed phosphathia ligands, Crystal structure, 3553
Cu picolinates
Mn picolinates, Degradation of bis(2-pyridyl-ketone), Crystal structure, ESR spectroscopy, Magnetic susceptibility, 1311
Cu^{II} complex
Synthesis, Crystal structure, *N'*-(*p*-nitrophenyl)-*N'*-ethoxycarbonyl-thiourea, 33
Cubane complexes
Crystal structures, Nickel complexes, Ferromagnetic behaviour, Zero Field Splitting, 909
$[Cu(dpyam)(NO_2)_2]$
Crystal structures, $[Cu(dpyam)(O_2CCH_3)(NO_2)].H_2O$, 851
$[Cu(dpyam)(O_2CCH_3)(NO_2)].H_2O$
Crystal structures, $[Cu(dpyam)(NO_2)_2]$, 851
Cu(II) complexes
Chloroacetic acid, 1,2,4-triazolo-[1,5-α]-pyrimidine, Magnetic properties, UV–VIS, IR, 519
Cu and Mn complexes
Thiocyanate, Hydration of di-2-pyridylketone, Crystal structure, Thermal analysis, ESR spectra, 249
Cu dimers
2-Anilinopyridine, Magnetic properties, Ferromagnetic dimer, Antiferromagnetic dimer, Crystal structure, 3605
CV
Mononuclear copper complexes, Rntb ligands, Crystal structures, IR, UV–Vis, 1577
CVD
Tantalum complexes, Spectroscopic data, β-Diketonate compounds, 3165
Cyanocarbanion
Metal carbonyl, Tungsten complex, Crystal structure, Electrochemistry, 1935
Cyanogold(I) complexes
Disproportionation, NMR of gold phosphine complexes, 1401
Cyclam
Azido complex, Mössbauer spectroscopy, X-ray diffraction, Iron(III) complex, 2201
Cyclic diamine tmdz
Crystal structure analysis, X-ray diffraction, 1039
Cyclic trimer
Phosphazene, Cyclotriphosphazene, Aminomalonate, Aspartate, Glutamate, 1799
Cyclic voltammetry
Thiopyrimidine, Rhenium(V) oxo-bridged complex, Crystal structure, UV-VIS, IR, NMR spectra, 57
Thiosemicarbazone, Copper(II) complexes, Spectra, Antibacterial, Antifungal, 321
Manganese complexes, Schiff bases, Imidazoles, Salicylaldehydes, 511
Gold, Metal–metal interactions, Thiols, 593
2-(Pyrazol-1-ylmethyl)pyridine and 2,6-bis(pyrazol-1-ylmethyl)pyridine and their 3,5-dimethylpyrazole derivatives, Anion-bound and mixed-ligand copper(II) complexes, X-ray structure, Absorption spectra, EPR spectra, 1743
Nickel(II) complexes, Trithiocyanuric acid, Synthesis, X-ray structure, 1779
Crystal structure, Ferrocene, functionalised, Imido ligand, redox-functionalised, Iron, Molybdenum, 1815
Cyclodiphosphazane
Diazadiphosphetidines, X-ray structure, 2249
Cyclohexane
Oxo-functionalisation, $[Ru^{III}(amp)(bipy)Cl]$, *t*-BuOOH, Cyclohexene, Stilbenes, Kinetics, 2659
Cyclohexene
Oxo-functionalisation, $[Ru^{III}(amp)(bipy)Cl]$, *t*-BuOOH, Cyclohexane, Stilbenes, Kinetics, 2659
Cyclometalated palladium(II) complexes
Iminophosphine ligands, Crystal structures, 3057
Cyclometallated
Palladium(II), Pseudohalides, Infrared specroscopy, NMR spectroscopy, Thermal analysis, 413
Cyclometallation
Rhodium, 1,3-Bis(benzimidazolyl)benzene, 1,3-Bis(*N*-methylbenzimidazolyl)benzene, Binuclear complexes, Multidentate N-heterocycles, 2351
Cyclopalladation
Palladacycles, Ferrocenylamines, Metallation, 135
Cyclorhodation, 2-(2-pyridyl)benzo[*b*]furan, 1-(2-pyridyl)indole, 1-(2-pyrimidyl)indole, X-ray structural analysis, 533
Ferrocene, Hydrazone, Planar chirality, 577
Cyclopentadienyl
Bimetallic–linear triphos-bridged, Molybdenum(II), Tungsten(II), Alkyne complex, 729
Lanthanide, Benzothiazole-2-thiolate, Synthesis, Crystal structure, 1533
Ruthenium, Diphosphine, Dimer, dppe, Azide, 2899
Cyclopentadienyl zirconium derivatives
Arylaluminum hydrides, Bulky aryl ligands, 1885
Cyclophosphazene(s)
Nitrile complexes, Iron complexes, Ruthenium compounds, 1479
Diazadiphosphetidines, Bicyclic, X-ray structure, 2557
Polyphosphazenes, Phenolic phosphine, Macromolecular complexes, Carbonyls, Cesium carbonate, 2853
Cyclorhodation
Cyclopalladation, 2-(2-pyridyl)benzo[*b*]furan, 1-(2-pyridyl)indole, 1-(2-pyrimidyl)indole, X-ray structural analysis, 533
Cyclotriphosphazane(s)
Molybdenum tetracarbonyl Complexes, P-N ring conformation, Negative hyperconjugation, 437
Phosphazene, Cyclic trimer, Aminomalonate, Aspartate, Glutamate, 1799
Cytochrome *c*
Apocytochrome *c*, Palladium, Protein cleavage, 1629
Cytostatic activity
Palladium, Platinum, Dithiocarbamate, NMR, 2827

Ddibenzylamine
Group 13/15 adduct, X-ray structure, *ab initio* calculations, 879
Deferrioxamine
Iron-chelator, β-Thalassemia, Iron(III), 3219
Degradation of bis(2-pyridyl-ketone)
Cu picolinates, Mn picolinates, Crystal structure, ESR spectroscopy, Magnetic susceptibility, 1311
Dehydration
Scandium, Halides, Hydroxide, 1845
Dehydration process
EXAFS, Lanthanoid(III) chloranilate, 3433
Demethylation
Platinum, Palladium, Phosphonate, Phosphite, Arbusov, 1067
Dendrimeric ligands
Metal-containing dendrimers, Transition–metal complexes, 3575
Density functional calculations
Mercaptonicotinic acid complexes, Crystal structure Pd(II) mercaptonicotinic complex, Trinuclear palladium complex, Trinuclear platinum complex, 3675
Density functional theory
Carbon-carbon double bonds, Transition-metal vinyl complexes, 1717
Desferrioxamine B
Dihydroxamic acids, Acetohydroxamic acid, Transition metal complexes, Ca(II) and Mg(II) complexes, 2391
2,6-diacetylpyridine derivative
Copper(II), nickel(II) and iron(III) complexes, IR-spectra, Crystal structure, 119
Dialkyldithiocarbamate
Crystal structure, Equilibrium constant, 3401
Dialkyldithiophosphates
Palladium, Pyridine-2-thiolate, Pyridine-2-selenolate, NMR, X-ray, 1253
N,N-dialkyl-L-α-alanine

Electron paramagnetic resonance (EPR) spectroscopy, Copper(II) complexes, Amino-acids, 1609

1,10-Diamino-4,7-diazadecane
Azido complexes, Cobalt(III) complexes, 2,2′,2″-Triaminotriethylamine, Crystal structure, 2287

Dianionic
Silicates, Hexacoordinate, Six membered ring, Bis(salicylato)diisothiocyanato, 2055

Diastereoisomers
Silver, Trinuclear complexes, Triflate, Triphenylphosphine, 807

Diazadioximes
Copper(II) complex, Kinetic studies, 1917

Diazadiphosphetidine(s)
Cyclodiphosphazane, X-ray structure, 2249

Diazadiphosphetidines
Bicyclic, Cyclophosphazane, X-ray structure, 2557
Four-membered heterocycle, Diazaphosphetidine, Chlorodithiophosphoric acid pyridiniumbetaine, 2723
Four-membered heterocycle, Diazadiphosphetidine, Chlorodithiophosphoric acid pyridiniumbetaine, 2723

Diazonium salts
Hydroborates, Hydrophobic anions, Amine derivatives, Nitrile derivatives, 931

Dibenzotetrathiofulvalene
Charge-transfer salt, Molybdosilicateheteropoly anion, Crystal structure, 481

Dicarboxylate
Copper(II) complexes, Crystal structures, 2141

Dicarboxylate complexes
Beryllium(II), X-ray structure, Stability constants, 3305

3-dicarboxylic acid
Copper(II), Manganese(II), Salicylic acid, *cis*-5-norbornene-*endo*-2, *Candida albicans*, *N*-heterocycles, 2931

Dichloroethyne
Nickel complexes, Alkyne complexes, Phosphonioacetylide complexes, Mechanism, 3187

4,5-Dichloro-1,2-bis(pyridine-2-carboxamido)benzene
Mononuclear iron(III) complex, μ-Oxo-bridged diiron(III) complex, Temperature-dependent magnetic studies, Mössbauer spectral studies, Crystal structure of a mononuclear iron(III) complex, 1317

Dichromate
Crystal packing, Cation, Supramolecular, 3181

Dichromium
Formamidinate, Multiply-bonded, 817

Dicopper(II) complex(es)
Metalloproteins, Benzimidazole, Antiferromagnetism, Electrochemistry, 1355
Crystal structure, Phenolate bridge, Antiferromagnetic coupling, 1425

Dien
Copper(II) complexes, 2-Amino-5-methyl-1,3-thiazole, Crystal structure, Molecular structure, Ab initio calculations, 1661

Diethoxy-diphenyl-dith-iomidodiphosphinate
Coordination chemistry, Ring conformations, 311

Diferrocene
Hydrazone, Lanthanide complex, Electrochemistry, 1247

Dihalides
Triarylarsines, Halogen, Adducts, Conductance (electrolytic), Steric effects, 1455

Dihydroxamic acids
Acetohydroxamic acid, Desferrioxamine B, Transition metal complexes, Ca(II) and Mg(II) complexes, 2391

Dihydroxybenzoquinonate
Dinuclear, Platinum, Pentafluorphenyl, Chloranilate, 403

Diimine
Osmium, Triphenylphosphine, Synthesis, Structure, Reactivities, 2729

α-Diimines
Nickel(II) complexes, 2-Hydroxyaryloximes, Crystal structure, Spectroscopy, Thermal behaviour, 3441

β-Diketiminate ligand
Three-coordinate boron, Four-coordinate boron, X-ray structure, Abstraction reaction, 2405

β-Diketonate compounds
Tantalum complexes, Spectroscopic data, CVD, 3165

β-Diketonates
manganese(II), Crystal structure, MOCVD, 3505

2-dimensional square mesh structure
Silver(I) complex, Pyrazine-2,3-dicarbonitrile, 191

Dimer
Ruthenium, Diphosphine, dppe, Azide, Cyclopentadienyl, 2899
Tropolone, Iron(III), Complexation, Kinetics, Stopped-flow, 3289

Dimeric metal complexes
Syntheses, Quadridentate Schiff base ligand, ESR, Crystal structure, 181

Dimesityllead dibromide
Trimesityllead bromide, Crystal structure, ^{207}Pb NMR, 839

Dimethyl complexes
Poly(pyrazolyl)hydroborato ligand system, Aluminum, Gallium, 3567

[Re(*N*,*N*′-dimethylthiourea)$_6$](PF$_6$)$_3$ structure
Rhenium(III), Alkylthioureas complexes, [Re(*N*-ethylthiourea)$_6$](PF$_6$)$_3$ structure, Ligand substitution onto Re(III)-alkylthioureas, Synthesis of diphosphine rhenium(III) complexes by ligand substitution, 2099

Dinuclear
Polypyridyl ligands, Mononuclear, Fluxional, Bidentate, Pentamethylcyclopentadiene, Quasi-reversible, 299
Platinum, Pentafluorphenyl, Dihydroxybenzoquinonate, Chloranilate, 403

Dinuclear complex(es)
Glyoximate, Antiferromagnetic interaction, 2035
Copper complexes, 2,2′-Bipyridyl, Hippuric acid, X-ray diffraction, L-Proline, 2505
Iron carbonyl, Organoiron polydentate ligand, Phosphine oxide, 3465
Macrocycle, *N*-carboxymethyl oxa-tetraaza macrocyle, Metal complexes, Stability constants, EPR copper(II) complexes, 3479

Dinuclear copper(II) complexes
Copper(II)-(3,3′,3″-triaminotripropylamine) complexes, Copper(II)-(2,2′,2″-triaminotriethylamine) complexes, Azido complexes, Nitrito complexes, Polymeric copper(II) complexes, Crystal structure, Tripod amines, 2061

Dinuclear Cu(II) complexes
Host–guest interactions, Anionic guests, 1029

Dinuclear dioxomolybdenum complex
Crystal structure, Hydrogen bonding, One-dimensional linear chain, 2-Mercaptophenol, ^{1}H–^{1}H COSY, 647

Dinuclear lanthanide macrocycles
Schiff base macrocycles, Luminescent lanthanide macrocycles, Imine–phenol macrocycles, 3123

Dinuclear ruthenium(II) bipyridine complexes
Bridging ligands, 1437

Dinuclear structure
Triazene, Triazenide, Acetate, Copper(II) complex, 3051

Diolates
Niobium, Alkoxides, Sol–gel, 845
Niobium, Cerium, Titanium, Alkoxides, Mixed-metal alkoxides, 3497

Diorganotin(IV) complexes
^{13}C/^{119}Sn NMR spectra, Crystal structure, Tetradentate Schiff bases, 2687
2-(2′-pyridyl)quinoxaline, Antitumor, Crystal structure, 3005

Dioxo complexes
Molybdenum, Kläui's ligand, 1485

Dioxo molybdenum complex
Molybdenum oxotransferase, Synthesis, 2491

Dioxygen
Iron, Manganese, Pyrazole, Catalysis, Epoxidation, 825
Fluorothiolato, Iridium, X-ray, 959

Dioxygen carriers
Co(II) complexes, Macrocyclic tetraamines, Complex formation enthalpy, Complex formation kinetics, Protonation enthalpy, 3295

Diphenylphosphinomethane
Palladium, Bipyridyl, Crystal structure, 1141

Diphenylpyridylphosphine oxide
Rhenium, Technetium, Diphenylpyridylphosphine, X-ray structures, 2995

Diphenylpyridylphosphine
Rhenium, Technetium, Diphenylpyridylphosphine oxide, X-ray structures, 2995
Diphenylthiocarbazone
Gold(III) compounds, Mixed-ligand complexes, Organogold compounds, X-ray structures, 749
Diphosphine
Ruthenium, Dimer, dppe, Azide, Cyclopentadienyl, 2899
1,3-Dipolar cycloadditions
Manganese complexes, Aqua complexes, Crystal structures, Tetrazolato complexes, Azido complexes, 2563
L-*N*,*N*-dipropylalanine
Copper,*N*-alkylated amino acids, Molecular mechanics, Force field, Conformational analysis, 2301
Direct synthesis
Electrochemical synthesis, Metal complexes, Piroxicam, Isoxicam, Supporting electrolytes, 2651
Diruthenium compounds
Metal–metal bonds, Carboxylate dimers, Multiple bonds, Ruthenium complexes, 371
Disproportionation
Cyanogold(I) complexes, NMR of gold phosphine complexes, 1401
Dissociation constants
Tetrahydrofuran–water mixtures, Solvatochromic parameters, 3281
Distal ligand
Metal–metal dimer, Alkoxide, π bonding, X-ray structure, Proximal ligand, 1293
Metal–metal dimer, Triple bond, Alkyl, Homoleptic, X-ray structure, 1303
Distibine
Manganese, Rhenium, NMR, 2673
Distorted tetrahedral structure
Azopyrimidines, High potential copper(I) complexes, 1909
Ditertiarybutylselenide
One pot synthesis, Selenides, Semiconductors, MOVPE, 1329
2,6-Dithiaspiro[3.3]heptane
Tungsten, Palladium, Sulphur inversion, Dynamic NMR, 1345
Dithiocarbamate
Palladium, Platinum, NMR, Cytostatic activity, 2827
Dithiocarbazates
Complexes, Platinum, Nickel, Dithiolene-like, Electron-transfer, 2377
Dithiolene-like
Complexes, Platinum, Nickel, Dithiocarbazates, Electron-transfer, 2377
1,3-Dithiole-2-one-4,5-dithiolate complexes
Tin complexes, Trisdithiolato complexes, 1,3-Dithiole-2-thione-4,5-dithiolate complexes, 1,3-Dithiole-2-thione-4,5-diselenolato complexes, 3533
1,3-dithiole-2-thione-4,5-dithiolate
Bismuth complex, Polymer, X-ray structure, 1049
1,3-Dithiole-2-thione-4,5-diselenolato complexes
Tin complexes, Trisdithiolato complexes, 1,3-Dithiole-2-thione-4,5-dithiolate complexes, 1,3-Dithiole-2-one-4,5-dithiolate complexes, 3533
1,3-Dithiole-2-thione-4,5-dithiolate complexes
Tin complexes, Trisdithiolato complexes, 1,3-Dithiole-2-one-4,5-dithiolate complexes, 1,3-Dithiole-2-thione-4,5-diselenolato complexes, 3533
Dithiooxamide-glycylglycine derivative
N,*N*′-bis(carboxymethyl)dithiooxamide, *N*,*N*′-bis(1-carboxyethyl)dithiooxamide, Hyperquad protonation constants, Crystal and molecular structure, Dithiooxamide-valine derivative, 3313
Dithiooxamide-valine derivative
N,*N*′-bis(carboxymethyl)dithiooxamide, *N*,*N*′-bis(1-carboxyethyl)dithiooxamide, Hyperquad protonation constants, Crystal and molecular structure, Dithiooxamide-glycylglycine derivative, 3313
Dithiophosphate
Nonlinear optical properties, Crystal structure, Tungsten compound, Copper compound, Silver compound, 3115
Divalent metals
Copper, Zinc, Cadmium, *N*-*p*-tolylsulfonyl-L-glutamic acid, Compounds, 1975
DNA nicking complexes
Low-molecular-weight chromium-binding substance, Chromium(III) tris(picolinate), Chromium(III) complexes, Trinuclear complexes, 2617
Donor groups
Copper(II) complexes, Spectrum–structure correlation, Visible spectrophotometry, Organic ligands, Coordination properties, 3233
Double betaine
Lanthanide, Lanthanum, Terbium, Coordination polymer, Crystal structure, 1519
Double-helical spontaneous assembly
2,2′:6′,2″:6″,2‴-quaterpyridine ligands, Heliocentric metallostars, 3093
dppe
Ruthenium, Diphosphine, Dimer, Azide, Cyclopentadienyl, 2899
Dry media
Organomercurials, Microwave assisted, Solid support, Heterocycle, 2641
Dynamic NMR
Rhenium, Platinum, Quaterpyridine, Quinquepyridine, 1285
Tungsten, Palladium, 2,6-Dithiaspiro[3.3]heptane, Sulphur inversion, 1345
Dynamic process
Nuclear magnetic resonance, V-51, V–Cu–S clusters, Fenske–Hall calculations, 1339

ECW model
Phosphines, Correlations, Enthalpies of reaction, 1097
EDTA
Ruthenium(III), Platinum(II), EDTA-amide, Complexes, Pentadentate, Ring-closure, Antitumour, 49
EDTA-amide
Ruthenium(III), Platinum(II), EDTA, Complexes, Pentadentate, Ring-closure, Antitumour, 49
Effect of hydrogenation
Copper salen and salphen complexes, Oxidative dehydrogenation, Electrochemical properties, ESR, Crystal structure, Effect of ligand modification, 3617
Effect of ligand modification
Copper salen and salphen complexes, Oxidative dehydrogenation, Electrochemical properties, ESR, Effect of hydrogenation, Crystal structure, 3617
Eight-coordinate copper complex
Bidentate ligands, Crystal structure, EPR spectra, Stability constants, 3713
Electroactive receptor molecules
Redox active groups, Polyaza derivatives, 3689
Electrochemical
Binucleating ligand, Copper complex, Crystal structure, 3085
Electrochemical behavior
Macrotetracyclic complexes of nickel(II), Crown ether, Pendant arm, Binding properties, 2597
Electrochemical properties
Copper salen and salphen complexes, Oxidative dehydrogenation, ESR, Effect of hydrogenation, Crystal structure, Effect of ligand modification, 3617
Electrochemical studies
Binucleating ligands, Binuclear copper(II) complexes, Magnetic studies, 1363
Nickel (II) complexes, Amide complexes, X-ray, 1669
Electrochemical synthesis
Direct synthesis, Metal complexes, Piroxicam, Isoxicam, Supporting electrolytes, 2651
Electrochemistry
Diferrocene, Hydrazone, Lanthanide complex, 1247
Copper(II), Synthesis, Spectroscopy, Pyridyl pyrazolyl carboxamide, X-ray crystal structure, 1323
Metalloproteins, Benzimidazole, Antiferromagnetism, Dicopper(II) complexes, 1355
Ferrocenylethanol, X-ray crystal structure, 1471
Metal carbonyl, Cyanocarbanion, Tungsten complex, Crystal structure, 1935
Ruthenium complexes, 2-Carbamoylpyridine derivatives, Amide complexes, Geometrical isomers, 2157
VIB carbonyl metal complexes, Bis(4-halopyrazolyl)alkanes, X-ray structure, 2383
Ruthenium, α-Amino acids, Synthesis, Characterization, 3669

Electron density
Adducts, Zinc dithiocarbamate, Bidentate nitrogen ligands, 925
Electron paramagnetic resonance (EPR) spectroscopy
Copper(II) complexes, Amino-acids, *N,N*-dialkyl-L-α-alanine, 1609
Electron spin resonance
2-Aminothiazole, Modified silica gel, Copper complexes with 2-aminothiazole, Copper complexes, Isotherms of adsorption of CuX_2, 2241
Electron transfer
Ruthenium binuclear complexes, Mixed-valence, Peroxydisulfate, Kinetics and mechanism, 25
Ruthenium–molybdenum complexes, Sulfur bridging, 995
Redox reactivity, $[Ru^{III}(edta)(NC)Fe^{III}(CN)_5]^{4-}$, $[Ru^{III}(edta)(NC)Fe^{II}(CN)_5]^{5-}$, Ascorbic acid, Peroxydisulfate, Kinetics, 1767
Complexes, Platinum, Nickel, Dithiocarbazates, Dithiolene-like, 2377
Electronic and IR spectra
Copper(I) complexes, Di-2-pyridyl ketone oxime complexes, Crystal structures, 3425
Electronic influence of substituents
Oxovanadium(IV) complexes, Monomeric structures, Polymeric structures, 3035
Electronic spectroscopy
Chromium(III) trispicolinate, Di-μ-hydroxotetrapicolinatodichromium(III), Chromium, Picolinic acid, Mass spectrometry, 2891
Electronic structure
Rhenium, Nitrosyl, X-ray structure, Nitric oxide, 2313
Electrospray mass spectrometry technique
Crystal structure, Copper(I), Polymeric compound, One-dimensional chain compounds, 2219
Electrospray mass spectrometry
Cryptate, Lanthanide, 3637
Electrospray MS
2-(2′-pyridyl)quinoxaline, Ru(II) complexes, 2-2′-bipyridine, 361
Crystal structure, Manganese(II) dinuclear complex, 2-(2′-pyridyl)quinoxaline, 1615
Electrosynthesis
Azomethinic ligands, Mononuclear chelates, 985
Elemental analysis
Hexanuclear Zr(IV) complex, 1,10-Phenanthroline, Infrared spectroscopy, X-ray crystallography, 787
Emission spectra
Copper(I) complexes, 3- and 4-benzoyl pyridine, $[(4\text{-benzoylpyridine})_2H]$ I, Vibration spectra, Crystal structure, 553
Enantioselective
Aerobic epoxidation, Chiral catalysis, Chiral Schiff base, Mn(III), Non-functionalized olefins, 1773
Enantioselective preparation
Chiral amine oxide, (Propargyl alcohol)$Co_2(CO)_5(PR_3)$ complexes, 2027
Enthalpies of reaction
ECW model, Phosphines, Correlations, 1097
Enzyme
Zinc, Cadmium, Pyrazolyl, Thioether, 1107
Epoxidation
Iron, Manganese, Pyrazole, Catalysis, Dioxygen, 825
EPR
Copper(II) acetates, Crystal structure, Bridging nicotinamide, Polymer, Fungicidal activity, 755
Polyoxometalates, Heteropolyanions, Metal substituted polyoxotungstates, Copper, Tungstophosphate, Tungstoborate, 1163
Sandwich phthalocyanine, Iodine-doped uranium diphthalocyanine, Raman spectroscopy, Crystal structure, 1621
EPR copper(II) complexes
Macrocycle, *N*-carboxymethyl oxa-tetraaza macrocycle, Metal complexes, Stability constants, Dinuclear complexes, 3479
EPR spectra
2-(Pyrazol-1-ylmethyl)pyridine and 2,6-bis(pyrazol-1-ylmethyl)pyridine and their 3,5-dimethylpyrazole derivatives, Anion-bound and mixed-ligand copper(II) complexes, X-ray structure, Absorption spectra, Cyclic voltammetry, 1743
Aminoacidatodiiminecopper(II) complexes, X-ray structure, *d–d* spectra, Circular dichroism spectra, Gaussian analysis, 2361
Eight-coordinate copper complex, Bidentate ligands, Crystal structure, Stability constants, 3713
EPR spectroscopy
Crystal structure, Copper complexes, Triazolopyridines, 3129
Equilibria
Spectrophotometric titrations, Numerical analysis, Least-squares fit, Soft-modeling, Hard-modeling, 3227
Equilibrium constant
Crystal structure, Dialkyldithiocarbamate, 3401
ES-MS
Phosphonic acids and derivatives, Platinum(II) complexes, X-ray analysis, Vibrational spectroscopy, NMR, 2169
ESR
Syntheses, Quadridentate Schiff base ligand, Dimeric metal complexes, Crystal structure, 181
Copper(II) complexes, μ-oxalato dimers, Crystal structure, Magnetic properties, 1235
Copper(II) complexes, l-Serine, Isomerism, Co-ordination, 1969
Adducts of zinc(II) dithiocarbamate complexes, Nitrogen bases, Isomerism of coordination compounds, X-ray diffraction, CP/MAS ^{13}C and ^{15}N NMR, 2069
Copper salen and salphen complexes, Oxidative dehydrogenation, Electrochemical properties, Effect of hydrogenation, Crystal structure, Effect of ligand modification, 3617
Copper complexes, Structure, Magnetic and spectroscopic properties, Thiosemicarbazone complexes, 3703
ESR spectra
Cu and Mn complexes, Thiocyanate, Hydration of di-2-pyridylketone, Crystal structure, Thermal analysis, 249
ESR spectroscopy
Cu picolinates, Mn picolinates, Degradation of bis(2-pyridyl-ketone), Crystal structure, Magnetic susceptibility, 1311
$[Re(N\text{-ethylthiourea})_6](PF_6)_3$ structure
Rhenium(III), Alkylthioureas complexes, $[Re(N,N'\text{-dimethylthiourea})_6](PF_6)_3$ structure, Ligand substitution onto Re(III)-alkylthioureas, Synthesis of diphosphine rhenium(III) complexes by ligand substitution, 2099
N-ethyl-*R*-aminohexahydroazepine-dichloropalladium(II)
Pd···Pd contacts, Pd···H(—C) contacts, *R*-aminohexahydroazepine-dichloropalladium(II), Molecular mechanics analysis, 2149
Europium
Second-order global analysis, Stability constants, Indium, Spectrophotometric titrations, 3243
Europium complex
Crystal structure, Luminescence, 487
EXAFS
Lanthanoid(III) chloranilate, Dehydration process, 3433
Exchange
Amide, Nickel, Macrocycle, Barium, Structure, 679
Extended chain
Coordination polymer, Chloro bridged, Non-chelating, Bidentate ligand, Oligomeric, 1397

FAB mass spectrometry
Lanthanides, Macrocyclic complexes, Lanthanide macrocycles, Substituted macrocycles, 1561
Facilitated transport
Activated composite membranes, Selective metal ion transport, 3353
Fenske–Hall calculations
Nuclear magnetic resonance, V-51, V–Cu–S clusters, Dynamic process, 1339
Fenton chemistry
Quercetin, Redox chemistry, Iron complexes, 2233
Ferrocene
Hydrazone, Planar chirality, Cyclopalladation, 577
Ferrocene, functionalised
Crystal structure, Cyclic voltammetry, Imido ligand, redox-functionalised, Iron, Molybdenum, 1815
Ferrocenylamines
Cyclopalladation, Palladacycles, Metallation, 135

Ferrocenylethanol
Electrochemistry, X-ray crystal structure, 1471
Ferroelectric thin films
X-ray crystal structures, Volatile lead compounds, 1641
Ferromagnetic behaviour
Crystal structures, Nickel complexes, Cubane complexes, Zero Field Splitting, 909
Ferromagnetic dimer
Cu dimers, 2-Anilinopyridine, Magnetic properties, Antiferromagnetic dimer, Crystal structure, 3605
Fluoresence
Copper(I), Aryloxide, Heterocumulene, Oligomeric structures, 949
Fluoride complexation
Rare earth elements, Yttrium, Stability constant, Inductively-coupled plasma mass spectrometry, 2839
Fluorinated imides
Imides, Crystal structure, Imide acids, 1751
Fluorothiolato
Iridium, Dioxygen, X-ray, 959
Fluorous biphase
Phosphine, Platinum group metals, 2913
Fluxional
Polypyridyl ligands, Mononuclear, Dinuclear, Bidentate, Pentamethylcyclopentadiene, Quasi-reversible, 299
Force field
Copper, L-*N*,*N*-dipropylalanine, *N*-alkylated amino acids, Molecular mechanics, Conformational analysis, 2301
Formamidinate
Dichromium, Multiply-bonded, 817
Formation constants
meso-2,3-dimercapto succinic acid, Potentiometry, Ionization constants, 3257
Four-coordinate
Crystal structures, Mononuclear, Trinuclear, Iron complexes, Cobalt complexes, 423
Four-coordinate boron
Three-coordinate boron, X-ray structure, β-Diketiminate ligand, Abstraction reaction, 2405
Four-membered heterocycle
Diazadiphosphetidine, Diazaphosphetidine, Chlorodithio-phosphoric acid pyridiniumbetaine, 2723
FT-Raman
N-methylbenzothiazole-2(3H)-thione and *N*-methylbenzothiazole-2(3H)-selone, Adducts with ICl, Crystal structures, 3107
Functionalised alkyls
Hydroxy-alkyl, Oxidative-hydroboration, Alkenyl compounds, 3377
P-H-functionalised phosphinocyclopentadienes
Lithium cyclopentadienides, 2113
Functionalized macrocycle
Tetraaza macrocycle, Nickel(II) complex, Copper(II) complex, 2193
N-functionalized macrocycle
Crystal structure, Nickel(II) complex, Copper(II) complex, 3013
Fungicidal activity
Copper(II) acetates, Crystal structure, EPR, Bridging nicotinamide, Polymer, 755

Gadolinium complexes
Contrast agents, Relaxivity, MRI, Thermodynamics, Paramagnetic complexes, 109
Gallium
Rhenium, Boron, Nitrido bridges, Crystal structure, 831
Aluminum, Molybdenum, Cluster, Carboxylate complex, Chain complex, 3411
Poly(pyrazolyl)hydroborato ligand system, Aluminum, Dimethyl complexes, 3567
Gaussian analysis
Aminoacidatodiiminecopper(II) complexes, X-ray structure, *d*–*d* spectra, Circular dichroism spectra, EPR spectra, 2361
GdDTPA
NMR, Contrast agent, Relaxation, Noncovalent binding, Human serum albumin, 695
Geometrical isomers
Ruthenium complexes, 2-Carbamoylpyridine derivatives, Amide complexes, Electrochemistry, 2157
D-Gluconic acid
Bismuth(III) complex, Competition equilibria, 989
Glutamate
Phosphazene, Cyclotriphosphazene, Cyclic trimer, Aminomalonate, Aspartate, 1799
Glyoximate
Dinuclear complex, Antiferromagnetic interaction, 2035
Gold
Metal–metal interactions, Cyclic voltammetry, Thiols, 593
Isoxazole ligands, Silver, Coordination compounds, Helical structures, 2769
Gold(I) complexes
Chloride metathesis, X-ray crystallography, Heterodifunctional ligands, 1135
Gold(III) compounds
Diphenylthiocarbazone, Mixed-ligand complexes, Organogold compounds, X-ray structures, 749
Group 13/15 adduct
X-ray structure, Ddibenzylamine, *ab initio* calculations, 879
Group 12 coordination chemistry
Novel Schiff base–metal derivatives, Acylpyrazolonato-metal derivatives, ^{113}Cd NMR, 3041
Group 12 metal(II) complexes
2-Acetylpyridine-^{4}N-ethylthiosemicarbazone, X-ray structures, 3695
Guanidinates
Niobium, Tantalum, Benzamidinates, 2885

^{1}H–^{1}H COSY
Dinuclear dioxomolybdenum complex, Crystal structure, Hydrogen bonding, One-dimensional linear chain, 2-Mercaptophenol, 647
Hafnium
Alkoxides, Zirconium, Oxoalkoxides, 941
Halide abstraction
Cerium, Polychlorinated, 1475
Halides
Scandium, Hydroxide, Dehydration, 1845
Halogen
Triarylarsines, Adducts, Dihalides, Conductance (electrolytic), Steric effects, 1455
Hammett
Copper(II) complexes, Schiff-base ligands, Chiral symmetrical complexes, Circular dichroism, 897
Hard-modeling
Spectrophotometric titrations, Numerical analysis, Least-squares fit, Equilibria, Soft-modeling, 3227
Helical structures
Isoxazole ligands, Silver, Gold, Coordination compounds, 2769
Helicates
Ruthenium complexes, Metallosupramolecular chemistry, X-ray structure, Oligopyridines, 159
Heliocentric metallostars
2,2′:6′,2″:6″,2‴-quaterpyridine ligands, Double-helical spontaneous assembly, 3093
Hemicyanine cation
Photoelectric conversion, Second-harmonic generation, Transition metal complex anions, Single-crystal structure, 1513
Heterobimetallic cyano-bridged complexes
Synthesis, Crystal structure, Magnetic properties, 3019
Fe–Sn heterobimetallics
Semicarbazone, Thiosemicarbazone, Crystal structures, 2483
Heterocumulene
Copper(I), Aryloxide, Oligomeric structures, Fluoresence, 949
Heterocycle(s)
Molybdenum, Palladium, Phosphorus, Metal complexes, 1183
Coordination, X-Ray, Platinum, 1761
Organomercurials, Microwave assisted, Dry media, Solid support, 2641
Heterocycles
o-Carborane, Thiolato-substituted, Carbamato-substituted, 1279
N-heterocycles
Copper(II), Manganese(II), Salicylic acid, *cis*-5-norbornene-*endo*-2, 3-dicarboxylic acid, *Candida albicans*, 2931
N-heterocyclic bases
Substitution, UV–Vis spectrophotometry, Pt(II) complexes, 1569
Heterodifunctional ligands

Gold(I) complexes, Chloride metathesis, X-ray crystallography, 1135
Heterometallic boron
Monogold derivatives, Butterfly clusters, 2415
Heterometallic complex
Vanadium, Iron, Structure, Spectra, Magnetism, 3153
Heterometallics
Iron, Molybdenum, Tungsten, Sulfido, Chirality, 1541
Heteronuclear complexes
bpy ligand, {Ru(tpy)$_2$}, 1891
Heteropoly blue
Quinolin-8-ol, 1,10-phenanthroline, Charge-transfer complex, Z-scan, Third-order optical nonlinearity, 1419
Heteropolyanions
Polyoxometalates, Metal substituted polyoxotungstates, Copper, Tungstophosphate, Tungstoborate, EPR, 1163
Heteropolymolybdate
BEDT-TTF, X-ray crystallography, 3147
Heterotrinuclear complex
Iridium, Copper, Rigid phosphine ligand, 2,6-Bis(diphenylphosphino)pyridine, 493
Hetero-metallic
Ruthenium, Arene, Pyridyl, X-ray, 2981
Hexacoordinate
Silicates, Dianionic, Six membered ring, Bis(salicylato)diisothiocyanato, 2055
Hexacyanometalate
Coordination polymers, Molecular composites, Styryl pyridinium salts, Sn, Pb, 2711
Hexadentate ligand
Nickel(II), Copper(II), Zinc(II), Complexes, 2811
Hexakis(methylthio)benzene
X-ray structure, Copper(I) complex, Silver(I) complex, S···S contacts, 429
Hexamethyleneimine
6-methyl-2-acetylpyridine, Thiosemicarbazone, Palladium, Platinum, Crystal structure, 1177
Hexanedioic acid
X-ray structures, Coordination polymers, Cobalt(II) complex, Hydrogen bond, N-donor ligands, 657
Hexanuclear Zr(IV) complex
1,10-Phenanthroline, Elemental analysis, Infrared spectroscopy, X-ray crystallography, 787
High potential copper(I) complexes
Azopyrimidines, Distorted tetrahedral structure, 1909
High potential Ru(II) complexes
Azopyrimidines, Isomers, Structures, 2869
Hippuric acid
Copper complexes, 2,2′-Bipyridyl, X-ray diffraction, L-Proline, Dinuclear complex, 2505
Histamine
Crystal structures, Bis(oxalato)chromium(III) complex, B_6 vitamin, Pyridoxamine, 2001
Homogeneous catalyst
Manganese tetrasulphophthalocyanine, Phthalocyanine degradation, Sulphur dioxide oxidation, Aqueous phase, Stopped-flow technique, 561
Homogeneous hydrogenation
Ruthenium(II) complexes, Polyphosphine ligands, 469
Homoleptic
Metal–metal dimer, Triple bond, Alkyl, X-ray structure, Distal ligand, 1303
Host–guest interactions
Dinuclear Cu(II) complexes, Anionic guests, 1029
Human serum albumin
NMR, Contrast agent, Relaxation, Noncovalent binding, GdDTPA, 695
Hydration of di-2-pyridylketone
Cu and Mn complexes, Thiocyanate, Crystal structure, Thermal analysis, ESR spectra, 249
Hydrazine
Azides, Hydrazinium azide, 717
Hydrazinium azide
Azides, Hydrazine, 717
Hydrazone
Ferrocene, Planar chirality, Cyclopalladation, 577
Diferrocene, Lanthanide complex, Electrochemistry, 1247
Hydroborates
Hydrophobic anions, Diazonium salts, Amine derivatives, Nitrile derivatives, 931
Hydrodesulphurization
Spinel-type structure, Co-catalyst, Aging, 741
Hydrogen bond
X-ray structures, Coordination polymers, Cobalt(II) complex, Hexanedioic acid, N-donor ligands, 657
Osmium, Hydrogenolysis, Phosphine, Hydrolysis, 2575
β-octamolybdate, Configuration, Polyoxoanion, Conversion, Crystal structure, 3371
Hydrogen bonding
Dinuclear dioxomolybdenum complex, Crystal structure, One-dimensional linear chain, 2-Mercaptophenol, ^{1}H–^{1}H COSY, 647
Crystal structures, Copper(II) complexes, Chain complexes, Thiophene-2,5-dicarboxylic acid, Stacking interactions, 1211
Platinum, Thiosemicarbazide, Thiourea, X-ray crystal structure, Phosphine, 2665
Complexes, Copper, Sulfimides, Isomerism, 3173
Cobalt complexes, Crystal structure, Synthesis, Nitrosation, Biscyclohexylammonium cation, 3661
Hydrogenolysis
Osmium, Phosphine, Hydrolysis, Hydrogen bond, 2575
Hydrolysis
Oxygen insertion, Salan-Al compounds, 641
Macrocycles, Complexes, Transport, Phosphate diester, 1015
Poly-imidazole, Schiff base, Crystal structure, 1927
Osmium, Hydrogenolysis, Phosphine, Hydrogen bond, 2575
Hydrolytic cleavage of di-Schiff-base ligands
Crystal structures, Zinc(II) complexes, Template reactions, *N,N′*-bis[1-(pyridin-2-yl)ethylidene]ethane-1,2-diamine, *N*-[1-pyridin-2-yl)ethylidene]ethane-1,2-diamine, 2369
Hydrophobic anions
Hydroborates, Diazonium salts, Amine derivatives, Nitrile derivatives, 931
Hydrothermal synthesis
Strontium, Oxalate, 2499
β-Octamolybdate-supported complex, Crystal structure, 2971
Hydrotris(3,5-dimethylpyrazolyl)borate
Silver(I) complexes, Tris(pyrazolyl)borate complexes, 1335
Hydroxide
Scandium, Halides, Dehydration, 1845
Di-μ-hydroxotetrapicolinatodichromium(III)
Chromium(III) trispicolinate, Electronic spectroscopy, Chromium, Picolinic acid, Mass spectrometry, 2891
Hydroxo-complexes
Lead(II) clusters, Molecular structure, Stability, MNDO calculations, 2085
2-Hydroxyaryloximes
Nickel(II) complexes, α-Diimines, Crystal structure, Spectroscopy, Thermal behaviour, 3441
Hydroxyl groups deprotonation
β-Amino alcohols, Complex formation equilibria, Copper(II), Alkoxo chelates, Potentiometric and spectrophotometric study, 3263
Hydroxy-alkyl
Functionalised alkyls, Oxidative-hydroboration, Alkenyl compounds, 3377
Hyperquad protonation constants
N,N′-bis(carboxymethyl)dithiooxamide, *N,N′*-bis(1-carboxyethyl)dithiooxamide, Crystal and molecular structure, Dithiooxamide-valine derivative, Dithiooxamide-glycylglycine derivative, 3313
Hypoxanthine
Allopurinol, 6-Mercaptopurine, Copper, Magnetic coupling, Magnetic model, 1549

Identification
Synthesis, Crystal structure, Chromium (III), Nitrilotriacetate dimer, 2795
Imidazole(s)
Manganese complexes, Schiff bases, Salicylaldehydes, Cyclic voltammetry, 511
Copper(II), α,β-Unsaturated carboxylate, Characterization, Crystal structure, 2009
Crystal structures, Copper(II) complex, Tetranuclear cluster, Iron complexes, Tris(imidazolyl) ligand, 2047
Imide acids
Imides, Crystal structure, Fluorinated imides, 1751

Imides
Crystal structure, Imide acids, Fluorinated imides, 1751
Imido ligand, redox-functionalised
Crystal structure, Cyclic voltammetry, Ferrocene, functionalised, Iron, Molybdenum, 1815
Imidophosphinates
Cobalt, X-ray structure, Inorganic chelates, 1077
Indium, X-ray structure, Inorganic chelates, Trigonal–bipyramid, 3729
Imine–phenol macrocycles
Dinuclear lanthanide macrocycles, Schiff base macrocycles, Luminescent lanthanide macrocycles, 3123
Iminodiacetate
Copper(II), Benzimidazole, Crystal structure, Mixed-ligand complexes, Magnetic and spectral properties, 3341
Iminophosphine ligands
Cyclometalated palladium(II) complexes, Crystal structures, 3057
Indenyl ligand
Thermal rearrangement, Crystal structure, Fe–Fe bond, 1647
Indium
Second-order global analysis, Stability constants, Europium, Spectrophotometric titrations, 3243
Imidophosphinates, X-ray structure, Inorganic chelates, Trigonal–bipyramid, 3729
Inductively-coupled plasma mass spectrometry
Rare earth elements, Yttrium, Fluoride complexation, Stability constant, 2839
Industrial water treatment
Iron(III), Aluminium(III), 2-Phosphonobutane-1,2,4-tricarboxylic acid, Complex formation, 3275
Inert ammonias
Ruthenium tetraammine, ^{15}N NMR, 2017
Infrared spectra
Crystal structures, Spectra/structure correlations, Synthetic methods, 1189
Infrared spectroscopy
Cyclometallated, Palladium(II), Pseudohalides, NMR spectroscopy, Thermal analysis, 413
Hexanuclear Zr(IV) complex, 1,10-Phenanthroline, Elemental analysis, X-ray crystallography, 787
Infra-red
Phthalocyanines, Naphthalocyanines, Porphyrins, Sandwich complexes, Lanthanides, 2129
Inorganic chelates
Cobalt, Imidophosphinates, X-ray structure, 1077
Indium, Imidophosphinates, X-ray structure, Trigonal–bipyramid, 3729
$\pi-\pi$ Interactions
Complex, Zinc, Sulfur, Nitrogen, Crystal structure, Molecule packing, 3559
Intermolecular interaction
Platinum, Nitrile, Amide, 1863
Intramolecular rearrangement
Iridium(I,III) complexes, Oxidative addition, *cis*-$(PPh_3)_2$ complexes, Isomerization, 811
Iodide
Mixed-ring, Neodymium, Metallocene, 1389
Schiff base, N,N′-bis(4-antipyrylmethylidene)ethylenediamine, Lanthanides, Yttrium, Complexes, 1881
Iodine-doped uranium diphthalocyanine
Sandwich phthalocyanine, Raman spectroscopy, EPR, Crystal structure, 1621
Ion extraction
Lanthanum(III), Tetraethylmalonamide, Crystal structure, Phase transition, Nuclear reprocessing, 3599
Ionization constants
meso-2,3-dimercapto succinic acid, Potentiometry, Formation constants, 3257
IR
Cu(II) complexes, Chloroacetic acid, 1,2,4-triazolo-[1,5-α]-pyrimidine, Magnetic properties, UV–VIS, 519
Monodithiolate complex, Aurate, Raman spectra, 1545
Mononuclear copper complexes, Rntb ligands, Crystal structures, CV, UV–Vis, 1577
Organoantimony, Synthesis, NMR, 2609
IR and Raman spectroscopy
Lead oxoalkoxides, $Pb_6O_4(OR)_4$ clusters, Lead oxide, Sol-gel process, 1089
IR-spectra
Copper(II), nickel(II) and iron(III) complexes, 2,6-diacetylpyridine derivative, Crystal structure, 119
IR spectra
Mo–Cu cluster compounds, Crystal structure, 333
IR spectroscopy
Copper(I), *N*-donor ligand, *S*-donor ligand, 1941
Iridium
Copper, Heterotrinuclear complex, Rigid phosphine ligand, 2,6-Bis(diphenylphosphino)pyridine, 493
Fluorothiolato, Dioxygen, X-ray, 959
Mixed-metal clusters, Ruthenium, Osmium, Phosphine, 1675
Iridium(I)
Vaska-type complexes, Synthesis, 3031
IR, NMR spectroscopy
Plutonium, Lanthanides, Polypyrazolylborates, Crystal structure, 263
Iridium(I,III) complexes
Oxidative addition, *cis*-$(PPh_3)_2$ complexes, Isomerization, Intramolecular rearrangement, 811
Iron
Manganese, Pyrazole, Catalysis, Epoxidation, Dioxygen, 825
Alkenyl ligand, Sulfur-centered anion, Complex, Synthesis, 1131
Heterometallics, Molybdenum, Tungsten, Sulfido, Chirality, 1541
Crystal structure, Cyclic voltammetry, Ferrocene, functionalised, Imido ligand, redox-functionalised, Molybdenum, 1815
Ligands, 2,2′:6′,2″-Terpyridine, Sugar, Ruthenium, Supramolecular chemistry, 2433
Thiosemicarbazone, 2-Pyridineformamide, Crystal structure, Cobalt, Nickel, 2919
Vanadium, Heterometallic complex, Structure, Spectra, Magnetism, 3153
Iron carbonyl(s)
Trimethylamine *N*-oxide, Iron carbonyl radical anions, Trimethylamine *N*-oxide induced CO-groups substitution, 2605
Organoiron polydentate ligand, Dinuclear complex, Phosphine oxide, 3465
Iron carbonyl radical anions
Iron carbonyls, Trimethylamine *N*-oxide, Trimethylamine *N*-oxide induced CO-groups substitution, 2605
Iron complexes
Crystal structures, Mononuclear, Trinuclear, Four-coordinate, Cobalt complexes, 423
Cyclophosphazenes, Nitrile complexes, Ruthenium compounds, 1479
Crystal structures, Copper(II) complex, Tetranuclear cluster, Imidazole, Tris(imidazolyl) ligand, 2047
Quercetin, Redox chemistry, Fenton chemistry, 2233
Iron (III)
Citric acid, Orthophosphoric acid, Mixed ligand complexes, Thermodynamic characterization, 3269
Adenosine triphosphate (ATP), Coordination sites, NMR relaxation enhancements, 2327
Iron-chelator, β-Thalassemia, Deferrioxamine, 3219
Aluminium(III), 2-Phosphonobutane-1,2,4-tricarboxylic acid, Complex formation, Industrial water treatment, 3275
Tropolone, Dimer, Complexation, Kinetics, Stopped-flow, 3289
Iron(III) complex
Azido complex, Cyclam, Mössbauer spectroscopy, X-ray diffraction, 2201
Iron-chelator
β-Thalassemia, Deferrioxamine, Iron(III), 3219
Isoleucine
Spectroscopy, X-ray, Cooperative interaction, Chirality effect, Lanthanides, 2701
Isomerism
ESR, Copper(II) complexes, l-Serine, Coordination, 1969
Ruthenium, Nitrosyl, Complexes, Biphosphines, X-ray structure, 2079
Complexes, Copper, Sulfimides, Hydrogen bonding, 3173
Isomerism of coordination compounds
Adducts of zinc(II) dithiocarbamate complexes, Nitrogen bases, X-ray diffraction, ESR, CP/MAS ^{13}C and ^{15}N NMR, 2069
Isomerization

Iridium(I,III) complexes, Oxidative addition, *cis*-$(PPh_3)_2$ complexes, Intramolecular rearrangement, 811

Isomers
Azopyrimidines, High potential Ru(II) complexes, Structures, 2869

Isotherms of adsorption of CuX_2
2-Aminothiazole, Modified silica gel, Electron spin resonance, Copper complexes with 2-aminothiazole, Copper complexes, 2241

Isothiosemicarbazides
Nickel(II) complexes, Cobalt(III) complexes, Crystal structure, Anion binding, 451

Isoxazole ligands
Silver, Gold, Coordination compounds, Helical structures, 2769

Isoxicam
Electrochemical synthesis, Direct synthesis, Metal complexes, Piroxicam, Supporting electrolytes, 2651

Keggin structure
Organotin, Sandwich structure, Antitumoral activity, 2293

Kinetic studies
Diazadioximes, Copper(II) complex, 1917

Kinetics
1,10-phenanthroline tetradentate diamine, Acid dissociation, Mechanism, Copper(II) complex, 1045
Redox reactivity, $[Ru^{III}(edta)(NC)Fe^{III}(CN)_5]^{4-}$, $[Ru^{III}(edta)(NC)Fe^{II}(CN)_5]^{5-}$, Ascorbic acid, Peroxydisulfate, Electron transfer, 1767
Oxo-functionalisation, $[Ru^{III}(amp)(bipy)Cl]$, *t*-BuOOH, Cyclohexene, Cyclohexane, Stilbenes, 2659
Tropolone, Iron(III), Dimer, Complexation, Stopped-flow, 3289

Kinetics and mechanism
Ruthenium binuclear complexes, Electron transfer, Mixed-valence, Peroxydisulfate, 25

Kinetics of oxidation of glycine
Mechanism of oxidation by diperiodatoargentate(III), Oxidation of glycine by silver(III), Oxidation of amino acids, Reactivity of different silver(III) species, 773

Knudsen effusion mass spectrometry
Vaporisation, Thermodynamics, $NaNdCl_4(g)$, 2845

Kläui's ligand
Dioxo complexes, Molybdenum, 1485

Kröhnke methodology
Ruthenium(II) complex, X-ray crystal structure, Oligopyridine, 2445

Ladder-like structure
Manganese(II) complex, 2,3-Pyrazinedicarboxylic acid, 1507

Lanthanide(s)
Plutonium, Polypyrazolylborates, IR, NMR spectroscopy, Crystal structure, 263
2,2,6,6-Tetramethyl-3,5-heptanodione, Thermochemistry, Lanthanide-oxygen bond, 969
Lanthanum, Terbium, Coordination polymer, Double betaine, Crystal structure, 1519
Cyclopentadienyl, Benzothiazole-2-thiolate, Synthesis, Crystal structure, 1533
Macrocyclic complexes, Lanthanide macrocycles, Substituted macrocycles, FAB mass spectrometry, 1561
Oxalate, Oxydiacetate, Crystal structure, Thermal behavior, 1653
X-ray structure, Polymeric, bis-compound, 1821
Schiff base, N,N′-bis(4-antipyrylmethylidene)ethylenediamine, Yttrium, Iodide, Complexes, 1881
Phthalocyanines, Naphthalocyanines, Porphyrins, Infra-red, Sandwich complexes, 2129
Spectroscopy, X-ray, Cooperative interaction, Chirality effect, Isoleucine, 2701
Cryptate, Electrospray mass spectrometry, 3637
Ternary complexes, 3,5-Di-*tert*-butyl-γ-resorcylic acid, Substituted pyridine-*N*-oxides, Characterization, Single-crystal structure, 3723

Lanthanide complex(es)
Diferrocene, Hydrazone, Electrochemistry, 1247
Schiff base macrocycles, Crystal structure, NMR of paramagnetic compounds, 443
Crown ether, Luminescence, quantum yield, Lifetime, 1853

Lanthanide macrocycles
Lanthanides, Macrocyclic complexes, Substituted macrocycles, FAB mass spectrometry, 1561

Lanthanide oxide
Synthesis of lanthanide chloride complexes, Crystal structure, Chlorotrimethylsilane, 529

Lanthanide-oxygen bond
Lanthanide, 2,2,6,6-Tetramethyl-3,5-heptanodione, Thermochemistry, 969

Lanthanoid(III) chloranilate
EXAFS, Dehydration process, 3433

Lanthanum
Lanthanide, Terbium, Coordination polymer, Double betaine, Crystal structure, 1519

Lanthanum(III)
Tetraethylmalonamide, Crystal structure, Phase transition, Ion extraction, Nuclear reprocessing, 3599

Lead
Thallium, Crystal structures, Bis[pyrazolyl]borate, 721
Complex, Calix[4]arenesulfonate, Organic clay, X-ray structure, 1055

Lead halide adducts
X-ray structure, Lone pair of electrons, 3491

Lead oxide
Lead oxoalkoxides, $Pb_6O_4(OR)_4$ clusters, IR and Raman spectroscopy, Sol-gel process, 1089

Lead oxoalkoxides
$Pb_6O_4(OR)_4$ clusters, Lead oxide, IR and Raman spectroscopy, Sol-gel process, 1089

Lead selenide
Nanocrystals, Metal diselenocarbamate complexes, 1171

Lead(II) clusters
Hydroxo-complexes, Molecular structure, Stability, MNDO calculations, 2085

Least-squares fit
Spectrophotometric titrations, Numerical analysis, Equilibria, Soft-modeling, Hard-modeling, 3227

Lifetime
Lanthanide complexes, Crown ether, Luminescence, quantum yield, 1853

Ligand(s)
Phosphines, X-ray crystallographic studies, 1603
Air-stable Ni(III) complex, Nickel, 2229

N-Ligand
Metal complex, Piperazine, Transition metals, X-Ray structure, 2265
2,2′:6′,2″-Terpyridine, Sugar, Iron, Ruthenium, Supramolecular chemistry, 2433

Ligand exchange(s)
Crystal structure, Thallium porphyrin complexes, *cis* geometries, Salicyato ligand, Low temperature ^{13}C NMR analysis, 145
Oxorhenium(V), Mixed-ligand complexes, Crystal structure, 1793

Ligand substitution onto Re(III)-alkylthioureas
Rhenium(III), Alkylthioureas complexes, $[Re(N\text{-ethylthiourea})_6](PF_6)_3$ structure, $[Re(N,N'\text{-dimethylthiourea})_6](PF_6)_3$ structure, Synthesis of diphosphine rhenium(III) complexes by ligand substitution, 2099

Ligand substitutions
Crystal structures, Ruthenium, NMR spectroscopy, 1835

Lithium cyclopentadienides
P-H-functionalised phosphinocyclopentadienes, 2113

Lone pair of electrons
Lead halide adducts, X-ray structure, 3491

Low dimensional
Solvothermal, Copper, Pyrazine, 1379

Low temperature
Static copper(II) stereochemistries, Cation distortion isomer, 611

Low temperature ^{13}C NMR analysis
Crystal structure, Thallium porphyrin complexes, *cis* geometries, Salicyato ligand, Ligand exchange, 145

Low-molecular-weight chromium-binding substance
Chromium(III) tris(picolinate),

Chromium(III) complexes, DNA nicking complexes, Trinuclear complexes, 2617
Lumazine
Crystal structure, Complexes, Pteridine, 85
Luminescence
Europium complex, Crystal structure, 487
Lanthanide complexes, Crown ether, quantum yield, Lifetime, 1853
Luminescent lanthanide macrocycles
Dinuclear lanthanide macrocycles, Schiff base macrocycles, Imine–phenol macrocycles, 3123

Macrocycle(s)
Amide, Nickel, Exchange, Barium, Structure, 679
Complex, Structure, Conformation, Molecular mechanics, Stability constant, 3451
N-carboxymethyl oxa-tetraaza macrocyle, Metal complexes, Stability constants, Dinuclear complexes, EPR copper(II) complexes, 3479
Complexes, Transport, Hydrolysis, Phosphate diester, 1015
Polyamines, Protonation, Stability constants, Copper(II), Nickel(II), 3417
Macrocyclic complexes
Lanthanides, Lanthanide macrocycles, Substituted macrocycles, FAB mass spectrometry, 1561
Macrocyclic compound
Oxamide, Tetranuclear complexes, Copper(II)–Iron(III) complexes, Magnetism, 3643
Macrocyclic ligands
Coordination complexes, *N,N′,N″*-1,4,7-Triazacyclononane, 1229
ATP, ADP, AMP, Triphosphate, Pyrophosphate, Phosphate, 3203
Macrocyclic tetraamines
Dioxygen carriers, Co(II) complexes, Complex formation enthalpy, Complex formation kinetics, Protonation enthalpy, 3295
Macrocyclic zinc(II) complex
Chromate bridge, 497
Macromolecular complexes
Cyclophosphazenes, Polyphosphazenes, Phenolic phosphine, Carbonyls, Cesium carbonate, 2853
Macrotetracyclic complexes of nickel(II)
Crown ether, Pendant arm, Binding properties, Electrochemical behavior, 2597
Magnetic and spectral properties
Copper(II), Iminodiacetate, Benzimidazole, Crystal structure, Mixed-ligand complexes, 3341
Copper complexes, Thiosemicarbazone complexes, 1123
Magnetic and spectroscopic properties
Copper complexes, Structure, ESR, Thiosemicarbazone complexes, 3703
Magnetic behavior
Copper(II) complex, Azido complex, Crystal structure, Alternating chain, 211
Magnetic coupling
Hypoxanthine, Allopurinol, 6-Mercaptopurine, Copper, Magnetic model, 1549
Magnetic model
Hypoxanthine, Allopurinol, 6-Mercaptopurine, Copper, Magnetic coupling, 1549
Magnetic properties
Cu(II) complexes, Chloroacetic acid, 1,2,4-triazolo-[1,5-α]-pyrimidine, UV–VIS, IR, 519
Copper(II) complexes, μ-oxalato dimers, Crystal structure, ESR, 1235
Nickel(II) complexes, Copper(II) complexes, Zinc(II) complexes, Oxalato-bridged complexes, Crystal structure, 2787
Heterobimetallic cyano-bridged complexes, Synthesis, Crystal structure, 3019
Magnetic properties
Cu dimers, 2-Anilinopyridine, Ferromagnetic dimer, Antiferromagnetic dimer, Crystal structure, 3605
Magnetic studies
Binucleating ligands, Binuclear copper(II) complexes, Electrochemical studies, 1363
Magnetic susceptibility
Cu picolinates, Mn picolinates, Degradation of bis(2-pyridyl-ketone), Crystal structure, ESR spectroscopy, 1311
Magnetism
Nitronyl nitroxide, Copper complex, 781
Tricopper(II) complex, 4-(2-Pyridyl)-1,2,4-triazole, Crystal structure, 1491
Copper(II), Alkoxo-bridged, Picolines, Crystal structure, 1991
Vanadium, Iron, Heterometallic complex, Structure, Spectra, 3153
Macrocyclic compound, Oxamide, Tetranuclear complexes, Copper(II)–Iron(III) complexes, 3643
Manganese
Iron, Pyrazole, Catalysis, Epoxidation, Dioxygen, 825
Rhenium, Distibine, NMR, 2673
Manganese complexes
Schiff bases, Imidazoles, Salicylaldehydes, Cyclic voltammetry, 511
Aqua complexes, Crystal structures, Tetrazolato complexes, Azido complexes, 1,3-Dipolar cycloadditions, 2563
Manganese tetrasulphophthalocyanine
Phthalocyanine degradation, Sulphur dioxide oxidation, Aqueous phase, Stopped-flow technique, Homogeneous catalyst, 561
Manganese(II)
α-Alanine complexes, X-ray analyses, 2321
Copper(II), Salicylic acid, *cis*-5-norbornene-*endo*-2, 3-dicarboxylic acid, *Candida albicans*, *N*-heterocycles, 2931
β-Diketonates, Crystal structure, MOCVD, 3505
Manganese(II) complex
Ladder-like structure, 2,3-Pyrazinedicarboxylic acid, 1507
Manganese(II) dinuclear complex
Crystal structure, Electrospray MS, 2-(2′-pyridyl)quinoxaline, 1615
MAS NMR
Mullite, Combined XRD/EXAFS, 1083
CP/MAS ^{13}C and ^{15}N NMR
Adducts of zinc(II) dithiocarbamate complexes, Nitrogen bases, Isomerism of coordination compounds, X-ray diffraction, ESR, 2069
Mass spectrometry
Nickel thiolato complexes, Crystal structure, 1115
Nickel(II) complexes, Crystal structure, Stability, 2803
Chromium(III) trispicolinate, Electronic spectroscopy, Di-μ-hydroxotetrapicolinatodichromium(III), Chromium, Picolinic acid, 2891
Mechanism
1,10-phenanthroline tetradentate diamine, Acid dissociation, Kinetics, Copper(II) complex, 1045
Nickel complexes, Dichloroethyne, Alkyne complexes, Phosphonioacetylide complexes, 3187
Mechanism of oxidation by diperiodatoargentate(III)
Oxidation of glycine by silver(III), Kinetics of oxidation of glycine, Oxidation of amino acids, Reactivity of different silver(III) species, 773
MeOH solution
Ru^{II} complex, $RuHCl(CO)(Hdmpz)(L)_2$, 2625
Mercaptonicotinic acid complexes
Crystal structure Pd(II) mercaptonicotinic complex, Trinuclear palladium complex, Trinuclear platinum complex, Density functional calculations, 3675
2-Mercaptophenol
Dinuclear dioxomolybdenum complex, Crystal structure, Hydrogen bonding, One-dimensional linear chain, ^1H–^1H COSY, 647
6-Mercaptopurine
Hypoxanthine, Allopurinol, Copper, Magnetic coupling, Magnetic model, 1549
Mercury
Complexes, Pyrrolizinato, Tetracyanoethylene, XPS, 799
Bisferrocenylimine, Crystal structure, 1023
Mercury complex
Zinc complex, Trimethylene-bisadenine, X-ray structure, 3077
meso-2,3-dimercapto succinic acid
Potentiometry, Formation constants, Ionization constants, 3257
Metal
Coordination, Pyrimidine, Bio-inorganic, 689
Coordination, Pyrimidine, Bioinorganic, 793
Metal carbonyl
Cyanocarbanion, Tungsten complex, Crystal structure, Electrochemistry, 1935
Metal complex(es)

Molybdenum, Palladium, Phosphorus, Heterocycles, 1183
Polyphosphine, ^{31}P NMR, coupling constant, steric hindrance, 2117
N-Ligand, Piperazine, Transition metals, X-Ray structure, 2265
Electrochemical synthesis, Direct synthesis, Piroxicam, Isoxicam, Supporting electrolytes, 2651
Macrocycle, *N*-carboxymethyl oxa-tetraaza macrocyle, Stability constants, Dinuclear complexes, EPR copper(II) complexes, 3479

Metal diselenocarbamate complexes
Lead selenide, Nanocrystals, 1171

Metal multiple bond
Molybdenum, Tungsten, Ph_2Se_2, Synthesis, Characterization, 19

Metal oxides
Molybdenum, Vanadium, Chiral ligands, X-ray, 2533

Metal substituted polyoxotungstates
Polyoxometalates, Heteropolyanions, Copper, Tungstophosphate, Tungstoborate, EPR, 1163

Metallation
Cyclopalladation, Palladacycles, Ferrocenylamines, 135

Metallic alkoxide
Alkylaluminum, Alkylgallium, Alkylindium, Polymer cocatalyst, 2423

Metallocene
Mixed-ring, Neodymium, Iodide, 1389

Metalloproteins
Benzimidazole, Antiferromagnetism, Dicopper(II) complexes, Electrochemistry, 1355

Metallosupramolecular chemistry
Helicates, Ruthenium complexes, X-ray structure, Oligopyridines, 159

Metal–metal bonds
Diruthenium compounds, Carboxylate dimers, Multiple bonds, Ruthenium complexes, 371
Small molecule activation, Amidate synthesis, 915

Metal–metal dimer
Alkoxide, π bonding, X-ray structure, Proximal ligand, Distal ligand, 1293
Triple bond, Alkyl, Homoleptic, X-ray structure, Distal ligand, 1303

Metal–metal double bond
Selenium, Molybdenum, Tungsten, Characterization, Reaction, 2163

Metal–metal interactions
Gold, Cyclic voltammetry, Thiols, 593

Metal-carbonyl
Polypyridine complexes, 2,4,6-tris(2-pyridyl)-1,3,5-triazine, Synthesis, Rhenium(I) complexes, Tricarbonyl complexes, 1061

Metal-containing dendrimers
Dendrimeric ligands, Transition–metal complexes, 3575

Metastable compounds
Polymorphs, Organoselenium compounds, 3391

Methoxyethylcyclopentadienyl
Organolanthanide complexes, Schiff base, Tetrahydrofurfurylcyclopentadienyl, C_2-Symmetry, Crystal structure, 2345

N-methylbenzothiazole-2(3H)-thione and *N*-methylbenzothiazole-2(3H)-selone
Adducts with ICl, Crystal structures, FT-Raman, 3107

1-Methylbenzotriazole complexes
Copper(II) bromide complexes, X-ray crystallography, Spectroscopic characterization, 3067

Methyl/ethyl thiocarbamylpyrazole
Copper and nickel(II) complexes, Synthesis, Spectroscopy, X-ray crystal structure, 1

Methylformyl pyrazole methylthiosemicarbazone
Ni(II) complexes, X-ray structure, Spectroscopic studies, 571

Methylmercury and dimethylthallium complexes
Crystal structure, NMR (multiprobe) spectroscopy, 3653

6-methyl-2-acetylpyridine
Thiosemicarbazone, Hexamethyleneimine, Palladium, Platinum, Crystal structure, 1177

Microwave assisted
Organomercurials, Dry media, Solid support, Heterocycle, 2641

Mixed bis(thiosemicarbazone)
Nickel, Copper, Pyruvaldehyde, 2759

Mixed ligand approach
Oxotechnetium, Oxorhenium, Preformed chelate approach, 3545

Mixed ligands
Cobalt complexes, Arsenic, Selenium, 347

Mixed phosphathia ligands
Cr(III) and Co(III) complexes, Crystal structure, 3553

Mixed valence
Copper complexes, Structure, Oxidation, Binucleating ligand, 2399

Mixed-ligand complexes
Gold(III) compounds, Diphenylthiocarbazone, Organogold compounds, X-ray structures, 749
Oxorhenium(V), Ligand exchanges, Crystal structure, 1793
Iron (III), Citric acid, Orthophosphoric acid, Thermodynamic characterization, 3269
Copper(II), Iminodiacetate, Benzimidazole, Crystal structure, Magnetic and spectral properties, 3341

Mixed-metal alkoxides
Niobium, Cerium, Titanium, Alkoxides, Diolates, 3497

Mixed-metal clusters
Ruthenium, Osmium, Iridium, Phosphine, 1675

Mixed-ring
Neodymium, Metallocene, Iodide, 1389

Mixed-valence
Ruthenium binuclear complexes, Electron transfer, Peroxydisulfate, Kinetics and mechanism, 25

MNDO calculations
Lead(II) clusters, Hydroxo-complexes, Molecular structure, Stability, 2085

Mn(III)
Aerobic epoxidation, Chiral catalysis, Chiral Schiff base, Enantioselective, Non-functionalized olefins, 1773

Mn(III) complex
Schif base, Salicylaldehyde, Crystal structure, 197

Mn picolinates
Cu picolinates, Degradation of bis(2-pyridyl-ketone), Crystal structure, ESR spectroscopy, Magnetic susceptibility, 1311

Mo–Bi–S(O) double cubane cluster
Synthesis, Crystal structure, Spectrum, 281

Mo–Cu cluster compounds
Crystal structure, IR spectra, 333

MOCVD
β-Diketonates, manganese(II), Crystal structure, 3505

Modified silica gel
2-Aminothiazole, Electron spin resonance, Copper complexes with 2-aminothiazole, Copper complexes, Isotherms of adsorption of CuX_2, 2241

Molecular composites
Coordination polymers, Styryl pyridinium salts, Hexacyanometalate, Sn, Pb, 2711

Molecular mechanics analysis
Pd···Pd contacts, Pd···H(—C) contacts, *R*-aminohexahydroazepine-dichloropalladium(II), *N*-ethyl-*R*-aminohexahydroazepine-dichloropalladium(II), 2149

Molecular mechanics
Copper, L-*N*,*N*-dipropylalanine, *N*-alkylated amino acids, Force field, Conformational analysis, 2301
Macrocycle, Complex, Structure, Conformation, Stability constant, 3451

Molecular structure
Octanuclear thiolate complex, Synthesis, Radical scavenging, 735
Aminoalane, Adduct, NMR, Secondary amine, Triethylaluminum, 1595
Copper(II) complexes, Dien, 2-Amino-5-methyl-1,3-thiazole, Crystal structure, Ab initio calculations, 1661
Lead(II) clusters, Hydroxo-complexes, Stability, MNDO calculations, 2085

Molecule packing
Complex, Zinc, Sulfur, Nitrogen, Crystal structure, $\pi-\pi$ Interactions, 3559

Molybdenum
Crystal structures, Phosphines, Photochemistry, NMR Spectroscopy, 203
Palladium, Phosphorus, Heterocycles, Metal complexes, 1183
Dioxo complexes, Kläui's ligand, 1485
Heterometallics, Iron, Tungsten, Sulfido,

Chirality, 1541
Crystal structure, Cobalt, Cluster compounds, 1555
Crystal structure, Cyclic voltammetry, Ferrocene, functionalised, Imido ligand, redox-functionalised, Iron, 1815
Metal–metal double bond, Selenium, Tungsten, Characterization, Reaction, 2163
Metal multiple bond, Tungsten, Ph_2Se_2, Synthesis, Characterization, 19
Vanadium, Chiral ligands, Metal oxides, X-ray, 2533
Aluminum, Gallium, Cluster, Carboxylate complex, Chain complex, 3411

Molybdenum complexes
Cluster compounds, Tellurium-rich compounds, Crystal structures, 217

Molybdenum oxotransferase
Dioxo molybdenum complex, Synthesis, 2491

Molybdenum tetracarbonyl Complexes
Cyclotriphosphazanes, P-N ring conformation, Negative hyperconjugation, 437

Molybdenum(II) Tungsten(II)
Bimetallic phospine-bridged, Crystal structure, 257
Bimetallic–linear triphos-bridged, Tungsten(II), Alkyne complex, Cyclopentadienyl, 729

Molybdosilicateheteropoly anion
Charge-transfer salt, Dibenzotetrathiofulvalene, Crystal structure, 481

Molybdovanadates
Oxalato ligand, Crystal structure determination, 2781

Monodithiolate complex
Aurate, IR, Raman spectra, 1545

Monogold derivatives
Butterfly clusters, Heterometallic boron, 2415

Monomeric structures
Oxovanadium(IV) complexes, Polymeric structures, Electronic influence of substituents, 3035

Mononuclear
Polypyridyl ligands, Dinuclear, Fluxional, Bidentate, Pentamethylcyclopentadiene, Quasi-reversible, 299
Crystal structures, Trinuclear, Four-coordinate, Iron complexes, Cobalt complexes, 423

Mononuclear chelates
Electrosynthesis, Azomethinic ligands, 985

Mononuclear copper complexes
Rntb ligands, Crystal structures, CV, IR, UV–Vis, 1577

Mononuclear iron(III) complex
4,5-Dichloro-1,2-bis(pyridine-2-carboxamido)benzene, μ-Oxo-bridged diiron(III) complex, Temperature-dependent magnetic studies, Mössbauer spectral studies, Crystal structure of a mononuclear iron(III) complex, 1317

Mössbauer
X-ray crystallography, Triorganotin thiolates, Chelates, Organotin compounds, 2961

Mössbauer spectral studies
4,5-Dichloro-1,2-bis(pyridine-2-carboxamido)benzene, Mononuclear iron(III) complex, μ-Oxo-bridged diiron(III) complex, Temperature-dependent magnetic studies, Crystal structure of a mononuclear iron(III) complex, 1317

Mössbauer spectroscopy
Azido complex, Cyclam, X-ray diffraction, Iron(III) complex, 2201

Mössbauer spectroscopy
Zintl phases, Tin–chalcogen, 2427

MOVPE
Ditertiarybutylselenide, One pot synthesis, Selenides, Semi-conductors, 1329

MRI
Gadolinium complexes, Contrast agents, Relaxivity, Thermodynamics, Paramagnetic complexes, 109
Paramagnetic gadolinium(III) complex, Contrast agent, Relaxivity, 1147

Mullite
Combined XRD/EXAFS, MAS NMR, 1083

Multidentate N-heterocycles
Cyclometallation, Rhodium, 1,3-Bis(benzimidazolyl)benzene, 1,3-Bis(*N*-methylbenzimidazolyl)benzene, Binuclear complexes, 2351

Multiple bonds
Diruthenium compounds, Metal–metal bonds, Carboxylate dimers, Ruthenium complexes, 371

Multiply-bonded
Dichromium, Formamidinate, 817

N-donor ligand(s)
X-ray structures, Coordination polymers, Cobalt(II) complex, Hydrogen bond, Hexanedioic acid, 657
Copper(I), *S*-donor ligand, IR spectroscopy, 1941

$NaNdCl_4(g)$
Vaporisation, Thermodynamics, Knudsen effusion mass spectrometry, 2845

Nanocrystals
Lead selenide, Metal diselenocarbamate complexes, 1171

Naphthalocyanines
Phthalocyanines, Porphyrins, Infra-red, Sandwich complexes, Lanthanides, 2129

Negative hyperconjugation
Cyclotriphosphazanes, Molybdenum tetracarbonyl Complexes, P-N ring conformation, 437

Neodymium
Mixed-ring, Metallocene, Iodide, 1389

Nephelauxetic effect
Nickel(II) complexes, Coenzyme M, Redox potentials, 3383

Nickel
Amide, Exchange, Macrocycle, Barium, Structure, 679
Air-stable Ni(III) complex, Ligand, 2229
Complexes, Platinum, Dithiocarbazates, Dithiolene-like, Electron-transfer, 2377
Copper, Mixed bis(thiosemicarbazone), Pyruvaldehyde, 2759
Thiosemicarbazone, 2-Pyridineformamide, Crystal structure, Cobalt, Iron, 2919
Thiolates, Clusters, Crystal structure, 3407

Nickel complex(es)
Crown ether, Cryptand, Crystal structure, Redox properties, 1957
Crystal structures, Cubane complexes, Ferromagnetic behaviour, Zero Field Splitting, 909
Polynuclear complexes, Crystal structure, Pyridine complexes, 1903
Dichloroethyne, Alkyne complexes, Phosphonioacetylide complexes, Mechanism, 3187

Nickel (II) complexes
Electrochemical synthesis, Amide complexes, X-ray, 1669
Schiff base ligand, Tetradentate ligand, Crystal structure, 39
Methylformyl pyrazole methylthiosemicarbazone, X-ray structure, Spectroscopic studies, 571
Schiff base ligand, Tetradentate ligand, Polymeric complexes, 585

Nickel thiolato complexes
Crystal structure, Mass spectrometry, 1115

Nickel(II)
Copper(II), Chiral, Tetradentate, Crystal structure, CD, 75
Copper(II), Zinc(II), Complexes, Hexadentate ligand, 2811
Macrocycles, Polyamines, Protonation, Stability constants, Copper(II), 3417

Nickel(II) benzylisopropyldithiocarbamate complexes
Synthesis, Study, X-ray structure, 2879

Nickel(II) complex(es)
Pentadentate carbonato, Crystal structure, Selenocyanate, Antiferromagnetic coupling, Bis-(3aminopropyl) methylamine, 377
Cobalt(III) complexes, Isothiosemicarbazides, Crystal structure, Anion binding, 451
Trithiocyanuric acid, Synthesis, X-ray structure, Cyclic voltammetry, 1779
Tetraaza macrocycle, Functionalized macrocycle, Copper(II) complex, 2193
Copper(II) complexes, Zinc(II) complexes, Oxalato-bridged complexes, Magnetic properties, Crystal structure, 2787
Crystal structure, Stability, Mass spectrometry, 2803
Pyridine, Thiazoline, Thiazolidine, 2907
Crystal structure, N-functionalized macrocycle, Copper(II) complex, 3013
Nephelauxetic effect, Coenzyme M, Redox potentials, 3383
2-Hydroxyaryloximes, α-Diimines, Crystal structure, Spectroscopy, Thermal

behaviour, 3441
Nickel(II) thiazolidinedithiocarbamate complexes
Syntheses, Study, X-ray structure, 151
Niobium
Diolates, Alkoxides, Sol–gel, 845
Tin, Organometallic oxide, 2823
Tantalum, Benzamidinates, Guanidinates, 2885
Cerium, Titanium, Alkoxides, Diolates, Mixed-metal alkoxides, 3497
Nitric oxide
Rhenium, Nitrosyl, X-ray structure, Electronic structure, 2313
Nitrido bridges
Rhenium, Boron, Gallium, Crystal structure, 831
Nitrile
Platinum, Amide, Intermolecular interaction, 1863
Nitrile complexes
Cyclophosphazenes, Iron complexes, Ruthenium compounds, 1479
Nitrile derivatives
Hydroborates, Hydrophobic anions, Diazonium salts, Amine derivatives, 931
Nitrilotriacetate dimer
Synthesis, Identification, Crystal structure, Chromium (III), 2795
Nitrito
Crystal structure, Complexes, Schiff bases, Uracil, 351
Nitrito complexes
Copper(II)-(3,3′,3″-triaminotripropylamine) complexes, Copper(II)-(2,2′,2″-triaminotriethylamine) complexes, Azido complexes, Dinuclear copper(II) complexes, Polymeric copper(II) complexes, Crystal structure, Tripod amines, 2061
Nitrogen
Complex, Zinc, Sulfur, Crystal structure, Molecule packing, $\pi-\pi$ Interactions, 3559
Nitrogen bases
Adducts of zinc(II) dithiocarbamate complexes, Isomerism of coordination compounds, X-ray diffraction, ESR, CP/MAS ^{13}C and ^{15}N NMR, 2069
Nitrogen ligands
Cobalt complexes, 1,2-bis-(4-pyridyl)ethane, Self-assembly, 243
Nitronyl nitroxide
Copper complex, Magnetism, 781
N′-(*p*-nitrophenyl)-*N′*-ethoxycarbonyl-thiourea
Synthesis, Crystal structure, Cu^{II} complex, 33
Nitrosation
Cobalt complexes, Crystal structure, Synthesis, Biscyclohexylammonium cation, Hydrogen bonding, 3661
Nitrosyl
Ruthenium, Complexes, Biphosphines, X-ray structure, Isomerism, 2079
Rhenium, X-ray structure, Electronic structure, Nitric oxide, 2313
NMR
Ruthenium, Terpyridine, X-ray, UV/vis, 601
Contrast agent, Relaxation, Noncovalent binding, GdDTPA, Human serum albumin, 695
Palladium, Pyridine-2-thiolate, Pyridine-2-selenolate, Dialkyldithiophosphates, X-ray, 1253
Aminoalane, Adduct, Molecular structure, Secondary amine, Triethylaluminum, 1595
Phosphonic acids and derivatives, Platinum(II) complexes, X-ray analysis, ES-MS, Vibrational spectroscopy, 2169
Cryptate, Barium, 2185
Organoantimony, Synthesis, IR, 2609
Manganese, Rhenium, Distibine, 2673
Palladium, Platinum, Dithiocarbamate, Cytostatic activity, 2827
^{27}Al NMR
Aluminum(III) ion, Phosphinate ion, Phosphite ion, Complex formation, Thermodynamic parameters, 2041
^{9}Be NMR
Beryllium complexes, Phosphonate ligands, Stability constants, 3253
^{113}Cd NMR
Novel Schiff base–metal derivatives, Group 12 coordination chemistry, Acylpyrazolonato-metal derivatives, 3041
^{15}N NMR
Rutheniumtetraammine, Inert ammonias, 2017
^{31}P NMR
Polyphosphine, coupling constant, steric hindrance, metal complex, 2117
NMR investigation
Aluminium oxides, Trimer–dimer equilibrium, 905
NMR (multiprobe) spectroscopy
Methylmercury and dimethylthallium complexes, Crystal structure, 3653
NMR of gold phosphine complexes
Disproportionation, Cyanogold(I) complexes, 1401
NMR of paramagnetic compounds
Schiff base macrocycles, Lanthanide complexes, Crystal structure, 443
NMR relaxation enhancements
Adenosine triphosphate (ATP), Coordination sites, Iron(III), 2327
$^{13}C/^{119}Sn$ NMR spectra
Diorganotin(IV) complexes, Crystal structure, Tetradentate Schiff bases, 2687
NMR spectra
Copper(I), Triphenylphosphite, 2941
NMR Spectroscopy
Crystal structures, Phosphines, Molybdenum, Photochemistry, 203
Palladium(II) complexes, Triphosphine ligand, Phosphine oxidation, Chelate ring-opening, X-ray crystallography, 383
Cyclometallated, Palladium(II), Pseudohalides, Infrared specroscopy, Thermal analysis, 413
Crystal structures, Ruthenium, Ligand substitutions, 1835
NNS ligand
Ruthenium(II) complexes, Trans dibromo complex, Chemical and electrochemical studies, X-ray crystal structure, 3735
Noncovalent binding
NMR, Contrast agent, Relaxation, GdDTPA, Human serum albumin, 695
Nonlinear optical properties
Crystal structure, Tungsten compound, Copper compound, Silver compound, Dithiophosphate, 3115
Nonlinear optics
Synthesis, Crystal structure, Coordination compound, Zinc, 3461
Non-chelating
Coordination polymer, Chloro bridged, Extended chain, Bidentate ligand, Oligomeric, 1397
Non-functionalized olefins
Aerobic epoxidation, Chiral catalysis, Chiral Schiff base, Enantioselective, Mn(III), 1773
Novel Schiff base–metal derivatives
Group 12 coordination chemistry, Acylpyrazolonato-metal derivatives, ^{113}Cd NMR, 3041
Nuclear magnetic resonance
V-51, V–Cu–S clusters, Dynamic process, Fenske–Hall calculations, 1339
Nuclear reprocessing
Lanthanum(III), Tetraethylmalonamide, Crystal structure, Phase transition, Ion extraction, 3599
Nucleophilic substitution
μ-Alkyne bridged bimetallic compounds, Chromium, Cobalt, 2737
Numerical analysis
Spectrophotometric titrations, Least-squares fit, Equilibria, Soft-modeling, Hard-modeling, 3227

Octacyanotungstate(IV)
Octacyanotungstate(V), Tetraammineplatinum(II), Tetraamminedichloroplatinum(IV), Crystal structure, Redox reactivity, 3527
Octacyanotungstate(V)
Octacyanotungstate(IV), Tetraammineplatinum(II), Tetraamminedichloroplatinum(IV), Crystal structure, Redox reactivity, 3527
β-octamolybdate
Configuration, Hydrogen bond, Polyoxoanion, Conversion, Crystal structure, 3371
β-Octamolybdate-supported complex
Hydrothermal synthesis, Crystal structure, 2971
Octanuclear thiolate complex
Synthesis, Molecular structure, Radical scavenging, 735
Oligomeric
Coordination polymer, Chloro bridged, Extended chain, Non-chelating, Bidentate ligand, 1397
Oligomeric structures
Copper(I), Aryloxide, Heterocumulene, Fluoresence, 949
Oligopyridine(s)
Helicates, Ruthenium complexes,

Metallosupramolecular chemistry, X-ray structure, 159
Ruthenium(II) complex, X-ray crystal structure, Kröhnke methodology, 2445
One pot synthesis
Ditertiarybutylselenide, Selenides, Semiconductors, MOVPE, 1329
One-dimensional chain compounds
Crystal structure, Copper(I), Polymeric compound, Electrospray mass spectrometry technique, 2219
One-dimensional linear chain
Dinuclear dioxomolybdenum complex, Crystal structure, Hydrogen bonding, 2-Mercaptophenol, ^{1}H–^{1}H COSY, 647
Open cryptand
Alkali earth, Alkaline earth, Complex, X-ray structure, 2519
Organic clay
Lead, Complex, Calix[4]arenesulfonate, X-ray structure, 1055
Organic ligands
Copper(II) complexes, Spectrum–structure correlation, Visible spectrophotometry, Donor groups, Coordination properties, 3233
Organoantimony
Synthesis, NMR, IR, 2609
Organogold compounds
Gold(III) compounds, Diphenylthiocarbazone, Mixed-ligand complexes, X-ray structures, 749
Organoiron polydentate ligand
Iron carbonyl, Dinuclear complex, Phosphine oxide, 3465
Organolanthanide complexes
Schiff base, Methoxyethylcyclopentadienyl, Tetrahydrofurfurylcyclopentadienyl, C_2-Symmetry, Crystal structure, 2345
Organomercurials
Microwave assisted, Dry media, Solid support, Heterocycle, 2641
Organometallic
Rhodium, Pyrimidine, Pyridine, Phenyl, Antimony, 669
Organometallic oxide
Niobium, Tin, 2823
Organoselenium compounds
Polymorphs, Metastable compounds, 3391
Organotin
Keggin structure, Sandwich structure, Antitumoral activity, 2293
Organotin compounds
X-ray crystallography, Triorganotin thiolates, Chelates, Mössbauer, 2961
Orthophosphoric acid
Iron (III), Citric acid, Mixed ligand complexes, Thermodynamic characterization, 3269
Osmium
2-(arylazo)phenolates, Synthesis, Structure, Redox properties, 391
Complexes, Aromatic thiolation reaction, 617
Mixed-metal clusters, Ruthenium, Iridium, Phosphine, 1675
Hydrogenolysis, Phosphine, Hydrolysis, Hydrogen bond, 2575
Triphenylphosphine, Diimine, Synthesis, Structure, Reactivities, 2729
Osmium complexes
Terpyridine, Pyrazolyl, Crystal structures, Chloride ligands, Redox chemistry, 1587
Osmium(II) complexes
Carbonyl, Phosphine, Crystal structure, 1207
Oxalate
Lanthanides, Oxydiacetate, Crystal structure, Thermal behavior, 1653
Strontium, Hydrothermal synthesis, 2499
μ-Oxalato dimers
Copper(II) complexes, Crystal structure, ESR, Magnetic properties, 1235
Oxalato ligand
Molybdovanadates, Crystal structure determination, 2781
Oxalato-bridged complexes
Nickel(II) complexes, Copper(II) complexes, Zinc(II) complexes, Magnetic properties, Crystal structure, 2787
Oxamide
Macrocyclic compound, Tetranuclear complexes, Copper(II)–Iron(III) complexes, Magnetism, 3643
Oxidation
Schiff bases, Ruthenium(II), 341
Copper complexes, Mixed valence, Structure, Binucleating ligand, 2399
Catalysis, Complexes, Palladium, Quaternary ammonium salts, X-ray structure, 3511
Oxidation of amino acids
Mechanism of oxidation by diperiodatoargentate(III), Oxidation of glycine by silver(III), Kinetics of oxidation of glycine, Reactivity of different silver(III) species, 773
Oxidation of glycine by silver(III)
Mechanism of oxidation by diperiodatoargentate(III), Kinetics of oxidation of glycine, Oxidation of amino acids, Reactivity of different silver(III) species, 773
Oxidative addition
Iridium(I,III) complexes, *cis*-$(PPh_3)_2$ complexes, Isomerization, Intramolecular rearrangement, 811
Oxidative dehydrogenation
Copper salen and salphen complexes, Electrochemical properties, ESR, Effect of hydrogenation, Crystal structure, Effect of ligand modification, 3617
Oxidative-hydroboration
Hydroxy-alkyl, Functionalised alkyls, Alkenyl compounds, 3377
Oxo cap
Cluster, Trinuclear, Ruthenium, Arene ligand, Aromatic hydrogenation, Water-soluble catalyst, 2679
Oxo core
Schiff base, SNO ligand, Rhenium complex, Crystal structure, 2537
Oxoalkoxides
Alkoxides, Zirconium, Hafnium, 941
Oxorhenium
Mixed ligand approach, Oxotechnetium, Preformed chelate approach, 3545
Oxorhenium(V)
Mixed-ligand complexes, Ligand exchanges, Crystal structure, 1793
Oxotechnetium
Mixed ligand approach, Oxorhenium, Preformed chelate approach, 3545
Oxovanadium(IV) complexes
Monomeric structures, Polymeric structures, Electronic influence of substituents, 3035
μ-Oxo-bridged diiron(III) complex
4,5-Dichloro-1,2-bis(pyridine-2-carboxamido)benzene, Mononuclear iron(III) complex, Temperature-dependent magnetic studies, Mössbauer spectral studies, Crystal structure of a mononuclear iron(III) complex, 1317
Oxo-functionalisation
[Ru^{III}(amp)(bipy)Cl], *t*-BuOOH, Cyclohexene, Cyclohexane, Stilbenes, Kinetics, 2659
Oxo-nitrogen complexes
Rhenium, 2-Triorganosilylthiophenolate, 501
Oxyanions
Aminocalixarenes, Amidocalixarenes, Phase transfer, 885
Oxydiacetate
Lanthanides, Oxalate, Crystal structure, Thermal behavior, 1653
Oxygen insertion
Hydrolysis, Salan-Al compounds, 641

P-N ring conformation
Cyclotriphosphazanes, Molybdenum tetracarbonyl Complexes, Negative hyperconjugation, 437
Palladacycles
Cyclopalladation, Ferrocenylamines, Metallation, 135
Palladium
Platinum, Phosphonate, Phosphite, Arbusov, Demethylation, 1067
Bipyridyl, Diphenylphosphinomethane, Crystal structure, 1141
6-methyl-2-acetylpyridine, Thiosemicarbazone, Hexamethyleneimine, Platinum, Crystal structure, 1177
Molybdenum, Phosphorus, Heterocycles, Metal complexes, 1183
Pyridine-2-thiolate, Pyridine-2-selenolate, Dialkyldithiophosphates, NMR, X-ray, 1253
Tungsten, 2,6-Dithiaspiro[3.3]heptane, Sulphur inversion, Dynamic NMR, 1345
Cytochrome *c*, Apocytochrome *c*, Protein cleavage, 1629
Trinuclear cluster, Chalcogenido ions, 1,2-Bis(diphenylarsino)ethane, X-ray structure, 1811
Aryloxo complexes, Allyl complexes, 2281
Platinum, Dithiocarbamate, NMR,

Cytostatic activity, 2827
Catalysis, Oxidation, Complexes, Quaternary ammonium salts, X-ray structure, 3511

Palladium(II)
Cyclometallated, Pseudohalides, Infrared specroscopy, NMR spectroscopy, Thermal analysis, 413
Peptide hydrolysis, Artificial peptidase, 3611

Palladium(II) and Platinum(II) complexes
Thiosemicarbazonato complexes, Crystal study, Spectroscopic and electrochemical studies, 1005

Palladium(II) complexes
Triphosphine ligand, NMR spectroscopy, Phosphine oxidation, Chelate ring-opening, X-ray crystallography, 383

Paramagnetic complexes
Gadolinium complexes, Contrast agents, Relaxivity, MRI, Thermodynamics, 109

Paramagnetic gadolinium(III) complex
Contrast agent, Relaxivity, MRI, 1147

Pb
Coordination polymers, Molecular composites, Styryl pyridinium salts, Hexacyanometalate, Sn, 2711

$Pb_6O_4(OR)_4$ clusters
Lead oxoalkoxides, Lead oxide, IR and Raman spectroscopy, Sol-gel process, 1089

^{207}Pb NMR
Trimesityllead bromide, Dimesityllead dibromide, Crystal structure, 839

Pd complexes
Pt complexes, Bidentate 2-(ethylthio)ethylamine ligand, Crystal structures, Reactivity with DNA, 65

Pd···H(—C) contacts
Pd···Pd contacts, *R*-aminohexahydroazepine-dichloropalladium(II), *N*-ethyl-*R*-aminohexahydroazepine-dichloropalladium(II), Molecular mechanics analysis, 2149

Pd···Pd contacts
Pd···H(—C) contacts, *R*-aminohexahydroazepine-dichloropalladium(II), *N*-ethyl-*R*-aminohexahydroazepine-dichloropalladium(II), Molecular mechanics analysis, 2149

Pendant arm
Macrotetracyclic complexes of nickel(II), Crown ether, Binding properties, Electrochemical behavior, 2597

Pentadentate
Ruthenium(III), Platinum(II), EDTA, EDTA-amide, Complexes, Ring-closure, Antitumour, 49

Pentadentate carbonato
Nickel(II) complex, Crystal structure, Selenocyanate, Antiferromagnetic coupling, Bis-(3aminopropyl) methylamine, 377

Pentafluorphenyl
Dinuclear, Platinum, Dihydroxybenzoquinonate, Chloranilate, 403

Pentamethylcyclopentadiene
Polypyridyl ligands, Mononuclear, Dinuclear, Fluxional, Bidentate, Quasi-reversible, 299

Peptide hydrolysis
Palladium(II), Artificial peptidase, 3611

Peroxydisulfate
Ruthenium binuclear complexes, Electron transfer, Mixed-valence, Kinetics and mechanism, 25
Redox reactivity, $[Ru^{III}(edta)(NC)Fe^{III}(CN)_5]^{4-}$, $[Ru^{III}(edta)(NC)Fe^{II}(CN)_5]^{5-}$, Ascorbic acid, Kinetics, Electron transfer, 1767

pH values
Potentiometric sensors, THF/water, Reference solutions, Standardization, 3361

Phase transfer
Aminocalixarenes, Amidocalixarenes, Oxyanions, 885

Phase transition
Lanthanum(III), Tetraethylmalonamide, Crystal structure, Ion extraction, Nuclear reprocessing, 3599

1,10-Phenanthroline
Hexanuclear Zr(IV) complex, Elemental analysis, Infrared spectroscopy, X-ray crystallography, 787
Heteropoly blue, Quinolin-8-ol, Charge-transfer complex, Z-scan, Third-order optical nonlinearity, 1419
Ruthenium(III), Carbonyl, 2,2′-Bipyridine, Ruthenium(III) carbonyls, 2091

1,10-phenanthroline tetradentate diamine
Acid dissociation, Kinetics, Mechanism, Copper(II) complex, 1045

Phenanthrolines
Copper(I), Tetrahydroborate, Triphenylphosphine, Complex ions, 1201

Phenolate bridge
Dicopper(II) complex, Crystal structure, Antiferromagnetic coupling, 1425

Phenolates
Cobalt, Benzimidazoles, Bulky ligands, Bidentate, 1527

Phenolic phosphine
Cyclophosphazenes, Polyphosphazenes, Macromolecular complexes, Carbonyls, Cesium carbonate, 2853

Phenoxide
Tungsten, Alkoxide, 175

Phenyl
Rhodium, Pyrimidine, Pyridine, Antimony, Organometallic, 669

2-(Phenylazo)pyridine
Ruthenium osmium biimidazolate, Trinuclear, Synthesis, Redox, 2543

1-Phenylglyoxal
Bis(thiosemicarbazone), Zinc, Platinum, Structure, 1463

Phenylmercury(II) complex
Crystal structure, Thiohydantoin, 187

Phosphate
Macrocyclic ligands, ATP, ADP, AMP, Triphosphate, Pyrophosphate, 3203

Phosphate diester
Macrocycles, Complexes, Transport, Hydrolysis, 1015

Phosphazene
Cyclotriphosphazene, Cyclic trimer, Aminomalonate, Aspartate, Glutamate, 1799

Phosphinate ion
Aluminum(III) ion, Phosphite ion, Complex formation, ^{27}Al NMR, Thermodynamic parameters, 2041

Phosphine(s)
Crystal structures, Molybdenum, Photochemistry, NMR Spectroscopy, 203
ECW model, Correlations, Enthalpies of reaction, 1097
Osmium(II) complexes, Carbonyl, Crystal structure, 1207
Ligands, X-ray crystallographic studies, 1603
Mixed-metal clusters, Ruthenium, Osmium, Iridium, 1675
Osmium, Hydrogenolysis, Hydrolysis, Hydrogen bond, 2575
Platinum, Thiosemicarbazide, Thiourea, Hydrogen bonding, X-ray crystal structure, 2665
Fluorous biphase, Platinum group metals, 2913

Phosphine oxidation
Palladium(II) complexes, Triphosphine ligand, NMR spectroscopy, Chelate ring-opening, X-ray crystallography, 383

Phosphine oxide
Iron carbonyl, Organoiron polydentate ligand, Dinuclear complex, 3465

Phosphite
Platinum, Palladium, Phosphonate, Arbusov, Demethylation, 1067

Phosphite ion
Aluminum(III) ion, Phosphinate ion, Complex formation, ^{27}Al NMR, Thermodynamic parameters, 2041

Phosphonate
Platinum, Palladium, Phosphite, Arbusov, Demethylation, 1067

Phosphonate ligands
Beryllium complexes, Stability constants, ^{9}Be NMR, 3253

Phosphonic acids and derivatives
Platinum(II) complexes, X-ray analysis, ES-MS, Vibrational spectroscopy, NMR, 2169

Phosphonioacetylide complexes
Nickel complexes, Dichloroethyne, Alkyne complexes, Mechanism, 3187

2-Phosphonobutane-1,2,4-tricarboxylic acid
Iron(III), Aluminium(III), Complex formation, Industrial water treatment, 3275

Phosphorus
Molybdenum, Palladium, Heterocycles, Metal complexes, 1183

Photochemistry
Crystal structures, Phosphines, Molybdenum, NMR Spectroscopy, 203
Crown ether, Chromium(III), Thiocyanate, Supramolecule, 1273

Photoelectric conversion
Second-harmonic generation, Hemicyanine cation, Transition metal complex anions, Single-crystal structure, 1513

Ph_2Se_2
Metal multiple bond, Molybdenum, Tungsten, Synthesis, Characterization, 19

Phthalocyanine
Bismuth(III) phthalocyanine, Triple-decker phthalocyanine, Crystal structure, Synthesis, 2775

Phthalocyanine degradation
Manganese tetrasulphophthalocyanine, Sulphur dioxide oxidation, Aqueous phase, Stopped-flow technique, Homogeneous catalyst, 561

Phthalocyanines
Naphthalocyanines, Porphyrins, Infra-red, Sandwich complexes, Lanthanides, 2129

Picolines
Copper(II), Alkoxo-bridged, Magnetism, Crystal structure, 1991

Picolinic acid
Chromium(III) trispicolinate, Electronic spectroscopy, Di-μ-hydroxotetrapicolinatodichromium(III), Chromium, Mass spectrometry, 2891

Piperazine
Metal complex, *N*-Ligand, Transition metals, X-Ray structure, 2265

Piperazine and piperazin-1-ium ligands
Co(II)–N bonds, Crystal structures, Cobalt(II) complexes, 2749

Piroxicam
Electrochemical synthesis, Direct synthesis, Metal complexes, Isoxicam, Supporting electrolytes, 2651

Planar chirality
Ferrocene, Hydrazone, Cyclopalladation, 577

Platina-β-diketones
Bis(acyl)-bridged complexes, Platinum blue complexes, Closed shell interactions, 1953

Platinum
Dinuclear, Pentafluorphenyl, Dihydroxybenzoquinonate, Chloranilate, 403
Palladium, Phosphonate, Phosphite, Arbusov, Demethylation, 1067
6-methyl-2-acetylpyridine, Thiosemicarbazone, Hexamethyleneimine, Palladium, Crystal structure, 1177
Rhenium, Quaterpyridine, Quinquepyridine, Dynamic NMR, 1285
1-Phenylglyoxal, Bis(thiosemicarbazone), Zinc, Structure, 1463
Coordination, X-Ray, Heterocycle, 1761
Nitrile, Amide, Intermolecular interaction, 1863
Cobalt, Chromium, Zinc, Samarium, Clusters, Carboxylates, 1869
Complexes, Nickel, Dithiocarbazates, Dithiolene-like, Electron-transfer, 2377
Thiosemicarbazide, Thiourea, Hydrogen bonding, X-ray crystal structure, Phosphine, 2665
Palladium, Dithiocarbamate, NMR, Cytostatic activity, 2827

Platinum blue complexes
Platina-β-diketones, Bis(acyl)-bridged complexes, Closed shell interactions, 1953

Platinum group metals
Fluorous biphase, Phosphine, 2913

Platinum(II)
Ruthenium(III), EDTA, EDTA-amide, Complexes, Pentadentate, Ring-closure, Antitumour, 49

Platinum(II) complexes
Phosphonic acids and derivatives, X-ray analysis, ES-MS, Vibrational spectroscopy, NMR, 2169

Plešek oxidation
Substituted caboranes, Synthesis, 3517

Plutonium
Lanthanides, Polypyrazolylborates, IR, NMR spectroscopy, Crystal structure, 263

PM3 calculations
Polychelates, Structure, Thermochromism, 2511

Polyamines
Macrocycles, Protonation, Stability constants, Copper(II), Nickel(II), 3417

Polyaza derivatives
Electroactive receptor molecules, Redox active groups, 3689

Polychelates
Structure, PM3 calculations, Thermochromism, 2511

Polychlorinated
Cerium, Halide abstraction, 1475

Polyenes
Schiff bases, Transition metal complexes, 225

Polymer
Copper(II) acetates, Crystal structure, EPR, Bridging nicotinamide, Fungicidal activity, 755
Bismuth complex, 1,3-dithiole-2-thione-4,5-dithiolate, X-ray structure, 1049
Silver(I) thiolate, Crystal structure, 2977

Polymer cocatalyst
Alkylaluminum, Alkylgallium, Alkylindium, Metallic alkoxide, 2423

Polymeric
Lanthanide, X-ray structure, bis-compound, 1821

Polymeric complexes
X-ray structure, Bis(pyridine) ligands, 273
Schiff base ligand, Tetradentate ligand, Ni(II) complexes, 585

Polymeric compound
Crystal structure, Copper(I), One-dimensional chain compounds, Electrospray mass spectrometry technique, 2219

Polymeric copper(II) complexes
Copper(II)-(3,3′,3″-triaminotripropylamine) complexes, Copper(II)-(2,2′,2″-triaminotriethylamine) complexes, Azido complexes, Nitrito complexes, Dinuclear copper(II) complexes, Crystal structure, Tripod amines, 2061

Polymeric structures
Oxovanadium(IV) complexes, Monomeric structures, Electronic influence of substituents, 3035

Polymorphs
Metastable compounds, Organoselenium compounds, 3391

Polynuclear complexes
Nickel complexes, Crystal structure, Pyridine complexes, 1903

Polyoxoanion
β-octamolybdate, Configuration, Hydrogen bond, Conversion, Crystal structure, 3371

Polyoxometalates
Heteropolyanions, Metal substituted polyoxotungstates, Copper, Tungstophosphate, Tungstoborate, EPR, 1163

Polyphosphazenes
Cyclophosphazenes, Phenolic phosphine, Macromolecular complexes, Carbonyls, Cesium carbonate, 2853

Polyphosphine
^{31}P NMR, coupling constant, steric hindrance, metal complex, 2117

Polyphosphine ligands
Ruthenium(II) complexes, Homogeneous hydrogenation, 469

Polypyrazolylborates
Plutonium, Lanthanides, IR, NMR spectroscopy, Crystal structure, 263

Poly(pyrazolyl)hydroborato ligand system
Aluminum, Gallium, Dimethyl complexes, 3567

Polypyridine complexes
Metal-carbonyl, 2,4,6-tris(2-pyridyl)-1,3,5-triazine, Synthesis, Rhenium(I) complexes, Tricarbonyl complexes, 1061

Polypyridyl ligands
Mononuclear, Dinuclear, Fluxional, Bidentate, Pentamethylcyclopentadiene, Quasi-reversible, 299

Poly-imidazole
Schiff base, Crystal structure, Hydrolysis, 1927

Porphyrins
Phthalocyanines, Naphthalocyanines, Infra-red, Sandwich complexes, Lanthanides, 2129

Potentiometric and spectrophotometric study
β-Amino alcohols, Complex formation equilibria, Copper(II), Hydroxyl groups deprotonation, Alkoxo chelates, 3263

Potentiometric sensors
THF/water, pH values, Reference solutions, Standardization, 3361

Potentiometry
meso-2,3-dimercapto succinic acid, Formation constants, Ionization constants, 3257

Preformed chelate approach
Mixed ligand approach, Oxotechnetium, Oxorhenium, 3545

Preparation of pyridine derivative complexes
1D Cobalt(II) azido complexes, Pyridine derivative complexes, Crystal structure, Spectra, 2339

L-Proline
Copper complexes, 2,2′-Bipyridyl, Hippuric acid, X-ray diffraction, Dinuclear complex, 2505
(Propargyl alcohol)$Co_2(CO)_5(PR_3)$ complexes
Chiral amine oxide, Enantioselective preparation, 2027
Protein cleavage
Cytochrome *c*, Apocytochrome *c*, Palladium, 1629
Protonation
Macrocycles, Polyamines, Stability constants, Copper(II), Nickel(II), 3417
Protonation enthalpy
Dioxygen carriers, Co(II) complexes, Macrocyclic tetraamines, Complex formation enthalpy, Complex formation kinetics, 3295
Proximal ligand
Metal–metal dimer, Alkoxide, π bonding, X-ray structure, Distal ligand, 1293
Pseudohalides
Cyclometallated, Palladium(II), Infrared specroscopy, NMR spectroscopy, Thermal analysis, 413
Pt complexes
Pd complexes, Bidentate 2-(ethylthio)ethylamine ligand, Crystal structures, Reactivity with DNA, 65
Pteridine
Crystal structure, Complexes, Lumazine, 85
Pyrazine
Solvothermal, Copper, Low dimensional, 1379
Crystal structure, Copper, 4,′4-Bipyridine, *trans*-Cyclohexane-1,2-diamine–*N,N,N′,N′*-tetra-acetate, 1411
2,3-Pyrazinedicarboxylic acid
Manganese(II) complex, Ladder-like structure, 1507
Pyrazine-2,3-dicarbonitrile
Silver(I) complex, 2-dimensional square mesh structure, 191
Pyrazole
Iron, Manganese, Catalysis, Epoxidation, Dioxygen, 825
Pyrazolyl
Zinc, Cadmium, Thioether, Enzyme, 1107
Osmium complexes, Terpyridine, Crystal structures, Chloride ligands, Redox chemistry, 1587
2-(Pyrazol-1-ylmethyl)pyridine and 2,6-bis(pyrazol-1-ylmethyl)pyridine and their 3,5-dimethylpyrazole derivatives
Anion-bound and mixed-ligand copper(II) complexes, X-ray structure, Absorption spectra, EPR spectra, Cyclic voltammetry, 1743
Pyridine
Rhodium, Pyrimidine, Phenyl, Antimony, Organometallic, 669
Nickel(II) complex, Thiazoline, Thiazolidine, 2907
Pyridine adducts
Cadmium complexes, Zinc complexes, Chalcogenides, 1259
Pyridine complexes
Nickel complexes, Polynuclear complexes, Crystal structure, 1903
Pyridine derivative complexes
1D Cobalt(II) azido complexes, Preparation of pyridine derivative complexes, Crystal structure, Spectra, 2339
2-Pyridineformamide
Thiosemicarbazone, Crystal structure, Cobalt, Iron, Nickel, 2919
Pyridine-2-selenolate
Palladium, Pyridine-2-thiolate, Dialkyldithiophosphates, NMR, X-ray, 1253
Pyridine-2-thiolate
Palladium, Pyridine-2-selenolate, Dialkyldithiophosphates, NMR, X-ray, 1253
N-[1-pyridin-2-yl)ethylidene]ethane-1,2-diamine
Crystal structures, Zinc(II) complexes, Hydrolytic cleavage of di-Schiff-base ligands, Template reactions, *N,N′*-bis[1-(pyridin-2-yl)ethylidene]ethane-1,2-diamine, 2369
Pyridoxamine
Crystal structures, Bis(oxalato)chromium(III) complex, Histamine, B_6 vitamin, 2001
Pyridyl
Ruthenium, Arene, X-ray, Hetero-metallic, 2981
Di-2-pyridyl ketone oxime complexes
Copper(I) complexes, Crystal structures, Electronic and IR spectra, 3425
Pyridyl pyrazolyl carboxamide
Copper(II), Synthesis, Spectroscopy, Electrochemistry, X-ray crystal structure, 1323
2-(2-pyridyl)benzo[*b*]furan
Cyclopalladation,Cyclorhodation, 1-(2-pyridyl)indole, 1-(2-pyrimidyl)indole, X-ray structural analysis, 533
1-(2-pyridyl)indole
Cyclopalladation, Cyclorhodation, 2-(2-pyridyl)benzo[*b*]furan, 1-(2-pyrimidyl)indole, X-ray structural analysis, 533
2-(2′-pyridyl)quinoxaline
Ru(II) complexes, Electrospray-MS, 2-2′-bipyridine, 361
Crystal structure, Manganese(II) dinuclear complex, Electrospray MS, 1615
Diorganotin(IV) complexes, Antitumor, Crystal structure, 3005
4-(2-Pyridyl)-1,2,4-triazole
Tricopper(II) complex, Crystal structure, Magnetism, 1491
Pyrimidine
Rhodium, Pyridine, Phenyl, Antimony, Organometallic, 669
Coordination, Metal, Bio-inorganic, 689
Coordination, Metal, Bioinorganic, 793
1-(2-pyrimidyl)indole
Cyclopalladation, Cyclorhodation, 2-(2-pyridyl)benzo[*b*]furan, 1-(2-pyridyl)indole, X-ray structural analysis, 533
Pyrophosphate
Macrocyclic ligands, ATP, ADP, AMP, Triphosphate, Phosphate, 3203
Pyrrolizinato
Mercury, Complexes, Tetracyanoethylene, XPS, 799
Pyruvaldehyde
Nickel, Copper, Mixed bis(thiosemicarbazone), 2759

Quadridentate Schiff base ligand
Syntheses, Dimeric metal complexes, ESR, Crystal structure, 181
Quantum yield
Lanthanide complexes, Crown ether, Luminescence, Lifetime, 1853
Quasi-reversible
Polypyridyl ligands, Mononuclear, Dinuclear, Fluxional, Bidentate, Pentamethylcyclopentadiene, 299
Quaternary ammonium salts
Catalysis, Oxidation, Complexes, Palladium, X-ray structure, 3511
Quaterpyridine
Rhenium, Platinum, Quinquepyridine, Dynamic NMR, 1285
2,2′:6′,2″:6″,2‴-quaterpyridine ligands
Heliocentric metallostars, Double-helical spontaneous assembly, 3093
Quercetin
Redox chemistry, Iron complexes, Fenton chemistry, 2233
Quinolin-8-ol
Heteropoly blue, 1,10-phenanthroline, Charge-transfer complex, Z-scan, Third-order optical nonlinearity, 1419
Quinquepyridine
Rhenium, Platinum, Quaterpyridine, Dynamic NMR, 1285

Radical scavenging
Octanuclear thiolate complex, Synthesis, Molecular structure, 735
Raman spectra
Monodithiolate complex, Aurate, IR, 1545
Raman spectroscopy
Sandwich phthalocyanine, Iodine-doped uranium diphthalocyanine, EPR, Crystal structure, 1621
Rare earth elements
Yttrium, Fluoride complexation, Stability constant, Inductively-coupled plasma mass spectrometry, 2839
Reaction
Metal–metal double bond, Selenium, Molybdenum, Tungsten, Characterization, 2163
Reactivities
Ruthenium, 2-(arylazo)phenolates, Synthesis, Structure, 631
Osmium, Triphenylphosphine, Diimine, Synthesis, Structure, 2729
Reactivity
trans-$[RuCl_2(P(OC_2H_5)_3)_4]$, Structure, 979
Reactivity of different silver(III) species
Mechanism of oxidation by diperiodatoargentate(III), Oxidation of

glycine by silver(III), Kinetics of oxidation of glycine, Oxidation of amino acids, 773
Reactivity with DNA
Pd complexes, Pt complexes, Bidentate 2-(ethylthio)ethylamine ligand, Crystal structures, 65
Rearrangement
Sila-bridged, Fe–Fe bond, 2645
Recognition
cis-DioxoV(v), *cis*-DioxoMe(VI), *trans*-DioxoO(IV), Selective complexation, Transmetallation, 289
Redox
Ruthenium osmium biimidazolate, Trinuclear, Synthesis, 2-(Phenylazo)pyridine, 2543
Redox active groups
Electroactive receptor molecules, Polyaza derivatives, 3689
Redox chemistry
Osmium complexes, Terpyridine, Pyrazolyl, Crystal structures, Chloride ligands, 1587
Quercetin, Iron complexes, Fenton chemistry, 2233
Redox potentials
Nickel(II) complexes, Nephelauxetic effect, Coenzyme M, 3383
Redox properties
Osmium, 2-(arylazo)phenolates, Synthesis, Structure, 391
Nickel complex, Crown ether, Cryptand, Crystal structure, 1957
Ruthenium complexes, Tridentate ligands, Synthesis, Structure, 3321
Redox reactivity
$[Ru^{III}(edta)(NC)Fe^{III}(CN)_5]^{4-}$, $[Ru^{III}(edta)(NC)Fe^{II}(CN)_5]^{5-}$, Ascorbic acid, Peroxydisulfate, Kinetics, Electron transfer, 1767
Octacyanotungstate(V), Octacyanotungstate(IV), Tetraammineplatinum(II), Tetraamminedichloroplatinum(IV), Crystal structure, 3527
Reference solutions
Potentiometric sensors, THF/water, pH values, Standardization, 3361
Relaxation
NMR, Contrast agent, Noncovalent binding, GdDTPA, Human serum albumin, 695
Relaxivity
Gadolinium complexes, Contrast agents, MRI, Thermodynamics, Paramagnetic complexes, 109
Paramagnetic gadolinium(III) complex, Contrast agent, MRI, 1147
Rhenium
Aminoethanethiol, Copper, 7
2-Triorganosilylthiophenolate, Oxo-nitrogen complexes, 501
Boron, Gallium, Nitrido bridges, Crystal structure, 831
Platinum, Quaterpyridine, Quinquepyridine, Dynamic NMR, 1285
Nitrosyl, X-ray structure, Electronic structure, Nitric oxide, 2313
Manganese, Distibine, NMR, 2673
Technetium, Diphenylpyridylphosphine, Diphenylpyridylphosphine oxide, X-ray structures, 2995
Rhenium complex
Schiff base, SNO ligand, Oxo core, Crystal structure, 2537
Rhenium(I) complexes
Polypyridine complexes, Metal-carbonyl, 2,4,6-tris(2-pyridyl)-1,3,5-triazine, Synthesis, Tricarbonyl complexes, 1061
Rhenium(I) 1,2-bis(diphenylphosphinite)ethane complexes, 1431
Rhenium(III)
Alkylthioureas complexes, $[Re(N\text{-ethylthiourea})_6](PF_6)_3$ structure, $[Re(N,N'\text{-dimethylthiourea})_6](PF_6)_3$ structure, Ligand substitution onto Re(III)-alkylthioureas, Synthesis of diphosphine rhenium(III) complexes by ligand substitution, 2099
Rhenium(V) oxo-bridged complex
Thiopyrimidine, Crystal structure, UV-VIS, IR, NMR spectra, Cyclic voltammetry, 57
Rhodium
Pyrimidine, Pyridine, Phenyl, Antimony, Organometallic, 669
Cyclometallation, 1,3-Bis(benzimidazolyl)benzene, 1,3-Bis(*N*-methylbenzimidazolyl)benzene, Binuclear complexes, Multidentate N-heterocycles, 2351
Rigid phosphine ligand
Iridium, Copper, Heterotrinuclear complex, 2,6-Bis(diphenylphosphino)pyridine, 493
Ring conformations
Diethoxy-diphenyl-dith-iomidodiphosphinate, Coordination chemistry, 311
Ring-closure
Ruthenium(III), Platinum(II), EDTA, EDTA-amide, Complexes, Pentadentate, Antitumour, 49
Rntb ligands
Mononuclear copper complexes, Crystal structures, CV, IR, UV–Vis, 1577
Ru^{II} complex
$RuHCl(CO)(Hdmpz)(L)_2$, MeOH solution, 2625
$[Ru^{III}(amp)(bipy)Cl]$
Oxo-functionalisation, *t*-BuOOH, Cyclohexene, Cyclohexane, Stilbenes, Kinetics, 2659
$[Ru^{III}(edta)(NC)Fe^{II}(CN)_5]^{5-}$
Redox reactivity, $[Ru^{III}(edta)(NC)Fe^{III}(CN)_5]^{4-}$, Ascorbic acid, Peroxydisulfate, Kinetics, Electron transfer, 1767
$[Ru^{III}(edta)(NC)Fe^{III}(CN)_5]^{4-}$
Redox reactivity, $[Ru^{III}(edta)(NC)Fe^{II}(CN)_5]^{5-}$, Ascorbic acid, Peroxydisulfate, Kinetics, Electron transfer, 1767
Ru(II) complexes
2-(2′-pyridyl)quinoxaline, Electrospray-MS, 2-2′-bipyridine, 361
$RuHCl(CO)(Hdmpz)(L)_2$
Ru^{II} complex, MeOH solution, 2625
$\{Ru(tpy)_2\}$
bpy ligand, Heteronuclear complexes, 1891
Ruthenium
Terpyridine, X-ray, NMR, UV/vis, 601
2-(arylazo)phenolates, Synthesis, Structure, Reactivities, 631
Mixed-metal clusters, Osmium, Iridium, Phosphine, 1675
Crystal structures, Ligand substitutions, NMR spectroscopy, 1835
Nitrosyl, Complexes, Biphosphines, X-ray structure, Isomerism, 2079
Ligands, 2,2′:6′,2″-Terpyridine, Sugar, Iron, Supramolecular chemistry, 2433
Cluster, Trinuclear, Arene ligand, Oxo cap, Aromatic hydrogenation, Water-soluble catalyst, 2679
Diphosphine, Dimer, dppe, Azide, Cyclopentadienyl, 2899
Arene, Pyridyl, X-ray, Hetero-metallic, 2981
α-Amino acids, Synthesis, Characterization, Electrochemistry, 3669
Ruthenium binuclear complexes
Electron transfer, Mixed-valence, Peroxydisulfate, Kinetics and mechanism, 25
Ruthenium complexes
Helicates, Metallosupramolecular chemistry, X-ray structure, Oligopyridines, 159
Diruthenium compounds, Metal–metal bonds, Carboxylate dimers, Multiple bonds, 371
2-Carbamoylpyridine derivatives, Amide complexes, Electrochemistry, Geometrical isomers, 2157
Tridentate ligands, Synthesis, Structure, Redox properties, 3321
Ruthenium compounds
Cyclophosphazenes, Nitrile complexes, Iron complexes, 1479
Ruthenium osmium biimidazolate
Trinuclear, Synthesis, Redox, 2-(Phenylazo)pyridine, 2543
Ruthenium(II)
Schiff bases, Oxidation, 341
Ruthenium(II) complexes
Polyphosphine ligands, Homogeneous hydrogenation, 469
X-ray crystal structure, Oligopyridine, Kröhnke methodology, 2445
Trans dibromo complex, NNS ligand, Chemical and electrochemical studies, X-ray crystal structure, 3735
Ruthenium(III)
Platinum(II), EDTA, EDTA-amide, Complexes, Pentadentate, Ring-closure, Antitumour, 49
Carbonyl, 1,10-Phenanthroline, 2,2′-Bipyridine, Ruthenium(III) carbonyls, 2091
Ruthenium(III) carbonyls
Ruthenium(III), Carbonyl, 1,10-Phenanthroline, 2,2′-Bipyridine, 2091
Ruthenium(II/III) bipyridine complexes

Schiff base ligand, Spectroscopic and electrochemical properties, 2951
Ruthenium–molybdenum complexes
Sulfur bridging, Electron transfer, 995
Rutheniumtetraammine
Inert ammonias, ^{15}N NMR, 2017

S···S contacts
X-ray structure, Copper(I) complex, Silver(I) complex, Hexakis(methylthio)benzene, 429
S-donor ligand
Copper(I), *N*-donor ligand, IR spectroscopy, 1941
Salan-Al compounds
Oxygen insertion, Hydrolysis, 641
Salicyato ligand
Crystal structure, Thallium porphyrin complexes, *cis* geometries, Low temperature ^{13}C NMR analysis, Ligand exchange, 145
Salicylaldehyde(s)
Mn(III) complex, Schif base, Crystal structure, 197
Manganese complexes, Schiff bases, Imidazoles, Cyclic voltammetry, 511
Salicylic acid
Copper(II), Manganese(II), *cis*-5-norbornene-*endo*-2, 3-dicarboxylic acid, *Candida albicans*, *N*-heterocycles, 2931
N-Salicylidene derivative
Schiff base complex, X-ray structure, Ternary copper(II) complex, 871
Samarium
Cobalt, Chromium, Zinc, Platinum, Clusters, Carboxylates, 1869
Sandwich complexes
Phthalocyanines, Naphthalocyanines, Porphyrins, Infra-red, Lanthanides, 2129
Sandwich phthalocyanine
Iodine-doped uranium diphthalocyanine, Raman spectroscopy, EPR, Crystal structure, 1621
Sandwich structure
Organotin, Keggin structure, Antitumoral activity, 2293
Scandium
Halides, Hydroxide, Dehydration, 1845
Schiff base(s)
Mn(III) complex, Salicylaldehyde, Crystal structure, 197
Polyenes, Transition metal complexes, 225
Ruthenium(II), Oxidation, 341
Crystal structure, Complexes, Uracil, Nitrito, 351
Manganese complexes, Imidazoles, Salicylaldehydes, Cyclic voltammetry, 511
N,N'-bis(4-antipyrylmethylidene)ethylenediamine, Lanthanides, Yttrium, Iodide, Complexes, 1881
Poly-imidazole, Crystal structure, Hydrolysis, 1927
Crystal structure, Complexes, Uracil, 2205
Organolanthanide complexes, Methoxyethylcyclopentadienyl, Tetrahydrofurfurylcyclopentadienyl, C_2-Symmetry, Crystal structure, 2345
SNO ligand, Rhenium complex, Oxo core, Crystal structure, 2537
Crystal structure, Complexes, Uracil, 3629
Schiff base complex
N-Salicylidene derivative, X-ray structure, Ternary copper(II) complex, 871
Addition reaction, *S*-Alkyl dithiocarbazate, Crystal structure, *Cis*-addition, 3683
Schiff base ligand
Tetradentate ligand, Ni(II) complexes, Crystal structure, 39
Schiff base ligand
Tetradentate ligand, Ni(II) complexes, Polymeric complexes, 585
Copper(II) complexes, Chiral symmetrical complexes, Circular dichroism, Hammett, 897
Schiff base ligand
Ruthenium(II/III) bipyridine complexes, Spectroscopic and electrochemical properties, 2951
Schiff base macrocycles
Lanthanide complexes, Crystal structure, NMR of paramagnetic compounds, 443
Dinuclear lanthanide macrocycles, Luminescent lanthanide macrocycles, Imine–phenol macrocycles, 3123
Secondary amine
Aminoalane, Adduct, Molecular structure, NMR, Triethylaluminum, 1595
Second-harmonic generation
Photoelectric conversion, Hemicyanine cation, Transition metal complex anions, Single-crystal structure, 1513
Second-order global analysis
Stability constants, Europium, Indium, Spectrophotometric titrations, 3243
Selective complexation
cis-DioxoV(v), *cis*-DioxoMe(VI), *trans*-DioxoO(IV), Recognition, Transmetallation, 289
Selective metal ion transport
Facilitated transport, Activated composite membranes, 3353
Selenides
Ditertiarybutylselenide, One pot synthesis, Semi-conductors, MOVPE, 1329
Selenium
Cobalt complexes, Arsenic, Mixed ligands, 347
Metal–metal double bond, Molybdenum, Tungsten, Characterization, Reaction, 2163
Selenocyanate
Nickel(II) complex, Pentadentate carbonato, Crystal structure, Antiferromagnetic coupling, Bis-(3aminopropyl) methylamine, 377
Self-assembly
Cobalt complexes, 1,2-bis-(4-pyridyl)ethane, Nitrogen ligands, 243
Semicarbazone
Fe–Sn heterobimetallics, Thiosemicarbazone, Crystal structures, 2483
Semicoordination
Bond valence, Copper complexes, Structure, 699
Semi-conductors
Ditertiarybutylselenide, One pot synthesis, Selenides, MOVPE, 1329
l-Serine
ESR, Copper(II) complexes, Isomerism, Co-ordination, 1969
Sila-bridged
Rearrangement, Fe–Fe bond, 2645
Silicates
Dianionic, Hexacoordinate, Six membered ring, Bis(salicylato)diisothiocyanato, 2055
Silver
Trinuclear complexes, Triflate, Triphenylphosphine, Diastereoisomers, 807
Isoxazole ligands, Gold, Coordination compounds, Helical structures, 2769
Silver complexes
Amide NS_3 macrocycle, Synthesis, Crystal structures, 459
Silver compound
Nonlinear optical properties, Crystal structure, Tungsten compound, Copper compound, Dithiophosphate, 3115
Silver(I) complex(es)
Pyrazine-2,3-dicarbonitrile, 2-dimensional square mesh structure, 191
X-ray structure, Copper(I) complex, Hexakis(methylthio)benzene, S···S contacts, 429
Hydrotris(3,5-dimethylpyrazolyl)borate, Tris(pyrazolyl)borate complexes, 1335
Silver(I) thiolate
Polymer, Crystal structure, 2977
Silyl borate
Borosilicate, Synthesis, X-ray crystallography, 3135
Single-crystal structure
Photoelectric conversion, Second-harmonic generation, Hemicyanine cation, Transition metal complex anions, 1513
Ternary complexes, Lanthanide, 3,5-Di-*tert*-butyl-γ-resorcylic acid, Substituted pyridine-*N*-oxides, Characterization, 3723
Six membered ring
Silicates, Dianionic, Hexacoordinate, Bis(salicylato)diisothiocyanato, 2055
Small molecule activation
Metal–metal bonds, Amidate synthesis, 915
Sn
Coordination polymers, Molecular composites, Styryl pyridinium salts, Hexacyanometalate, Pb, 2711
SNO ligand
Schiff base, Rhenium complex, Oxo core, Crystal structure, 2537
Soft-modeling
Spectrophotometric titrations, Numerical analysis, Least-squares fit, Equilibria, Hard-modeling, 3227
Sol–gel
Niobium, Diolates, Alkoxides, 845
Solid support
Organomercurials, Microwave assisted, Dry media, Heterocycle, 2641
Solution–solid-state study

Spectroscopic technique, X-ray single-crystal diffraction technique, 1635
Solvatochromic parameters
Tetrahydrofuran–water mixtures, Dissociation constants, 3281
Solvothermal
Copper, Pyrazine, Low dimensional, 1379
Solvothermal synthesis
Chromium thioantimonates, Crystal structures, Thermal investigations, 101
Sol-gel process
Lead oxoalkoxides, $Pb_6O_4(OR)_4$ clusters, Lead oxide, IR and Raman spectroscopy, 1089
Spectra
Thiosemicarbazone, Copper(II) complexes, Cyclic voltammetry, Antibacterial, Antifungal, 321
2-D copper(I)-pyrazine complexes, Thiocyanato and azido complexes, Crystal structures, 1805
1D Cobalt(II) azido complexes, Pyridine derivative complexes, Preparation of pyridine derivative complexes, Crystal structure, 2339
Vanadium, Iron, Heterometallic complex, Structure, Magnetism, 3153
d–d Spectra
Aminoacidatodiiminecopper(II) complexes, X-ray structure, Circular dichroism spectra, EPR spectra, Gaussian analysis, 2361
Spectral properties
N-(Carbamoylmethyl)iminodiacetic acid, *N*-(2-Amidomethyl)iminodiacetate, Copper(II), Chelation, Crystal structure, 3333
Spectra/structure correlations
Infrared spectra, Crystal structures, Synthetic methods, 1189
Spectrophotometric titrations
Numerical analysis, Least-squares fit, Equilibria, Soft-modeling, Hard-modeling, 3227
Second-order global analysis, Stability constants, Europium, Indium, 3243
Spectroscopic and electrochemical studies
Palladium(II) and Platinum(II) complexes, Thiosemicarbazonato complexes, Crystal study, 1005
Spectroscopic and electrochemical properties
Ruthenium(II/III) bipyridine complexes, Schiff base ligand, 2951
Spectroscopic characterization
Copper(II) bromide complexes, 1-Methylbenzotriazole complexes, X-ray crystallography, 3067
Spectroscopic data
Tantalum complexes, β-Diketonate compounds, CVD, 3165
Spectroscopic studies
Ni(II) complexes, Methylformyl pyrazole methylthiosemicarbazone, X-ray structure, 571
Spectroscopic technique
Solution–solid-state study, X-ray single-crystal diffraction technique, 1635
Copper(II), Synthesis, Electrochemistry, Pyridyl pyrazolyl carboxamide, X-ray crystal structure, 1323
X-ray, Cooperative interaction, Chirality effect, Lanthanides, Isoleucine, 2701
Nickel(II) complexes, 2-Hydroxyaryloximes, α-Diimines, Crystal structure, Thermal behaviour, 3441
Spectrum
Mo–Bi–S(O) double cubane cluster, Synthesis, Crystal structure, 281
Spectrum–structure correlation
Copper(II) complexes, Visible spectrophotometry, Organic ligands, Donor groups, Coordination properties, 3233
Spinel-type structure
Co-catalyst, Hydrodesulphurization, Aging, 741
Stability
Lead(II) clusters, Hydroxo-complexes, Molecular structure, MNDO calculations, 2085
Nickel(II) complexes, Crystal structure, Mass spectrometry, 2803
Stability constant(s)
Rare earth elements, Yttrium, Fluoride complexation, Inductively-coupled plasma mass spectrometry, 2839
Macrocycle, Complex, Structure, Conformation, Molecular mechanics, 3451
Second-order global analysis, Europium, Indium, Spectrophotometric titrations, 3243
Beryllium complexes, Phosphonate ligands, ^{9}Be NMR, 3253
Dicarboxylate complexes, Beryllium(II), X-ray structure, 3305
Macrocycles, Polyamines, Protonation, Copper(II), Nickel(II), 3417
Macrocycle, *N*-carboxymethyl oxa-tetraaza macrocyle, Metal complexes, Dinuclear complexes, EPR copper(II) complexes, 3479
Eight-coordinate copper complex, Bidentate ligands, Crystal structure, EPR spectra, 3713
Stacking interactions
Crystal structures, Copper(II) complexes, Chain complexes, Thiophene-2,5-dicarboxylic acid, Hydrogen bonding, 1211
Standardization
Potentiometric sensors, THF/water, pH values, Reference solutions, 3361
Static copper(II) stereochemistries
Low temperature, Cation distortion isomer, 611
Steric effects
Triarylarsines, Halogen, Adducts, Dihalides, Conductance (electrolytic), 1455
Steric hindrance
Polyphosphine, ^{31}P NMR, coupling constant, metal complex, 2117
Stilbenes
Oxo-functionalisation, $[Ru^{III}(amp)(bipy)Cl]$, *t*-BuOOH, Cyclohexene, Cyclohexane, Kinetics, 2659
Stopped-flow
Tropolone, Iron(III), Dimer, Complexation, Kinetics, 3289
Stopped-flow technique
Manganese tetrasulphophthalocyanine, Phthalocyanine degradation, Sulphur dioxide oxidation, Aqueous phase, Homogeneous catalyst, 561
Strontium
Oxalate, Hydrothermal synthesis, 2499
Structure(s)
Osmium, 2-(arylazo)phenolates, Synthesis, Redox properties, 391
Ruthenium, 2-(arylazo)phenolates, Synthesis, Reactivities, 631
Amide, Nickel, Exchange, Macrocycle, Barium, 679
Semicoordination, Bond valence, Copper complexes, 699
trans-$[RuCl_2(P(OC_2H_5)_3)_4]$, Reactivity, 979
1-Phenylglyoxal, Bis(thiosemicarbazone), Zinc, Platinum, 1463
Copper complexes, Mixed valence, Oxidation, Binucleating ligand, 2399
Polychelates, PM3 calculations, Thermochromism, 2511
Osmium, Triphenylphosphine, Diimine, Synthesis, Reactivities, 2729
Vanadium, Iron, Heterometallic complex, Spectra, Magnetism, 3153
Ruthenium complexes, Tridentate ligands, Synthesis, Redox properties, 3321
Macrocycle, Complex, Conformation, Molecular mechanics, Stability constant, 3451
Copper complexes, Magnetic and spectroscopic properties, ESR, Thiosemicarbazone complexes, 3703
Azopyrimidines, High potential Ru(II) complexes, Isomers, 2869
Study
Nickel(II) thiazolidinedithiocarbamate complexes, Syntheses, X-ray structure, 151
Nickel(II) benzylisopropyldithiocarbamate complexes, Synthesis, X-ray structure, 2879
Styryl pyridinium salts
Coordination polymers, Molecular composites, Hexacyanometalate, Sn, Pb, 2711
Substituted caboranes
Plešek oxidation, Synthesis, 3517
C(2)-substituted derivative of thiamine
Complex, Crystal structure, 2987
Substituted macrocycles
Lanthanides, Macrocyclic complexes, Lanthanide macrocycles, FAB mass spectrometry, 1561
Substituted pyridine-*N*-oxides
Ternary complexes, Lanthanide, 3,5-Di-*tert*-butyl-γ-resorcylic acid, Characterization, Single-crystal structure, 3723
Substitution
UV–Vis spectrophotometry, Pt(II) complexes, *N*-heterocyclic bases, 1569
Substitution mechanism
Chelation, Thermodynamic parameter, 3469

Sugar
Ligands, 2,2′:6′,2″-Terpyridine, Iron, Ruthenium, Supramolecular chemistry, 2433
Sulfido
Heterometallics, Iron, Molybdenum, Tungsten, Chirality, 1541
Sulfimides
Complexes, Copper, Isomerism, Hydrogen bonding, 3173
Sulfonyltrimethylsilanes
Cationic oxosiloxy compound, 419
Sulfur
Complex, Zinc, Nitrogen, Crystal structure, Molecule packing, $\pi-\pi$ Interactions, 3559
Sulfur bridging
Ruthenium–molybdenum complexes, Electron transfer, 995
Sulfur-centered anion
Iron, Alkenyl ligand, Complex, Synthesis, 1131
Sulphur dioxide oxidation
Manganese tetrasulphophthalocyanine, Phthalocyanine degradation, Aqueous phase, Stopped-flow technique, Homogeneous catalyst, 561
Sulphur inversion
Tungsten, Palladium, 2,6-Dithiaspiro[3.3]heptane, Dynamic NMR, 1345
Supporting electrolytes
Electrochemical synthesis, Direct synthesis, Metal complexes, Piroxicam, Isoxicam, 2651
Supramolecular
Crystal packing, Cation, Dichromate, 3181
Supramolecular chemistry
Ligands, 2,2′:6′,2″-Terpyridine, Sugar, Iron, Ruthenium, 2433
Supramolecule
Crown ether, Chromium(III), Thiocyanate, Photochemistry, 1273
Syntheses
Nickel(II) thiazolidinedithiocarbamate complexes, Study, X-ray structure, 151
Metal multiple bond, Molybdenum, Tungsten, Ph_2Se_2, Characterization, 19
Synthesis
Copper and nickel(II) complexes, Methyl/ethyl thiocarbamylpyrazole, Spectroscopy, X-ray crystal structure, 1
Crystal structure, Cu^{II} complex, *N′*-(*p*-nitrophenyl)-*N′*-ethoxycarbonyl-thiourea, 33
Quadridentate Schiff base ligand, Dimeric metal complexes, ESR, Crystal structure, 181
Mo–Bi–S(O) double cubane cluster, Crystal structure, Spectrum, 281
Osmium, 2-(arylazo)phenolates, Structure, Redox properties, 391
Amide NS_3 macrocycle, Silver complexes, Crystal structures, 459
Ruthenium, 2-(arylazo)phenolates, Structure, Reactivities, 631
Tetrabutyldithioimidodiphosphinates, Coordination chemistry, 707
Octanuclear thiolate complex, Molecular structure, Radical scavenging, 735
Polypyridine complexes, Metal-carbonyl, 2,4,6-tris(2-pyridyl)-1,3,5-triazine, Rhenium(I) complexes, Tricarbonyl complexes, 1061
Iron, Alkenyl ligand, Sulfur-centered anion, Complex, 1131
Boronoalkylalkoxycalix[4]arene, Coordination, Carbohydrates, 1153
Copper(II), Spectroscopy, Electrochemistry, Pyridyl pyrazolyl carboxamide, X-ray crystal structure, 1323
Lanthanide, Cyclopentadienyl, Benzothiazole-2-thiolate, Crystal structure, 1533
Nickel(II) complexes, Trithiocyanuric acid, X-ray structure, Cyclic voltammetry, 1779
Molybdenum oxotransferase, Dioxo molybdenum complex, 2491
Ruthenium osmium biimidazolate, Trinuclear, Redox, 2-(Phenylazo)pyridine, 2543
Organoantimony, NMR, IR, 2609
Osmium, Triphenylphosphine, Diimine, Structure, Reactivities, 2729
Phthalocyanine, Bismuth(III) phthalocyanine, Triple-decker phthalocyanine, Crystal structure, 2775
Identification, Crystal structure, Chromium (III), Nitrilotriacetate dimer, 2795
Nickel(II) benzylisopropyldithiocarbamate complexes, Study, X-ray structure, 2879
Heterobimetallic cyano-bridged complexes, Crystal structure, Magnetic properties, 3019
Vaska-type complexes, Iridium(I), 3031
Borosilicate, Silyl borate, X-ray crystallography, 3135
Ruthenium complexes, Tridentate ligands, Structure, Redox properties, 3321
Crystal structure, Nonlinear optics, Coordination compound, Zinc, 3461
Substituted caboranes, Plešek oxidation, 3517
Cobalt complexes, Crystal structure, Nitrosation, Biscyclohexylammonium cation, Hydrogen bonding, 3661
Ruthenium, α-Amino acids, Characterization, Electrochemistry, 3669
Synthesis of diphosphine rhenium(III) complexes by ligand substitution
Rhenium(III), Alkylthioureas complexes, $[Re(N\text{-ethylthiourea})_6](PF_6)_3$ structure, $[Re(N,N'\text{-dimethylthiourea})_6](PF_6)_3$ structure, Ligand substitution onto Re(III)-alkylthioureas, 2099
Synthesis of lanthanide chloride complexes
Lanthanide oxide, Crystal structure, Chlorotrimethylsilane, 529
Synthetic methods
Infrared spectra, Crystal structures, Spectra/structure correlations, 1189

Tantalum
Niobium, Benzamidinates, Guanidinates, 2885
Tantalum complexes
Spectroscopic data, β-Diketonate compounds, CVD, 3165
Technetium
Rhenium, Diphenylpyridylphosphine, Diphenylpyridylphosphine oxide, X-ray structures, 2995
Tellurium complexes
Basicity and *trans* influence of ligands, 2861
Tellurium-rich compounds
Cluster compounds, Molybdenum complexes, Crystal structures, 217
Temperature-dependent magnetic studies
4,5-Dichloro-1,2-bis(pyridine-2-carboxamido)benzene, Mononuclear iron(III) complex, μ-Oxo-bridged diiron(III) complex, Mössbauer spectral studies, Crystal structure of a mononuclear iron(III) complex, 1317
Template reactions
Crystal structures, Zinc(II) complexes, Hydrolytic cleavage of di-Schiff-base ligands, *N,N′*-bis[1-(pyridin-2-yl)ethylidene]ethane-1,2-diamine, *N*-[1-pyridin-2-yl)ethylidene]ethane-1,2-diamine, 2369
Terbium
Lanthanide, Lanthanum, Coordination polymer, Double betaine, Crystal structure, 1519
Ternary complexes
Lanthanide, 3,5-Di-*tert*-butyl-γ-resorcylic acid, Substituted pyridine-*N*-oxides, Characterization, Single-crystal structure, 3723
Ternary copper(II) complex
Schiff base complex, *N*-Salicylidene derivative, X-ray structure, 871
Terpyridine
Ruthenium, X-ray, NMR, UV/vis, 601
Terpyridine
Osmium complexes, Pyrazolyl, Crystal structures, Chloride ligands, Redox chemistry, 1587
2,2′:6′,2″-Terpyridine
Ligands, Sugar, Iron, Ruthenium, Supramolecular chemistry, 2433
3,5-Di-*tert*-butyl-γ-resorcylic acid
Ternary complexes, Lanthanide, Substituted pyridine-*N*-oxides, Characterization, Single-crystal structure, 3723
Tetraamminedichloroplatinum(IV)
Octacyanotungstate(V), Octacyanotungstate(IV), Tetraammineplatinum(II), Crystal structure, Redox reactivity, 3527
Tetraammineplatinum(II)
Octacyanotungstate(V),Octacyanotungstate-(IV), Tetraamminedichloroplatinum(IV), Crystal structure, Redox reactivity, 3527
Tetraaza macrocycle
Functionalized macrocycle, Nickel(II) complex, Copper(II) complex, 2193
Tetrabutyldithioimidodiphosphinates
Synthesis, Coordination chemistry, 707

Tetracyanoethylene
Mercury, Complexes, Pyrrolizinato, XPS, 799
Tetradentate
Copper(II), Nickel(II), Chiral, Crystal structure, CD, 75
Tetradentate chelate
Bridging ligand, 2633
Tetradentate ligand
Schiff base ligand, Ni(II) complexes, Crystal structure, 39
Tetradentate ligand
Schiff base ligand, Ni(II) complexes, Polymeric complexes, 585
Tetradentate Schiff bases
Diorganotin(IV) complexes, $^{13}C/^{119}Sn$ NMR spectra, Crystal structure, 2687
Tetraethylmalonamide
Lanthanum(III), Crystal structure, Phase transition, Ion extraction, Nuclear reprocessing, 3599
Tetrahydroborate
Copper(I), Phenanthrolines, Triphenylphosphine, Complex ions, 1201
Tetrahydrofuran–water mixtures
Dissociation constants, Solvatochromic parameters, 3281
Tetrahydrofurfurylcyclopentadienyl
Organolanthanide complexes, Schiff base, Methoxyethylcyclopentadienyl, C_2-Symmetry, Crystal structure, 2345
2,2,6,6-Tetramethyl-3,5-heptanodione
Lanthanide, Thermochemistry, Lanthanide-oxygen bond, 969
Tetranuclear cluster
Crystal structures, Copper(II) complex, Iron complexes, Imidazole, Tris(imidazolyl) ligand, 2047
Tetranuclear complexes
Macrocyclic compound, Oxamide, Copper(II)–Iron(III) complexes, Magnetism, 3643
Tetrazolato complexes
Manganese complexes, Aqua complexes, Crystal structures, Azido complexes, 1,3-Dipolar cycloadditions, 2563
β-Thalassemia
Iron-chelator, Deferrioxamine, Iron(III), 3219
Thallium
Lead, Crystal structures, Bis[pyrazolyl]borate, 721
Thallium porphyrin complexes
Crystal structure, *cis* geometries, Salicyato ligand, Low temperature ^{13}C NMR analysis, Ligand exchange, 145
Thermal analysis
Cu and Mn complexes, Thiocyanate, Hydration of di-2-pyridylketone, Crystal structure, ESR spectra, 249
Thermal analysis
Cyclometallated, Palladium(II), Pseudohalides, Infrared specroscopy, NMR spectroscopy, 413
Thermal analysis
Barium β-diketonates, Crystal structures, 2177
Thermal behavior
Lanthanides, Oxalate, Oxydiacetate, Crystal structure, 1653
Thermal behaviour
Nickel(II) complexes, 2-Hydroxyaryloximes, α-Diimines, Crystal structure, Spectroscopy, 3441
Thermal investigations
Chromium thioantimonates, Solvothermal synthesis, Crystal structures, 101
Thermal rearrangement
Indenyl ligand, Crystal structure, Fe–Fe bond, 1647
Thermal stability
Vanadium(V) monoperoxo complex, *N*-(carbamoylethyl)iminodiacetato ligand, *N*-(3-amino,3-oxopropyl), *N*-(carboxymethyl)glycine, Crystal structure, 93
Thermochemistry
Lanthanide, 2,2,6,6-Tetramethyl-3,5-heptanodione, Lanthanide-oxygen bond, 969
Thermochromism
Polychelates, Structure, PM3 calculations, 2511
Thermodynamic characterization
Iron (III), Citric acid, Orthophosphoric acid, Mixed ligand complexes, 3269
Thermodynamic parameter(s)
Aluminum(III) ion, Phosphinate ion, Phosphite ion, Complex formation, ^{27}Al NMR, 2041
Chelation, Substitution mechanism, 3469
Gadolinium complexes, Contrast agents, Relaxivity, MRI, Paramagnetic complexes, 109
Thermodynamics
Vaporisation, Knudsen effusion mass spectrometry, $NaNdCl_4(g)$, 2845
THF/water
Potentiometric sensors, pH values, Reference solutions, Standardization, 3361
Thiazolidine
Nickel(II) complex, Pyridine, Thiazoline, 2907
Thiazoline
Nickel(II) complex, Pyridine, Thiazolidine, 2907
Thiocyanate
Cu and Mn complexes, Hydration of di-2-pyridylketone, Crystal structure, Thermal analysis, ESR spectra, 249
Crown ether, Chromium(III), Photochemistry, Supramolecule, 1273
Thiocyanato and azido complexes
2-D copper(I)-pyrazine complexes, Crystal structures, Spectra, 1805
Thioether
Zinc, Cadmium, Pyrazolyl, Enzyme, 1107
Thiohydantoin
Crystal structure, Phenylmercury(II) complex, 187
Thiolates
Nickel, Clusters, Crystal structure, 3407
Thiolato-substituted
o-Carborane, Heterocycles, Carbamato-substituted, 1279
Thiols
Gold, Metal–metal interactions, Cyclic voltammetry, 593
Thiophene-2,5-dicarboxylic acid
Crystal structures, Copper(II) complexes, Chain complexes, Stacking interactions, Hydrogen bonding, 1211
Thiopyrimidine
Rhenium(V) oxo-bridged complex, Crystal structure, UV-VIS, IR, NMR spectra, Cyclic voltammetry, 57
Thiosemicarbazide
Platinum, Thiourea, Hydrogen bonding, X-ray crystal structure, Phosphine, 2665
Thiosemicarbazonato complexes
Palladium(II) and Platinum(II) complexes, Crystal study, Spectroscopic and electrochemical studies, 1005
Thiosemicarbazone
Copper(II) complexes, Spectra, Cyclic voltammetry, Antibacterial, Antifungal, 321
6-methyl-2-acetylpyridine, Hexamethyleneimine, Palladium, Platinum, Crystal structure, 1177
Fe–Sn heterobimetallics, Semicarbazone, Crystal structures, 2483
2-Pyridineformamide, Crystal structure, Cobalt, Iron, Nickel, 2919
Thiosemicarbazone complexes
Copper complexes, Magnetic and spectroscopic properties, 1123
Copper complexes, Structure, Magnetic and spectroscopic properties, ESR, 3703
Thiourea
Platinum, Thiosemicarbazide, Hydrogen bonding, X-ray crystal structure, Phosphine, 2665
Third-order optical nonlinearity
Heteropoly blue, Quinolin-8-ol, 1,10-phenanthroline, Charge-transfer complex, Z-scan, 1419
Three-coordinate boron
Four-coordinate boron, X-ray structure, β-Diketiminate ligand, Abstraction reaction, 2405
Tin
Niobium, Organometallic oxide, 2823
Tin complexes
Trisdithiolato complexes, 1,3-Dithiole-2-thione-4,5-dithiolate complexes, 1,3-Dithiole-2-one-4,5-dithiolate complexes, 1,3-Dithiole-2-thione-4,5-diselenolato complexes, 3533
Tin–chalcogen
Mössbauer spectroscopy, Zintl phases, 2427
Titanium
Niobium, Cerium, Alkoxides, Diolates, Mixed-metal alkoxides, 3497
N-*p*-tolylsulfonyl-L-glutamic acid
Divalent metals, Copper, Zinc, Cadmium,

Compounds, 1975
Trans dibromo complex
Ruthenium(II) complexes, NNS ligand, Chemical and electrochemical studies, X-ray crystal structure, 3735
Transition metal complexes
Schiff bases, Polyenes, 225
Dihydroxamic acids, Acetohydroxamic acid, Desferrioxamine B, Ca(II) and Mg(II) complexes, 2391
Transition metal complex anions
Photoelectric conversion, Second-harmonic generation, Hemicyanine cation, Single-crystal structure, 1513
Transition metals
Metal complex, *N*-Ligand, Piperazine, X-Ray structure, 2265
Transition–metal complexes
Metal-containing dendrimers, Dendrimeric ligands, 3575
Transition-metal vinyl complexes
Carbon-carbon double bonds, Density functional theory, 1717
Transmetallation
cis-DioxoV(v), *cis*-DioxoMe(VI), *trans*-DioxoO(IV), Selective complexation, Recognition, 289
Transport
Macrocycles, Complexes, Hydrolysis, Phosphate diester, 1015
trans-Cyclohexane-1,2-diamine–*N,N,N′,N′*-tetra-acetate
Crystal structure, Copper, 4,′4-Bipyridine, Pyrazine, 1411
trans-DioxoO(IV)
cis-DioxoV(v), *cis*-DioxoMe(VI), Selective complexation, Recognition, Transmetallation, 289
trans-[$RuCl_2(P(OC_2H_5)_3)_4$]
Structure, Reactivity, 979
2,2′,2″-Triaminotriethylamine
Azido complexes, Cobalt(III) complexes, 1,10-Diamino-4,7-diazadecane, Crystal structure, 2287
Triarylarsines
Halogen, Adducts, Dihalides, Conductance (electrolytic), Steric effects, 1455
N,N′,N″-1,4,7-Triazacyclononane
Coordination complexes, Macrocyclic ligands, 1229
Triazene
Triazenide, Acetate, Copper(II) complex, Dinuclear structure, 3051
Triazenide
Triazene, Acetate, Copper(II) complex, Dinuclear structure, 3051
Triazolopyridines
Crystal structure, Copper complexes, EPR spectroscopy, 3129
1,2,4-triazolo-[1,5-α]-pyrimidine
Cu(II) complexes, Chloroacetic acid, Magnetic properties, UV–VIS, IR, 519
Tricarbonyl complexes
Polypyridine complexes, Metal-carbonyl, 2,4,6-tris(2-pyridyl)-1,3,5-triazine, Synthesis, Rhenium(I) complexes, 1061
Tricopper(II) complex
4-(2-Pyridyl)-1,2,4-triazole, Crystal structure, Magnetism, 1491
Tridentate ligands
Ruthenium complexes, Synthesis, Structure, Redox properties, 3321
Triethylaluminum
Aminoalane, Adduct, Molecular structure, NMR, Secondary amine, 1595
Triflate
Silver, Trinuclear complexes, Triphenylphosphine, Diastereoisomers, 807
Trigonal–bipyramid
Indium, Imidophosphinates, X-ray structure, Inorganic chelates, 3729
Trimer–dimer equilibrium
Aluminium oxides, NMR investigation, 905
Trimesityllead bromide
Dimesityllead dibromide, Crystal structure, ^{207}Pb NMR, 839
Trimethylamine *N*-oxide induced CO-groups substitution
Iron carbonyls, Trimethylamine *N*-oxide, Iron carbonyl radical anions, 2605
Trimethylamine *N*-oxide
Iron carbonyls, Iron carbonyl radical anions, Trimethylamine *N*-oxide induced CO-groups substitution, 2605
Trimethylene–bisadenine
Cadmium complex, X-ray structure, 765
Zinc complex, Mercury complex, X-ray structure, 3077
Trinuclear
Crystal structures, Mononuclear, Four-coordinate, Iron complexes, Cobalt complexes, 423
Ruthenium osmium biimidazolate, Synthesis, Redox, 2-(Phenylazo)pyridine, 2543
Cluster, Ruthenium, Arene ligand, Oxo cap, Aromatic hydrogenation, Water-soluble catalyst, 2679
Trinuclear cluster
Palladium, Chalcogenido ions, 1,2-Bis(diphenylarsino)ethane, X-ray structure, 1811
Trinuclear complexes
Silver, Triflate, Triphenylphosphine, Diastereoisomers, 807
Low-molecular-weight chromium-binding substance, Chromium(III) tris(picolinate), Chromium(III) complexes, DNA nicking complexes, 2617
Trinuclear palladium complex
Mercaptonicotinic acid complexes, Crystal structure Pd(II) mercaptonicotinic complex, Trinuclear platinum complex, Density functional calculations, 3675
Trinuclear platinum complex
Mercaptonicotinic acid complexes, Crystal structure Pd(II) mercaptonicotinic complex, Trinuclear palladium complex, Density functional calculations, 3675
2-Triorganosilylthiophenolate
Rhenium, Oxo-nitrogen complexes, 501
Triorganotin thiolates
X-ray crystallography, Chelates, Mössbauer, Organotin compounds, 2961
Triphenylphosphine
Copper(I) complexes, Benz-1,3-thiazolidine-2-thione, Crystal structure, 1501
Silver, Trinuclear complexes, Triflate, Diastereoisomers, 807
Copper(I), Tetrahydroborate, Phenanthrolines, Complex ions, 1201
Osmium, Diimine, Synthesis, Structure, Reactivities, 2729
Triphenylphosphite
Copper(I), NMR spectra, 2941
Triphosphate
Macrocyclic ligands, ATP, ADP, AMP, Pyrophosphate, Phosphate, 3203
Triphosphine ligand
Palladium(II) complexes, NMR spectroscopy, Phosphine oxidation, Chelate ring-opening, X-ray crystallography, 383
Triple bond
Metal–metal dimer, Alkyl, Homoleptic, X-ray structure, Distal ligand, 1303
Triple-decker phthalocyanine
Phthalocyanine, Bismuth(III) phthalocyanine, Crystal structure, Synthesis, 2775
Tripod amines
Copper(II)-(3,3′,3″-triaminotripropylamine) complexes, Copper(II)-(2,2′,2″-triaminotriethylamine) complexes, Azido complexes, Nitrito complexes, Dinuclear copper(II) complexes, Polymeric copper(II) complexes, Crystal structure, 2061
Tripodal ligand
Yttrium(III) complex, Acetato, X-ray diffraction, 3027
Trisdithiolato complexes
Tin complexes, 1,3-Dithiole-2-thione-4,5-dithiolate complexes, 1,3-Dithiole-2-one-4,5-dithiolate complexes, 1,3-Dithiole-2-thione-4,5-diselenolato complexes, 3533
Tris(imidazolyl) ligand
Crystal structures, Copper(II) complex, Tetranuclear cluster, Iron complexes, Imidazole, 2047
Tris(pyrazolyl)borate complexes
Hydrotris(3,5-dimethylpyrazolyl)borate, Silver(I) complexes, 1335
Tris- and tetrakis-(pyrazol-1-yl)borate ligands
Copper(II) complexes, Crystal structure, 2255
2,4,6-tris(2-pyridyl)-1,3,5-triazine
Polypyridine complexes, Metal-carbonyl, Synthesis, Rhenium(I) complexes, Tricarbonyl complexes, 1061
Trithiocyanuric acid
Nickel(II) complexes, Synthesis, X-ray structure, Cyclic voltammetry, 1779
Tropolone
Iron(III), Dimer, Complexation, Kinetics, Stopped-flow, 3289
Tungsten

Metal multiple bond, Molybdenum, Ph_2Se_2, Synthesis, Characterization, 19
Phenoxide, Alkoxide, 175
Palladium, 2,6-Dithiaspiro[3.3]heptane, Sulphur inversion, Dynamic NMR, 1345
Heterometallics, Iron, Molybdenum, Sulfido, Chirality, 1541
Metal–metal double bond, Selenium, Molybdenum, Characterization, Reaction, 2163

Tungsten complex
Metal carbonyl, Cyanocarbanion, Crystal structure, Electrochemistry, 1935

Tungsten compound
Nonlinear optical properties, Crystal structure, Copper compound, Silver compound, Dithiophosphate, 3115

Tungsten(II)
Bimetallic phospine-bridged, Molybdenum(II), Crystal structure, 257
Bimetallic–linear triphos-bridged, Molybdenum(II), Alkyne complex, Cyclopentadienyl, 729

Tungstoborate
Polyoxometalates, Heteropolyanions, Metal substituted polyoxotungstates, Copper, Tungstophosphate, EPR, 1163

Tungstophosphate
Polyoxometalates, Heteropolyanions, Metal substituted polyoxotungstates, Copper, Tungstoborate, EPR, 1163

Unexpected reaction by-products
Cobalt coordination complexes, Co(III) hapticity coordination, 3593

α,β-Unsaturated carboxylate
Copper(II), Imidazole, Characterization, Crystal structure, 2009

Unsubstituted phosphorus compounds
Copper(I) and silver(I) complexes, X-ray crystal structure, 2331

Uracil
Crystal structure, Complexes, Schiff bases, Nitrito, 351

Uracil
Crystal structure, Complexes, Schiff bases, 2205

Uracil
Crystal structure, Complexes, Schiff bases, 3629

Uranyl complexes
Binucleating ligands, Amide, Amine, 1735

UV–VIS
Cu(II) complexes, Chloroacetic acid, 1,2,4-triazolo-[1,5-α]-pyrimidine, Magnetic properties, IR, 519
Ruthenium, Terpyridine, X-ray, NMR, 601
Mononuclear copper complexes, Rntb ligands, Crystal structures, CV, IR, 1577

UV-VIS, IR, NMR spectra
Thiopyrimidine, Rhenium(V) oxo-bridged complex, Crystal structure, Cyclic voltammetry, 57

UV–Vis spectrophotometry
Substitution, Pt(II) complexes, *N*-heterocyclic bases, 1569

Vanadium
Molybdenum, Chiral ligands, Metal oxides, X-ray, 2533
Iron, Heterometallic complex, Structure, Spectra, Magnetism, 3153

Vanadium(V) monoperoxo complex
N-(carbamoylethyl)iminodiacetato ligand, *N*-(3-amino,3-oxopropyl), *N*-(carboxymethyl)glycine, Thermal stability, Crystal structure, 93

Vaporisation
Thermodynamics, Knudsen effusion mass spectrometry, $NaNdCl_4(g)$, 2845

Vaska-type complexes
Iridium(I), Synthesis, 3031

V–Cu–S clusters
Nuclear magnetic resonance, V-51, Dynamic process, Fenske–Hall calculations, 1339

VIB carbonyl metal complexes
Bis(4-halopyrazolyl)alkanes, X-ray structure, Electrochemistry, 2383

Vibration spectra
Copper(I) complexes, 3- and 4-benzoyl pyridine, $[(4\text{-benzoylpyridine})_2H]$ I, Emission spectra, Crystal structure, 553

Vibrational spectroscopy
Phosphonic acids and derivatives, Platinum(II) complexes, X-ray analysis, ES-MS, NMR, 2169

Visible spectrophotometry
Copper(II) complexes, Spectrum–structure correlation, Organic ligands, Donor groups, Coordination properties, 3233

B_6 vitamin
Crystal structures, Bis(oxalato)chromium(III) complex, Histamine, Pyridoxamine, 2001

Volatile lead compounds
X-ray crystal structures, Ferroelectric thin films, 1641

V-51
Nuclear magnetic resonance, V–Cu–S clusters, Dynamic process, Fenske–Hall calculations, 1339

Water-soluble catalyst
Cluster, Trinuclear, Ruthenium, Arene ligand, Oxo cap, Aromatic hydrogenation, 2679

X-ray
Ruthenium, Terpyridine, NMR, UV/vis, 601
Fluorothiolato, Iridium, Dioxygen, 959
Palladium, Pyridine-2-thiolate, Pyridine-2-selenolate, Dialkyldithiophosphates, NMR, 1253
Electrochemical synthesis, Nickel (II) complexes, Amide complexes, 1669
Coordination, Platinum, Heterocycle, 1761
Molybdenum, Vanadium, Chiral ligands, Metal oxides, 2533
Spectroscopy, Cooperative interaction, Chirality effect, Lanthanides, Isoleucine, 2701
Ruthenium, Arene, Pyridyl, Heterometallic, 2981

X-ray analyses
α-Alanine complexes, Manganese(II), 2321

X-ray analysis
Phosphonic acids and derivatives, Platinum(II) complexes, ES-MS, Vibrational spectroscopy, NMR, 2169

X-ray crystal structure(s)
Copper and nickel(II) complexes, Methyl/ethyl thiocarbamylpyrazole, Spectroscopy, Synthesis, 1
Copper(II), Synthesis, Spectroscopy, Electrochemistry, Pyridyl pyrazolyl carboxamide, 1323
Ferrocenylethanol, Electrochemistry, 1471
Ferroelectric thin films, Volatile lead compounds, 1641
Copper(I) and silver(I) complexes, Unsubstituted phosphorus compounds, 2331
Ruthenium(II) complex, Oligopyridine, Kröhnke methodology, 2445
Platinum, Thiosemicarbazide, Thiourea, Hydrogen bonding, Phosphine, 2665
Ruthenium(II) complexes, Trans dibromo complex, NNS ligand, Chemical and electrochemical studies, 3735

X-ray crystallographic studies
Phosphines, Ligands, 1603

X-ray crystallography
Palladium(II) complexes, Triphosphine ligand, NMR spectroscopy, Phosphine oxidation, Chelate ring-opening, 383
Hexanuclear Zr(IV) complex, 1,10-Phenanthroline, Elemental analysis, Infrared spectroscopy, 787
Gold(I) complexes, Chloride metathesis, Heterodifunctional ligands, 1135
Triorganotin thiolates, Chelates, Mössbauer, Organotin compounds, 2961
Copper(II) bromide complexes, 1-Methylbenzotriazole complexes, Spectroscopic characterization, 3067
Borosilicate, Silyl borate, Synthesis, 3135
Heteropolymolybdate, BEDT-TTF, 3147

X-ray diffraction
Cyclic diamine tmdz, Crystal structure analysis, 1039
Adducts of zinc(II) dithiocarbamate complexes, Nitrogen bases, Isomerism of coordination compounds, ESR, CP/MAS ^{13}C and ^{15}N NMR, 2069
Azido complex, Cyclam, Mössbauer spectroscopy, Iron(III) complex, 2201
Copper complexes, 2,2′-Bipyridyl, Hippuric acid, L-Proline, Dinuclear complex, 2505
Yttrium(III) complex, Acetato, Tripodal ligand, 3027

X-ray single-crystal diffraction technique
Solution–solid-state study, Spectroscopic technique, 1635

X-ray structural analysis
Cyclopalladation, Cyclorhodation, 2-(2-pyridyl)benzo[*b*]furan, 1-(2-pyridyl)indole, 1-(2-pyrimidyl)indole, 533

X-ray structure(s)
Nickel(II) thiazolidinedithiocarbamate complexes, Syntheses, Study, 151
Helicates, Ruthenium complexes, Metallosupramolecular chemistry, Oligopyridines, 159
Polymeric complexes, Bis(pyridine) ligands, 273
Copper(I) complex, Silver(I) complex, Hexakis(methylthio)benzene, S···S contacts, 429
Ni(II) complexes, Methylformyl pyrazole methylthiosemicarbazone, Spectroscopic studies, 571
Coordination polymers, Cobalt(II) complex, Hydrogen bond, Hexanedioic acid, N-donor ligands, 657
Gold(III) compounds, Diphenylthiocarbazone, Mixed-ligand complexes, Organogold compounds, 749
Cadmium complex, Trimethylene–bisadenine, 765
Schiff base complex, *N*-Salicylidene derivative, Ternary copper(II) complex, 871
Group 13/15 adduct, Ddibenzylamine, *ab initio* calculations, 879
Bismuth complex, 1,3-dithiole-2-thione-4,5-dithiolate, Polymer, 1049
Lead, Complex, Calix[4]arenesulfonate, Organic clay, 1055
Cobalt, Imidophosphinates, Inorganic chelates, 1077
Metal–metal dimer, Alkoxide, π bonding, Proximal ligand, Distal ligand, 1293
Metal–metal dimer, Triple bond, Alkyl, Homoleptic, Distal ligand, 1303
2-(Pyrazol-1-ylmethyl)pyridine and 2,6-bis(pyrazol-1-ylmethyl)pyridine and their 3,5-dimethylpyrazole derivatives, Anion-bound and mixed-ligand copper(II) complexes, Absorption spectra, EPR spectra, Cyclic voltammetry, 1743
Nickel(II) complexes, Trithiocyanuric acid, Synthesis, Cyclic voltammetry, 1779
Trinuclear cluster, Palladium, Chalcogenido ions, 1,2-Bis(diphenylarsino)ethane, 1811
Lanthanide, Polymeric, bis-compound, 1821
Ruthenium, Nitrosyl, Complexes, Biphosphines, Isomerism, 2079
Diazadiphosphetidines, Cyclodiphosphazane, 2249
Metal complex, *N*-Ligand, Piperazine, Transition metals, 2265
Rhenium, Nitrosyl, Electronic structure, Nitric oxide, 2313
Aminoacidatodiiminecopper(II) complexes, *d–d* spectra, Circular dichroism spectra, EPR spectra, Gaussian analysis, 2361
VIB carbonyl metal complexes, Bis(4-halopyrazolyl)alkanes, Electrochemistry, 2383
Three-coordinate boron, Four-coordinate boron, β-Diketiminate ligand, Abstraction reaction, 2405
Open cryptand, Alkali earth, Alkaline earth, Complex, 2519
Diazadiphosphetidines, Bicyclic, Cyclophosphazane, 2557
Nickel(II) benzylisopropyldithiocarbamate complexes, Synthesis, Study, 2879
Rhenium, Technetium, Diphenylpyridylphosphine, Diphenylpyridylphosphine oxide, 2995
Zinc complex, Mercury complex, Trimethylene-bisadenine, 3077
Dicarboxylate complexes, Beryllium(II), Stability constants, 3305
Lead halide adducts, Lone pair of electrons, 3491
Catalysis, Oxidation, Complexes, Palladium, Quaternary ammonium salts, 3511
2-Acetylpyridine-^{4}*N*-ethylthiosemicarbazone, Group 12 metal(II) complexes, 3695
Indium, Imidophosphinates, Inorganic chelates, Trigonal–bipyramid, 3729

XPS
Mercury, Complexes, Pyrrolizinato, Tetracyanoethylene, 799

Yttrium
Schiff base, N,N′-bis(4-antipyrylmethylidene)ethylenediamine, Lanthanides, Iodide, Complexes, 1881
Rare earth elements, Fluoride complexation, Stability constant, Inductively-coupled plasma mass spectrometry, 2839

Yttrium(III) complex
Acetato, X-ray diffraction, Tripodal ligand, 3027

Zero Field Splitting
Crystal structures, Nickel complexes, Cubane complexes, Ferromagnetic behaviour, 909

Zinc
Cadmium, Pyrazolyl, Thioether, Enzyme, 1107
1-Phenylglyoxal, Bis(thiosemicarbazone), Platinum, Structure, 1463
Cobalt, Chromium, Platinum, Samarium, Clusters, Carboxylates, 1869
Divalent metals, Copper, Cadmium, *N*-*p*-tolylsulfonyl-L-glutamic acid, Compounds, 1975
Synthesis, Crystal structure, Nonlinear optics, Coordination compound, 3461
Complex, Sulfur, Nitrogen, Crystal structure, Molecule packing, π–π Interactions, 3559

Zinc complex(s)
Aqua, 2,2′-Biimidazole, 2,2′-Bipyridine, Carboxylate, 1785
Mercury complex, Trimethylene-bisadenine, X-ray structure, 3077
Cadmium complexes, Chalcogenides, Pyridine adducts, 1259

Zinc dithiocarbamate
Electron density, Adducts, Bidentate nitrogen ligands, 925

Zinc(II)
Nickel(II), Copper(II), Complexes, Hexadentate ligand, 2811

Zinc(II) complexes
Crystal structures, Hydrolytic cleavage of di-Schiff-base ligands, Template reactions, *N,N′*-bis[1-(pyridin-2-yl)ethylidene]ethane-1,2-diamine, *N*-[1-pyridin-2-yl)ethylidene]ethane-1,2-diamine, 2369
Nickel(II) complexes, Copper(II) complexes, Oxalato-bridged complexes, Magnetic properties, Crystal structure, 2787

Zintl phases
Mössbauer spectroscopy, Tin–chalcogen, 2427

Zirconium
Alkoxides, Hafnium, Oxoalkoxides, 941

Z-scan
Heteropoly blue, Quinolin-8-ol, 1,10-phenanthroline, Charge-transfer complex, Third-order optical nonlinearity, 1419